UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

9700 BIOLOGY

9700/31

Paper 31 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

Mark scheme abbreviations:

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

underline actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

MP marking point (with relevant number)

ECF error carried forward

I ignore

ACE Analysis, Conclusions and Evaluation (skills)

MMO Manipulations, Measurement and Observation (skills)

PDO Presentation of Data and Observations (skills)

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers Mark				
1	a (i) C	complete Fig. 1.1 to show	w how you will make two further concentrations of copper sulfate solution	[3]	
	[1]	(labels under correct see	quence of beakers)		
		0.0003 AND 0.00003;			
		Additional guidance	Must have • % once		
	[1]	(adds copper sulfate sol	ution, C, to both beakers)		
83		1 cm ³ of 0.003(%) or she	own as arrow (from 0.003 beaker) AND 1 cm ³ (to next beaker);		
decisions		Additional guidance	Must have • cm³ once		
MMO			ECF • if MP1 incorrect		
	[1]	(adds (distilled) water/W	, to both beakers)		
		9 cm³ (W/water);			
		Additional guidance	Must have • cm³ once ECF for MP3 if MP1 and MP2 incorrect BUT MUST add previous concentration to third and fourth beakers		

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark	
	(a) (ii) Prepare the space below and record your observations. Mark in vertical line in order. [5]				
	[1]	table with all cells drawn	AND heading (top or left) percent(age) conc(entration);		
PDO recording 2		Additional guidance	 Can have no outer boundary % solution or copper sulfate % or percentage copper sulfate solution Do not give mark if % in cells of the headed column/row other units e.g. mol dm⁻³ 		
PDO r	[1]	(heading on any one time time with s/sec(onds);	column/row including mean)		
		Additional guidance	 Do not give mark if units in cells of the headed column/row min(utes) additional columns/rows for volumes of water/copper sulfate t or T 		

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

		Expected Answers Mark	(
	[1]	records whole seconds (numbers), less than 181, for W / 0 / control AND 4 concentrations;	
on 3		Additional guidance Must have • whole seconds only • no value over 180	
10 collection	[1]	(in concentration column) W / 0 / control and then lowest concentration of copper sulfate to highest concentration (minimum of two concentrations, low concentration and then next highest concentration);	wes
MMO	[1]	lowest concentration of copper sulfate recorded is shorter time than next (higher) concentration; (mark first column/row of recorded time taken)	
		Additional guidance Can have • minimum of two recorded	

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers			Mark
	(a) (iii)	Ехр	lain how your results provide evidence for the support or the rejection of this hypothesis.	[2]
on max 2	max 2	1.	clear statement on hypothesis, support / true(hypothesis) OR reject / false(hypothesis);	
conclusion		2.	correct statement about concentration <u>lower than</u> 0.03% with respect to time e.g. quote concentration and time;	
ACE (3.	correct statement about water e.g. no inhibition;	

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

				Expected Answers	Mark
	. , , ,	MAF	RK the first TWO differ	ource of error in your investigation rent ideas for one correct answer. t the marking point and cross if idea incorrect up to two.	[1]
	et all test-tubes equally				
	Cause	of er	ror	WITH idea of error	
max 1	max 1	1.	(dependent) colour change end-point	difficult to judge see or identify determine is subjective may be different too quick;	
retati		2.	time intervals	(15 seconds) too long (a time interval);	
E interpretation max		3.	(standardised) air bubble in syringe	measuring not accurate;	
ACE			Additional guidance	Do not give mark if (count as an idea) • human reaction time • just have cause and no error • give improvement or correction of error • .g. 'should have timed each one separately' • contamination	

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31
		•	

		Expected Answers	Mark
	., .,	Describe three other modifications to this investigation would improve the confidence in your results. Do not allow colorimeter. MARK the first FOUR different ideas for any THREE correct answers. Mark with a tick where meet marking point and cross if idea but not correct up to 4.	[3]
	max 3	(dependent variable) 1. replicate; 2. more / closer / shorter time intervals (gaps); (MUST BE less than 15 seconds, but not less than 5 seconds) 3. use of Benedict's solution AND timing to first colour change / clinistix;	
max 3		Additional guidance Can have • repeat or more trials or more readings Ignore • mean	
iiipioveilleills ii		 (standardised variables) 4. add a buffer; 5. idea of more accurate instruments e.g. use of graduated pipette or syringe with smaller divisions (1 cm³) e.g. measuring cylinder; 	
ACE		Additional guidance Ignore (for MP5) • use burette	
		6. (independent variable) more / wide / narrow(er) / different / high(er) / low(er) / more concentrations / dilutions / solutions;	
		Additional guidance Do not give mark if ref. to separate syringes use larger volumes put covers or lids on	

Page 9	Page 9 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark		
(k	(b) (i) Draw a circle around each of the anomalous results and complete the table. [2]					
[1] circles the two anomalous results/ for 12.5 <u>80</u> AND for 3.5 <u>84</u> ;						
MMO decision		Additional guidance	Do not give if circled more than two numbers lgnore the figure 93 if in place of 96 do not count as a 'circle' if circled			
~	[1]	calculates mean correct	ly/ <u>59;</u>			
ACE Interpretation		Additional guidance	 ECF allow 64 (as candidate has used anomalous result to calculate mean) Do not give if 64.2 (needs to round number down) given two answers 			

Page 10	Page 10 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark
	(b) (ii)	Plot a graph of the data show	n in Table 1.1.	[4]
	[1]	x-axis copper sulfate/mol dm ⁻³ x10 ⁻³	AND y-axis absorbance/%;	
PDO layout 4		Additional guidance	Must have ■ units on x-axis AND y-axis	
	[1]	scale as x-axis 5 to 2 cm must label each 2 cm	AND y-axis 20 to 2 cm; ECF if no labels for O must label each 2 cm	
		Additional guidance	 Do not give mark if awkward scale e.g. scale not written on each 2cm Ignore 0 on either axis AND 100 on y-axis 	
PDO	[1]	i.e. plot has to be nearer than h	within half a square i.e less than 1 mm from intersection halfway from a line - up or down lines then must not be on line above or below;	
		Additional guidance	 Can have small cross or dot in circle or cross in circle ECF if x-axis not 0 if scale 20 to 2 cm. even Do not give mark if awkward y-axis scale blobs or dots alone cross too large with any part of line touching 4 mm by 4 mm square – check with graize which is 2 mm across Mark the plot for figure 93 as for other plots, do not penalise for using the number. 	rid dot/blob

Page 11	Page 11 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

Exp	Expected Answers								
	[1]	lines point to point	 AND ruled, clear sharp and quality ruled lines thinner than half square; Do not give mark if less than 5 plots any feathery line irregular thickness extrapolated to zero 						

Page 12	Mark Scheme: Teachers' version	Syllabus	Paper	
	GCE AS/A LEVEL – May/June 2011	9700	31	

			Expected Answers	Mark			
	(b) (iii) Explain the effect of copper sulfate on the protein suspension. [2]						
2	max 2	1.	(protein) coagulates / clots as concentration of copper sulfate increases;				
max		2.	denatures;				
conclusion		3.	detail on the effect of changing the protein structure; e.g. bonds broken / shape changed / altered / quaternary structure / tertiary structure				
ACE con			Additional guidance Do not give mark if Ink to enzyme for any MP				
[Tot	al: 22]						

Page 13	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			E	Expected Answers	Mark
2	Lab	w a large plan diagram of the pole the xylem and an air space. The control of the pole of	part of the leaf	f indicated by the shaded area in Fig. 2.1.	[5]
	[1]	clear, sharp, unbroken lines	AND no shading	AND longer than 60 mm across middle / bulge from top to bottom;	
PDO layout 1		Additional guidance 'tail' or overlap or gap has to be more than 1 mm to be marked as an error	Do not give indrawn ovany line toany feathdrawn onCan have	e hand-drawn lines (not ruled) and one or more enclosed areas mark if ver the print of question thicker than 1mm nery or broken or overlap in lines nly <u>one enclosed area</u> and drawn <u>any</u> 'tail' or gap in the outline overlap or gap in the outline	
3	[1]	no cells drawn		part of leaf indicated by shaded area of bulge at each side turns parallel to top layer;	
collection		Additional guidance	• up to 3 e	enclosed areas within vascular bundle or within area where vascular bundling large xylem vessels which would make them cells)	e is situated
ММО	[1]	vascular bundle divided into at	least 2 regions	5;	
	[1]	definite area around hinge regi	on drawn (at ba	ase of fold);	

Page 14	Page 14 Mark Scheme: Teachers' version		Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers		
ion 1	[1]	label line to central area air space drawn as distinct area	a which goes outside central area	AND labelled xylem AND labelled air space;	
MMO decision		Additional guidance	Do not give mark if		

Page 15	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected A	Answers	Mark	
	The			indicated by the shaded area in Fig. 2. 2. ne epidermis and <u>two</u> adjacent cells from each of the next two	[5]	
	[1]	clear, sharp, unbroken lines	AND no shading or stippling	AND longest dimension of any cell is 30 mm using grid;		
PDO layout 1		 Must have 3 or more enclosed areas Do not give mark if drawn over the print of question any line thicker than 1mm any feathery line Can have 2 'tails' or overlap or gap in the outline of 6 enclosed areas (assessing outer line) 				
2	[1]	three pairs of touching cells or	nly;			
llection		Additional guidance	Do not give mark if other layers drawn			
MMO collection	[1]	the longest dimension (top to bottom) of one of the two middle cells is longer than the shortest dimension (top to bottom) of any of the other four cells (by at least 1 mm);				
PDO recording 1	[1]	cell walls drawn as double line	es with middle lamella bet	ween any two cells ;		

Page 16	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

_	[1]	correct label with label line to epidermal cell/cell from epidermis;
MMO decision		Additional guidance • for epidermis only • label within drawn area • for any label which is biologically incorrect e.g. organelles or from incorrect organ or animal

Page 17	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

			Expected Answers	Mark
		actual length of line Y is 785μm. this measurement to calculate the m	agnification of Fig. 2.3	[3]
1 u	[1]	measures line Y in mm; 22 22.5 23 23.5 24 mm		
MMO decision		Additional guidance	Can have 2.2 2.25 2.3 2.35 2.4 cm Must have units somewhere only those values given	
display 2	[1]	(uses mm and converts to μm by) shows multiplied by or x mm x 1000 OR x 10 ³ OR (uses cm and converts to μm by) cm x 10000 x 10 ⁴	AND divided by (785);	
PDO d		(converts (785) μm to mm or cm) shows <u>division by</u> or <u>1000</u> x 10 ³ OR (converts (785) μm to mm or cm) shows <u>division by</u> or <u>10000</u> 10 ⁴	AND <u>divides Y by</u> (0.785) OR AND <u>divides Y by</u> (0.0785);	

Page 18	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Additional guidance	Must have multiplication and division signs/wording OR division and division signs/wording Can have * or . for 'multiplied by' even if no units mm or cm ECF using incorrect figure if MP1 wrong Do not give mark if uses metres anywhere
[1]	rounds to whole number;	
	Additional guidance	for MP3 ECF from MP1 but needs to have MP2 correct

Page 19	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	Expected Answers						Additional guidance		dance	
	(d) Prepare the space below so that it is suitable for you to record the observable differences between the specimens on J1 and that in Fig. 2.3.									
PDO recording 1						<u>J1</u>	Fig 2.3			
PDO r								<u>Fig 2.3</u>	<u>J1</u>	
MMO decision 1	[1]	at least one difference and no similarities;								
	max 3		feature		J1		Fig. 2.3			
interpretation max 3		1.	(mid-rib) shape		V-shaped / sharp pointed / concave		wide;	rise / rounded		
ACE ir		2.	vascular bundle xylem / phloem p	osition	small / nearer low in one area	er epidermis	_	vide across n upper epiderr		

Page 20	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	31

	3.	vascular bundle sheath	present	absent;
		amount of xylem / phloem	less	more;
	4.	stomata / guard cells	present / many	absent / less / none / cannot see;
	5.	collenchyma	present	few cells / none;
	6.	upper epidermis	thick epidermis / large cells	thin epidermis / small cells;
	7.	hinge cells / rectangular cells	present	absent;
	8.	number of air spaces / lacunae /	many	few / none
		packing size of air spaces	(cells) densely packed	(cells) loosely packed
			large	small;

Additional guidance

If reverse headings then

Do not give mark for PDO recording mark

- show the swapping over of headings on their table then **give marks** as if for the swapped headings.

If no organisation then

give mark only if in same sentence or following sentences

Ignore

tick and cross without a key refs. to size 3-D descriptions such as spherical colours/staining

Can have

differences even if not opposite each other. differences on one side if e.g. use more or –er

Total 18