## MARK SCHEME for the May/June 2014 series

## 9700 BIOLOGY

9700/23

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	23
Mark scheme ab	breviations:		
	narates marking points		

separates marking points
alternative answers for the same point
reject
accept (for answers correctly cued by the question, or by extra guidance)
alternative wording (where responses vary more than usual)
actual word given must be used by candidate (grammatical variants accepted)
indicates the maximum number of marks that can be given
or reverse argument
marking point (with relevant number)
error carried forward
ignore

	Pa	ige 3	}	Mark Scheme	Syllabus	Paper
				GCE AS/A LEVEL – May/June 2014	9700	23
1	(a)	(i)	В;			[1]
		(ii)	D ;			[1]
		(iii)	Α;			[1]
	(b)	(i)	amy	lose/amylopectin/ <u>glycogen</u> ; <b>A</b> starch		[1]
		(ii)	part	1 is saturated/part 2 is unsaturated ;		
			part	1 has no double bonds/part 2 has one double bond ;		
				1 has 27 hydrogens and part <b>2</b> has 25 <b>;</b> <b>A</b> part 1 has more hydrogens <b>ora</b>		[max 1]
		(iii)	ionic hydr hydr disu	two from: c/electrovalent (bond) ; ophobic (interaction) ; ogen (bond) ; Ifide (bond) ; <b>A</b> Van der Waal's (forces)		[max 2]
						[Total: 7]
2	(a)	(i)	1	(method to) stimulate/AW, an immune response ; A gives immunological memory		
			2	giving/ <b>AW</b> , antigens <b>;</b>		
			3	(method to provide long-term) artificial active immunity	(;	
			4	one relevant detail ; e.g. no ability to cause disease ref. to, harmless/ <b>AW</b> , form of pathogen used (protection through) production of (specific) memo (contains, pathogen/antigen) in an injection or an		
				<b>A</b> (to provide long-term) artificial active immunity <i>if not already credited in mp 3</i>		[max 2]
		(ii)	•	ease) caused by, a pathogen/microorganism ; A <i>two of</i> bacteria, virus, fungus, protoctist		
			trans	<i>relevant detail e.g.</i> smissable/communicable/passed from one organism <b>A</b> spread to others <i>if qualified</i>	to another/ <b>AW</b> ;	
			affeo	cting the normal function of the body/causing ill health	;	[max 2]

								Syl		Paper
			GUE	AS/A	LEVEL -	- May/Ju	ine 2014	9	700	23
	(numbe affected		cases	per	100000)	shows	, proportion	/ <b>AW</b> , of	populatio	n
	idea tha	<i>at</i> easi	er to visi	ualise,	the seve	rity of the	e problem ;			
	useful/ countrie		reliable,	qualifi	ed;e.g.	for mak	king comparis	ons betwe	en differer	nt
	• •			-			usually have		ases/highe	r
	compar	rative o	lata quo	te to s	upport;					[max 2
(c)	1 infe	ected p	person, c	oughs	s/sneezes	s/breath	es out/ <b>AW</b> , d	roplets ;		
	<b>2</b> drc	oplets o	containin	ig, bac	teria/patl	hogen/ <b>/</b>	1. tuberculosis	s;		
:		infecte <b>A</b> dro	d persor oplets if i	n); mp 2 g			ir, inhaled/ins	pired/brea	athed in (b	У
		nsump <i>tuberc</i>	tion culosis / N	of, <i>I. bovi</i>	milk/me s;	eat,	containing,	bacteria	/pathogen	/ [max 3
(d)	(HIV/AI	DS lea	ads to) w	eak in	nmune sy	stem/re	duced immuni	ty (to disea	ase);	
	detail ;	e.g.	Th lym	ohocyt	n of phag es low in response	number				
	(so TB disease	<i>,</i> .	ogens,	can m	ultiply fa	ster/are	not destroye	ed before	they caus	е
							nay already stop function		ering fror	n
	ref to i	inactiv	e/dorma	ant/late	ent, TB m	ore likel	y to become a	active ;		[max 2
	101.10,				,		-			-

Pa	ge 5	Mark Scheme GCE AS/A LEVEL – May/June 2014	Syllabus 9700	Paper 23
(a)		allow mps 1, 5 and 6 if non-competitive or both describe		25
()	1	(glutamycin) similar shape to, substrate/glutamyl-tRNA		
	2	competes with substrate/competitive inhibition;		
	3	(glutamycin) binds to/fits into/enters, active site;		
	4	(glutamycin) complementary (shape) to active site;		
	5	<ul> <li>(so) substrate/glutamyl-tRNA, cannot, enter/bind;</li> <li>A no/few, ES complexes</li> <li>A prevents formation of ES complexes</li> <li>A glutamyl-tRNA forms enzyme inhibitor complex</li> </ul>		
	6	slows the rate of reaction / AW;		
	7	ref. to increasing concentration of inhibitor has greater e	ffect on inhibition;	[max 4]
(b)	tran	nsport is against the concentration gradient/AW ;		
	requ	uirement of, energy/ATP;		
		e of, membrane/carrier/transport/pump, protein <b>;</b> hannel/pore, protein		
	ref.	to conformational change (of pump protein);		
	ref.	to specificity;		[max 3]
(c)	(i)	nitrogen fixation;		[1]
	(ii)	<i>idea that Rhizobium</i> will receive, photosynthates/assimil gains, carbohydrate/amino acids; for energy/growth/replication; receives oxygen;	ates (from plant) ;	
		idea of (nodules provide) correct living conditions/ide	al habitat/anaerobi	С
		conditions (for nitrogenase)/AW ; A ref. to protection, qualified mutualistic relationship	; A described	[max 2]
	(iii)	production of, ammonium/ $NH_4^+$ /ammonia/ $NH_3$ ;		
		(fixed/useable) nitrogen transferred to plant;		
		used for amino acid production (in plants);		
		ref. to other uses relevant to growth ; e.g. in DNA replica	tion/transcription	
		increased/used in, protein synthesis ; A named protein		
		(for) production of new, cells/tissues;		[max 2]

Pa	ge 6	Mark Scheme	Syllabus	Paper
		GCE AS/A LEVEL – May/June 2014	9700	23
(a)	stomata	in, pits/cavities/chambers/crypts; I sunken stomata		
	no stom	ata on upper surface ;		
	few stor	nata ;		
	hairs/tri	chomes ;		
	thick (wa	axy) cuticle ;		
	thick wa	lled epidermal cells ;		
	several	layers of, upper epidermis / hypodermis ;		[max 3]
(b)	300 ;;			
	(18000/	'60 or 19000/60 or 20000/6)		
		e mark t measurement is divided by magnification but incorrec if answer not to nearest 100 µm	t conversion facto	r [2
(c)	1 loss	of water vapour from, leaves/aerial parts of the plant ;		
	2 wat	er evaporates from, walls/surface, of mesophyll cells ;		
	3 into	air spaces;		
	4 wat	er vapour diffuses(out to atmosphere);A water <i>if mp2</i>	2 awarded	
	5 thro	ugh open stomata (to atmosphere) ;		
	6 dow	n a water potential gradient ;		
		A idea that water potential gradient established		[max 4
				[Total: 9]

Page 7	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	23

**5** (a) accept Hb for haemoglobin throughout

low(er), partial pressure/AW, of oxygen/O<sub>2</sub>;

high(er), partial pressure / AW, of, carbon dioxide /  $CO_2$ ;

formation of carbaminohaemoglobin;

carbonic acid disocciation to form, hydrogen ions/ ${\rm H}^{\scriptscriptstyle +}$  (and hydrogen carbonate ions) ;

formation of haemoglobinic acid/binding (of Hb) with, hydrogen ions/H $^{+}$ , causes release of oxygen ; *allow HHb* 

*ref. to* Hb affinity for oxygen ; e.g. Hb has higher affinity for, hydrogen ions/ $H^+$ , than oxygen ; reduces/lowers, affinity of Hb for oxygen

Bohr effect ;

AVP ; e.g. ref. to allosteric effects

[max 3]

- (b) lower, partial pressure/AW, of oxygen (at high altitudes) or less oxygen in inhaled air/AW;
  - (so) percentage saturation of haemoglobin is lower;
     A haemoglobin is less saturated
     A fewer molecules of/less, oxygen combine with haemoglobin
  - more haemoglobin needed (so more red blood cells);
     A (more red blood cells) so more haemoglobin/more oxyhaemoglobin can be formed

idea of compensation ; e.g. (to transport) same amount of oxygen to, cells/tissues;

ref. to (increased) secretion of, erythropoietin/EPO;

[max 3]

[max 3]

(c) (i) making a (complementary) copy of, DNA; A a gene ref. information / AW, for production of a polypeptide ;

one (DNA) strand acts as a template;**AW** production of (pre) mRNA; detail of process; e.g. assembly of nucleotides RNA polymerase

	Page 8		Syllabus	Paper
		GCE AS/A LEVEL – May/June 2014	9700	23
	(ii)	nucleotide/base, sequence of, <u>DNA</u> / <u>gene</u> , changed/ <b>/</b> <b>A</b> new allele (formed)	AW ;	
		ref. to altered mRNA / <b>AW ;</b> this may be in context of a named type of mutation consequence on tRNA	n	
		tRNA/anticodon, with different amino acid (to ribosom <b>A</b> tRNA with different anticodon	ne);	
		change in amino acid(s)/different amino acid seque structure;	nce/change in prima	ry
		affects, secondary structure/tertiary structure/3D sha	pe/function, of proteir	ז;
		<i>ref. to</i> one type of mutation ; e.g. base substitution means deletion/insertion, leads to frameshift ref. to premature stop codon		[max 3]
	(iii)	<i>may prevent</i> breaking of hydrogen bonds between, base pairs/base (and access of RNA polymerase) <b>;</b>	es/nucleotides,	
		attachment of, RNA polymerase (to DNA);		
		progress/functioning, of RNA polymerase (along gene	e);	
		synthesis/elongation of (pre) mRNA;		
		AVP ; e.g. interfere with action of helicase		[max 2]
				[Total: 14]
6	(a) (i)	deposit/build-up/presence/AW, of atheroma/(athero	matous) plaque ;	
		thicker wall ;		
		narrowing of the lumen; <b>R</b> lumen, blocked/clogged		
		lumen no longer round ;		
		rougher / AW, lining; A idea of damaged endotheliur	m	[max 2]
	(ii)	damage/ <b>AW</b> , to, endothelium/tunica intima/ <b>AW</b> ;		
		promotes blood clotting/makes platelets stick thrombosis/ <b>AW</b> ;	xy/increases risk	of
		(so) contributes to plaque/atheroma ; A atheroscleros	sis	
		<i>ref.</i> (vaso) constriction ; <b>A</b> reduces diameter <b>A</b> reduces resistance to block	ood flow	[max 1]

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	23

(b) (i) one correct structural feature with one relevant corresponding function e.g.

thick/muscular, wall ; A thick tunica media A smooth muscle withstand high blood pressure/maintains pressure/provides strength ;

elastic tissue ;
provide, stretch/recoil/AW;

smooth tunica intima ; maintain, laminar/smooth, flow ; **AW** 

presence of collagen ; prevents rupture / **AW** ;

allow the function mark for general statement transports blood away from the heart to the (lungs and) rest of the body; [max 2]

 (ii) one cell thick (wall)/endothelium only/thin wall/AW; short diffusion distance/high rate of diffusion; I easy diffusion

pores/gaps/spaces, between, cells in wall/endothelium; to allow exchange of substances/example described/formation of tissue fluid;

small, diameter/cross sectional area ; **A** range 7–12 μm *ref.* efficient, exchange/delivery/collection, of materials ; e.g. reaches all cells/**AW** slows down blood flow

maximises time for red blood cells to collect/deliver, oxygen reduces distance for diffusion to cells

[max 2]

[Total: 7]