CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the May/June 2015 series

9700 BIOLOGY

9700/23

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2015	9700	23

Mark scheme abbreviations:

; separates marking points

/ alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants accepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

mp marking point (with relevant number)

ecf error carried forward

I ignore

Р	age :	3	Mark Scheme	Syllabus	Paper
			Cambridge International AS/A Level – May/June 2015	9700	23
1	(a)		ospholipid (and protein) molecules, move about/diffuse/AW; tein (molecules), scattered/AW; A different proteins present		[2]
	(b)	(co	nilarity to max 1 ntains) phospholipid (bilayer); A detail of orientation of phospho A lipid bilayer ntains) protein;	lipid	
		(Da (flu	erence (look for ora) livson Danielli) layer(s) of protein/protein only on outside; id mosaic) ref. to proteins, in different locations discrete/different types/named or described; id mosaic) presence of cholesterol (molecules);		[max 2]
	(c)	1 2 3 4 5	requirement for, energy/ATP; R ATP energy uses, carrier/transport, protein; A pump conformational change (of carrier protein); AW moving against a concentration gradient; A low to high concentration specific, binding site; A ref. to specificity to substance moved across		[max 3]
	(d)	1 2 3	to max 2 loss of, tertiary structure/quaternary structure/secondary structure A loss of shape of active site in correct context loss of globular, shape/structure/form; breakage of, ionic/hydrogen/hydrophobic, bonds/interactions;	·;	
		4 5/6	to max 2 loss of function of (membrane) proteins; detail;; e.g. transport of, polar molecules/ions, impaired AW loss of cell to cell adhesion unable to receive cell signals loss of enzyme function		
		7	ref. to membranes, become leaky/lose partially permeable nature A cannot regulate, entry/exit, substances	;	
		8	disrupt interaction between protein and phospholipid bilayer/descr	ibed;	[max 3]
					[Total: 10]
2	(a)	(lat	e) interphase/phase/after G1 phase/before G2 phase; A after first growth phase/before prophase/before mitosis/after cy	/tokinesis	[max 1]
	(b)	(i)	hydrogen/H, (bonds);		[1]
		(ii)	Y, single ring structure; A smaller molecule compared to X		[1]

(c) (i) change in, nucleotide/base, sequence of DNA; any one from new allele fomed; deletion/substitution/addition/frame shift, (mutation); change to/altered, mRNA; A altered codon(s) (causing) change in, primary structure/amino acid sequence, of, polypeptide/protein; A different protein/altered function of protein/non-functional protein (ii) cell cycle shorter/interphase shorter/division more frequent; (cell cycle) checkpoints not controlled; uncontrolled (growth/division)/AW; AVP; e.g. no differentiation (into epithelial cell) A no cell death/apoptosis [max 2] [Total: 7] (a) (endoplasmic reticulum/RER) has ribosomes; (ribosomes/RER) site of protein synthesis; antibodies are proteins; RER for, modification/transport/transport vesicle formation; [max 2]
any one from new allele fomed; deletion/substitution/addition/frame shift, (mutation); change to/altered, mRNA; A altered codon(s) (causing) change in, primary structure/amino acid sequence, of, polypeptide/protein; A different protein/altered function of protein/non-functional protein [max 2] (ii) cell cycle shorter/interphase shorter/division more frequent; (cell cycle) checkpoints not controlled; uncontrolled (growth/division)/AW; AVP; e.g. no differentiation (into epithelial cell) A no cell death/apoptosis [max 2] [Total: 7] 3 (a) (endoplasmic reticulum/RER) has ribosomes; (ribosomes/RER) site of protein synthesis; antibodies are proteins;
(cell cycle) checkpoints not controlled; uncontrolled (growth/division)/AW; AVP; e.g. no differentiation (into epithelial cell) A no cell death/apoptosis [max 2] (a) (endoplasmic reticulum/RER) has ribosomes; (ribosomes/RER) site of protein synthesis; antibodies are proteins;
 (a) (endoplasmic reticulum/RER) has ribosomes; (ribosomes/RER) site of protein synthesis; antibodies are proteins;
3 (a) (endoplasmic reticulum/RER) has ribosomes; (ribosomes/RER) site of protein synthesis; antibodies are proteins;
(ribosomes/RER) site of protein synthesis ; antibodies are proteins ;
RER for, modification/transport/transport vesicle formation; [max 2
 (b) 3000;; A 2933/3067 if units given allow one mark only if incorrect allow one mark for correct length measured 44/45/46 mm and knowledge of formula is correct (magnification = image length/actual length – this can also be seen by workings e.g. 45 mm/15 μm) but incorrect conversion factor used for final calculation
(c) Variola (virus) ;
(d) memory cells produced (along with plasma cells); to max 2 idea of greater number of (specific immune system) cells; (memory cells are) long(er) lived/remain in circulation; memory T and B cells; ref. to/detail of, faster secondary response (to give immunity); [max 3]
 (e) two relevant e.g. 1 vaccine, thermostable/freeze-dried; A idea of longer shelf-life/no wastage 2 virus did not mutate; A pathogen/strain 3 same vaccine could be used everywhere; 4 cheap to produce (in large quantities); 5 ease of production; 6 used a live virus/vaccine gave a strong immune response; 7 no need for boosters; 8 ease of administration; e.g. ref. to enthusiastic volunteers needles could be, sterilised/re-used 9 high percentage cover/AW; 10 ref. to ring vaccination/described;
11 global effort/AW; [2

cambridge International AS/A Level – May/June 2015 rtificial active/active artificial; i) A bp for blood pressure throughout 1 bp decreases with distance (from, heart/LV);	9700	Paper
 A bp for blood pressure throughout bp decreases with distance (from, heart/LV); A named vessels to indicate distance difference between minimum and maximum bp decreases (w distance); maximum and minimum bp are the same, at the capilaries/af 	ith	_
 1 bp decreases with distance (from, heart/LV); A named vessels to indicate distance 2 difference between minimum and maximum bp decreases (w distance); 3 maximum and minimum bp are the same, at the capilaries/af 	ith	[Total: 11
 1 bp decreases with distance (from, heart/LV); A named vessels to indicate distance 2 difference between minimum and maximum bp decreases (w distance); 3 maximum and minimum bp are the same, at the capilaries/af 	ith	
 A named vessels to indicate distance difference between minimum and maximum bp decreases (w distance); maximum and minimum bp are the same, at the capilaries/af 	ith	
distance); 3 maximum and minimum bp are the same, at the capilaries/af	ith	
3 maximum and minimum bp are the same, at the capilaries/af		
	ter	
4 (BP) reaches zero kPa, at large veins/vena cava(e); A after veins	small	
6 correct data quotes;		
mp 1 from 10.6–10.8 kPa to 0 kPa for minimum bp mp 2 11.6/11.8 kPa, in aorta/nearest to left ventricle and 0 kF	Pa at	
mp 3 (same bp of) 5 kPa		[max 3
(presence of) valves; R bicuspid/tricuspid, valves to stop backflow/allows one-way flow/flow only towards heart;		[max 2
between Phe and His/Phe-His bond ;		
removal of, two amino acids/His and Leu/dipeptide;		[max 3
()	;	
binds to/fits into/enters, active site (of ACE enzyme);		
substrate cannot, enter/bind; A competes with substrate for active site		
A no/few/prevents formation of, ES complexes reduces rate of, reaction/formation of angiotensin/product_forma	tion:	[max 3
, , , , , , , , , , , , , , , , , , , ,	•	[Total: 11
	veins A no blood pressure 5 steepest decrease in bp between aterioles and capillaries; 6 correct data quotes; e.g. mp 1 from 16 kPa to 0 kPa for maximum bp mp 1 from 10.6–10.8 kPa to 0 kPa for minimum bp mp 2 11.6/11.8 kPa, in aorta/nearest to left ventricle and 0 kF capillaries mp 3 (same bp of) 5 kPa) (presence of) valves; R bicuspid/tricuspid, valves to stop backflow/allows one-way flow/flow only towards heart; hydrolysis; A breaking bond using water (of/breaking of) peptide bond; between Phe and His/Phe-His bond; removal of, two amino acids/His and Leu/dipeptide; (ACE) inhibitor/drug, has similar shape as, substrate/polypeptide complementary (shape) to active site (shape); binds to/fits into/enters, active site (of ACE enzyme); A forms enzyme-substrate complex substrate cannot, enter/bind; A competes with substrate for active site A no/few/prevents formation of, ES complexes	veins A no blood pressure 5 steepest decrease in bp between aterioles and capillaries; 6 correct data quotes; e.g. mp 1 from 16 kPa to 0 kPa for maximum bp mp 1 from 10.6–10.8 kPa to 0 kPa for minimum bp mp 2 11.6/11.8 kPa, in aorta/nearest to left ventricle and 0 kPa at capillaries mp 3 (same bp of) 5 kPa 1) (presence of) valves; R bicuspid/tricuspid, valves to stop backflow/allows one-way flow/flow only towards heart; hydrolysis; A breaking bond using water (of/breaking of) peptide bond; between Phe and His/Phe-His bond; removal of, two amino acids/His and Leu/dipeptide; (ACE) inhibitor/drug, has similar shape as, substrate/polypeptide; complementary (shape) to active site (shape); binds to/fits into/enters, active site (of ACE enzyme); A forms enzyme-substrate complex substrate cannot, enter/bind; A competes with substrate for active site

organisms move in response to light [max 2]

(a) (light microscope) observe living cells/cells would be killed (with EM);

(light microscope) can have water on slide (to allow cells to move); ora

vacuum used in electron microscope;

AVP; e.g. more readily available for use

5

		Mark Scheme	Syllabus	Paper
		Cambridge International AS/A Level – May/June 2015	9700	23
(b) ((part of/used in synthesis, of) <u>chlorophyll</u> (molecule) ; R gives chlorophyll green colour		
	i	n translation/joining of large and small subunits (of ribosomes);		
	•	enzyme, cofactor/activator/described; idea of role in enzyme cate A correctly named enzymes e.g. DNA polymerase	alysis	
	i	AVP;e.g. stabilizing, cell wall/proteins/nucleic acids/membranes mportant in energy transfers/ATP synthesis DNA, synthesis/replication	6	
		ref. to role in, light absorption/capture (for photosynthesis)		[max [^]
(i	3	 any two from good solvent/polar (for substances needed by the organism); transparent/allows light through, (for photosynthesis); liquid over wide range of temperatures; high specific heat capacity; A description high latent heat of vaporisation; ref. to density; e.g. ice/solid, less dense than, water/liquid circulation bringing nutrients to surface 	; AW	
	7	7 ref. to low viscosity for locomotion;		[max
(c) 1		assume multicellular organisms unless stated, then accept ora small, surface area to volume ratio/SA:V; • A as organisms increase in size, SA:V decreases		
2 3 4	? r	ref. to (larger size means) long distances (to reach, cells/tissues); diffusion, too slow/insufficient/unable to satisfy needs;		
		transport system decreases time to supply cells;		
5	5 r	require, bulk/mass, flow;		
6		ref. to transport system means efficient supply (to cells) of nutrients assimilates/water; A brings supplies close to cells (for transfer)	s/named/	[max

2 sucrose/solutes/assimilates/sugars, decreases, water potential/Ψ;

A more negative/lowers, water potential

A for water potential **A** solute potential

- water enters (sieve tubes) by osmosis;
- (water enters) down water potential gradient;
- 5 (increased volume) increase in/high(er), hydrostatic pressure; ref. to hydrostatic required once only in mp 5 or mp 7or mp 8
- 6 unloading/removal, of sucrose/AW, at the sink/named sink;
- 7 lowers hydrostatic pressure/low pressure at sink;
- movement is, down pressure gradient/from high to low (hydrostatic) pressure;

[max 5]

[Total: 14]

aye I	Walk Scheille	Syllabus	rapei
	Cambridge International AS/A Level – May/June 2015	9700	23
(a) (i	nitrification;		[1]
(ii	by bacteria; denitrification/reduction; ref. anaerobic conditions; A ref. to waterlogging		[max 2]
(b) (i	 idea of (unit made up of) biotic <u>and</u> abiotic, components; AW further detail; interacting/functioning together; A idea of self-sustaining unit 		[2]
(ii	carries out photosynthesis/converts light (energy) to chemical ener A (photo)autotrophic synthesises (complex) organic compounds from inorganic, compou (occupies) lowest/first trophic level; A acts as a producer		[max 1]
(iii	place where an organism lives; A population/species/community		[1]
			[Total: 7]

Syllabus

Paper

Mark Scheme

Page 7

6