MARK SCHEME for the October/November 2015 series

9700 BIOLOGY

9700/53

Paper 5 (Planning, Analysis and Evaluation), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper		
	Cambridge International AS/A Level – October/November 2015	9700	53		
Mark sche	eme abbreviations:				
;	; separates marking points				
1	Ialternative answers for the same pointRreject				
R					
Α	accept (for responses correctly cued by the question, or b	y extra guid	ance)		
	ignore				
AW	alternative wording (where responses vary more than usu	al)			
under	line actual word given must be used by candidate (grammatic	al variants a	(ccepted		
max	indicates the maximum number of marks that can be give	n			
ora	ora or reverse argument				
mp	marking point (with relevant number)				
ecf	error carried forward				

Page 3	Mark Scheme S		Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question	Expected answer	Extra guidance	Mark
1 (a) (i)	type of enzyme(s)/amylase(s);	A enzyme(s) A named list	[1]
(ii)	<pre>method must match the variable stated 3 of (for max 1): temperature pH concentration/%/dilution of, starch/substrate time for, hydrolysis/incubation/(product) removal/reaction/AW; 2 of (for max 2): temperature – use a, water bath/incubator; starch/substrate concentration – use, the same (starch) solution/ <u>2%</u> starch solution, for all of the tests; time – use a, (stop) clock/(stop) watch/timer/AW; pH – use buffer;</pre>	A thermostatically/temperature, controlled room/AW I air conditioning I time unqualified A time stated as <u>60</u> minutes/'the <u>60</u> minutes' I incubation/incubating R <i>ref. to</i> <u>volumes</u> of 2% starch A named buffer R neutral buffer	[max 3]
(iii)	<i>idea of</i> boiled/denatured, enzymes or (distilled) water ;	A just/only/AW, starch A without enzyme R if boil/heat mixture (to denature enzyme)	[1]

Page 4	Mark Scheme S		Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question	Expected answer	Extra guidance	Mark
(b)	A from diagrams where applicable 8 of:	I descriptions of hydrolysis	
	mp1 <i>idea of</i> using extracts hydrolysed by, all/each/3, enzymes ;	A any idea that the 3 enzymes have been tested	
	mp2 <i>ref. to</i> observation/counting, of the number, of spots/products/ AW or	A <i>ref. to</i> known markers (not comparing to <i>R</i> _f values) A measure position of spot I 'residue'	
	measurement of, distance/length, moved by each spot/product/ AW;	I to find R_f unqualified / <i>ref. to</i> solvent front A if R_f formula given which includes spot / AW distance	
	mp3 ref. to comparison of the chromatograms ;	A 'look at differences between'/AW	
	mp4 <i>ref. to</i> running chromatograms, for same time/to same distance (of solvent front) ;	 A all extracts on the same chromatogram A if time stated must be minimum of 5 minutes A <i>idea of</i> 'almost reach/just before, the highest level ' I stopping 'before' unqualified R spot reaches the top 	
	mp5 <i>idea of</i> same number of applications applied (to origin) ;	I volumes A dabs/dots/AW A stated number including 1	
	<i>procedure:</i> mp6 <i>ref to</i> using capillary or other suitable method of applying a small sample ;	e.g. pin head/cocktail stick/tooth pick/Pasteur pipette/AW	
	mp7 <i>ref to</i> drawing/using, a, <u>line</u> of origin/base <u>line</u> /sample <u>line</u> / starting <u>line</u> /AW ;	 I solvent line if in context of solvent front R if line drawn with soluble marker A suitable method for TLC 	
	mp8 drying between adding drops or evaporating the extract (before using) ;	<i>in context of concentrating the extract</i> A drying between every 2nd drop I method of evaporating	
	mp9 <i>idea of</i> placing in solvent so that level of solvent is below the, origin/line/spot/AW ;	A in terms of precise measurements I names of solvents	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question		Expected	answer		Extra guidance	Mark
	mp10 <i>ref. to</i> covering	g to prevent eva	poration ;		A maintain saturated environment/AW I airtight unqualified	
	mp11 <i>idea of</i> drying	before spraying	(with dye) ;		I name of dye	
	mp12 <i>ref. to</i> running	at least 3 chron	natograms per e	xtract/AW;	R 'repeat three times' <i>must refer only to chromatograms if hydrolysis also described</i>	
	mp13 <i>ref. to</i> taking n spot <i>l</i> R _f values ;		ng, distances tra	avelled by each	R mean unqualified	
	<i>safety:</i> mp14 1 of:					
	ref. to flammable ref. to toxic/flam ref. to allergy to	nmable solvents	or dyes so safe	disposal ;	I goggles for protection against flames I <i>ref. to</i> enzymes	
	<i>ref. to</i> irritant/co masks/eye prot			•	A poison	[max 8]
(c) (i)	chromatogram	Α	В	С		
	type of amylase	β (amylase)	α (amylase)	γ (amylase) ;		[1]

Page 6	Mark Scheme		Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question	Expected answer	Extra guidance	Mark
(ii)	2 of: mp1 <i>idea that</i> α (amylase) gives a variety of, products/spots/blobs/ stains/AW ; mp2 <i>idea that</i> β (amylase) gives, one product/one spot/maltose ;	I <i>ref. to</i> heavy and light I <i>ref. to</i> glucose described a single molecule such as 'produces many glucose molecules'	
	mp3 <i>idea that</i> γ (amylase) (only breaks 1–6 links so) some products are, large/may be insoluble/will hardly move/AW ;	 R no products I no movement A <i>idea that</i> having identified two amylase types then other must be the third ; 	[max 2]
		[Total:16]	

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question	Expected answer	Extra guidance	Mark
2 (a) (i)	number of rootworms / (insect) larvae ;		[1]
(ii)	3 of: mp1 <u>four</u> replicates for each, treatment/type ; mp2 large numbers of, maize/plants, used ;	 I size of plots I equal numbers of plots of each type A quoted numbers, 100 per row / 2400 per plot / 9600 per 4 plots I large sample size 	
	mp3 <i>idea of</i> standardised planting of each plot ; mp4 <i>idea of</i> randomising, treatments/plots (to prevent bias) ;	A descriptions such as same, density / spacing A same number of rows / 24 rows	
	mp5 idea of randomising (plants) where (soil) samples are collected ;	I randomising the number of roundworms collected	
	mp6 5 soil samples for each plot/20 soil samples (for each treatment) ;	must qualify 'sample' A 'around plant' for 'soil' I several	
	mp7 same treatment year 1 and 2 ;		
	mp8 spacing of plots/standard gap between plots/AW ;		[3]
(b) (i)	<u>control</u> (s)/ <u>baseline</u> ;	R control variable(s)	[1]
(ii)	1 of: mp1 <i>idea that</i> used for numerical comparison (via subtraction) ;		
	mp2 comparison qualified ;	I 'to compare rootworms' unqualified	
	mp3 idea o: finding effectiveness of treatment ;		[max1]

Page 8	Mark Scheme		Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

Question	Expected answer	Extra guidance	Mark
(c)	assume answers refer to Bt maize unless otherwise specified 3 of:	A Bt gene / cry gene for Bt maize I quoted raw data	
	mp1 the number of rootworms was lower on Bt maize (than, insecticide/NBt + In – (except year1, day1) ; ora	comparative A fewer / less for lower	
	mp2 Bt maize is more effective (than, insecticide/NBt + In in year 1/year 2/both years/generally) ; ora	I 'very effective' unqualified	
	mp3 <i>idea that</i> the number of rootworms fluctuated during the investigation (regardless of the control method) ;		
	mp4 <i>idea that</i> (as time increases) there is a decrease in the number of rootworms for both treatments/both treatments are effective ;	<i>idea of</i> general downward trend A general idea or in context of stated year(s)	
	mp5 numbers of rootworms (in soil) around control (NBt) plants (also) decreases ;	must be statements related to control	
	or numbers of rootworms for, treatments (Bt/Nbt +In) lower than control/treatments more effective than control/NBt ;		
	mp6 <i>idea that</i> results for year 2 show smaller numbers of rootworms/ greater effectiveness as a treatment ;	I ref. to trend	[3]
(d) (i)	there is no significant difference in the number of rootworms (in the soil) around plants treated with insecticide/NBt + In plants, and Bt plants ;	A the difference in the number of rootworms (in the soil) around insecticide treated plants / NBt + In plants and Bt plants is not significant/not significantly different	[1]
(ii)	idea of two samples of 20 and subtracting 1 from each of them ;	A as a formula (20–1) + (20–1)	
	38 ;	<i>if the wrong number of samples allow max 1 for correct use in formula</i>	[2]

Page 9	Mark Scheme		Paper
	Cambridge International AS/A Level – October/November 2015	9700	53

(e)	there is a, 95%/greater than 95%, chance that the difference is due to chance ;;	I random error throughout	
	<i>not significant (max1) idea that</i> the results are caused by chance ;	 A any difference (in the results) is due to chance I null hypothesis 	
	P < 0.05 (max 1) idea that p< 0.05 means that there is only a, less than 5%/5% chance/probability, of obtaining results by a factor other than chance or greater than 95%/95% certain/sure, that the results are caused by chance ;	A other numerical methods of processing e.g. 1 in 20 R misconceptions such as, 5% of results are due to a factor other than chance / 95% of the results are due to chance	[2]
		[Total:14]	