

## **Cambridge International Examinations**

Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY 9700/41

Paper 1 A Level Structured Questions

October/November 2016

MARK SCHEME
Maximum Mark: 100

## **Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



| Page 2 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

## Mark scheme abbreviations:

; separates marking points

alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

**AW** alternative wording (where responses vary more than usual)

underline actual word given must be used by candidate (grammatical variants accepted)

max indicates the maximum number of marks that can be given

**ora** or reverse argument

**mp** marking point (with relevant number)

ecf error carried forward

I ignore

| Page 3 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  | Mark |
|----------|---|------|
| 1(a)     | three from 1 ref. to enzyme/phosphorylase/signalling;   | 3    |
|          | 2 ref. to aquaporins ;  |      |
|          | 3 vesicles (containing aquaporins), move towards/fuse with, (cell surface membrane);  |      |
|          | 4 idea of increased permeability;   |      |
|          | 5 water leaves (lumen into cells), by osmosis/down water potential gradient;  |      |
| 1(b)(i)  | allele/gene, carried on the X chromosome ; A sex chromosome   | 1    |
| 1(b)(ii) | symbols normal allele = A DI allele = a;  parental genotypes X^AX^a \times X^AY and gametes X^A X^a X^A Y;  offspring genotypes X^AX^A X^AY X^AX^A X^AY  offspring phenotypes female normal male normal male DI; in correct order | 4    |
|          | Total:  | 8    |

| Page 4 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question  | Answer   | Mark |
|-----------|--|------|
| 2(a)      | two from 1 first product of photosynthesis is a 4-carbon compound;                                 | 2    |
|           | 2 oxaloacetate/malate/aspartate;   |      |
|           | 3 (first) CO <sub>2</sub> acceptor PEP;  |      |
|           | 4 CO <sub>2</sub> released (from 4-carbon compound to) enter Calvin cycle/light-independent stage; |      |
| 2(b)(i)   | two from 1 rate in C4 grasses higher (than C3 grasses) ; <b>ora</b>                                | 2    |
|           | 2 mean rate in C4 3.17 a.u. and mean rate in C3 1.65 a.u.;   |      |
|           | 3 more variation between C4 plants (than between C3 plants) ; ora                                  |      |
| 2(b)(ii)  | three from 1 fixation of carbon (dioxide);   | 3    |
|           | 2 (catalyses) the reaction between RuBP and CO <sub>2</sub> /AW;                                   |      |
|           | 3 to give <b>two</b> GP;   |      |
|           | 4 via an unstable intermediate compound ;  |      |
| 2(b)(iii) | 1 PEP carboxylase has higher rate of activity in C4 plants ; ora                                   | 4    |
|           | 2 idea that C4 plants can live in high, temperature/light intensities or C4 plants have more PEP;  |      |
|           | 3 rubisco has higher rate of activity in C3 plants (than in C4 plants);                            |      |
|           | 4 (due to) higher concentration of CO <sub>2</sub> ;   |      |

| Page 5 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  | Mark |
|----------|---|------|
| 2(c)     | <ul> <li>two from</li> <li>1 C4 plants are adapted for high, light intensities/temperatures;</li> <li>2 (so) high rate of, photophosphorylation/light-dependent reaction;</li> <li>3 (so) much ATP produced;</li> </ul> | 2    |
|          | Total:  | 13   |

| Question | Answer   | Mark |
|----------|--|------|
| 3(a)(i)  | <ul> <li>two from</li> <li>to, separate the two strands / denature DNA;</li> <li>A make single-stranded DNA</li> <li>by breaking hydrogen bonds (between bases);</li> </ul>  | 2    |
|          | <ul> <li>by breaking <u>hydrogen</u> bonds (between bases);</li> <li>so that bases are exposed;</li> <li>to produce template strands for (complementary) copying;</li> </ul>   |      |
| 3(a)(ii) | <ul> <li>two from</li> <li>(primer) binds/anneals, to DNA by complementary base pairing;</li> <li>idea of attaching close to the specific section of DNA;</li> <li>(DNA) polymerase only attaches to double stranded DNA;</li> </ul> | 2    |
|          | <ul><li>3 (DNA) polymerase only attaches to double-stranded DNA;</li><li>4 (primers) reduce re-annealing of separated strands;</li></ul>   |      |

| Page 6 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question  | Answer  | Mark |
|-----------|---|------|
| 3(a)(iii) | <ul> <li>two from</li> <li>synthesises complementary DNA strands;</li> <li>(Taq polymerase), is heat stable/works at high temperature;</li> </ul>   | 2    |
|           | 3 (so) does not need to be added again for each cycle/needs replacing only after a number of cycles; or other polymerases need replacing regularly; |      |
|           | 4 process is, more efficient/faster (than normal DNA polymerase);   |      |
| 3(b)(i)   | many mitochondria per cell but only one nucleus ;   | 2    |
|           | cell, is diploid/has two copies of each chromosome (in nucleus);  |      |
| 3(b)(ii)  | A, C, D, E, F;  | 1    |
|           | Total:  | 9    |

| Page 7 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer   | Mark |
|----------|--|------|
| 4(a)     | three from 1 (overall) deltamethrin, more effective/better, (at killing mosquitoes);   | 3    |
|          | figures for malathion and deltamethrin with named site and year R Jamnagar in 2007 or mean 78.5% for malathion and 97.5% for deltamethrin; |      |
|          | 3 malathion, kills higher percentage (of mosquitoes)/is more effective,<br>than deltamethrin in Jamnagar in 2007;                          |      |
|          | 4 percentage of mosquitoes killed by deltamethrin decreasing in Jamnagar;  |      |
|          | 5 percentage of mosquitoes killed by malathion increasing (in both locations);   |      |
| 4(b)     | four from 1 (random) mutation/genetic variation; <b>A</b> description of mutation  | 4    |
|          | 2 deltamethrin acts as a selection pressure ;  |      |
|          | 3 resistant mosquitoes have selective advantage; ora   |      |
|          | 4 resistant mosquitoes, survive/reproduce; ora   |      |
|          | 5 resistance alleles passed on ;   |      |
|          | 6 increase in frequency of resistance allele ; ora   |      |
|          | 7 natural/directional, selection;  |      |
| 4(c)     | two from 1 percentage of mosquitoes killed (by malathion) increases;   | 2    |
|          | 2 (malathion) selection pressure removed/resistance to malathion is no longer a selective advantage;                                       |      |

| Page 8 | Mark Scheme  | Syllabus | Paper |
|--------|--|----------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer   | Mark |
|----------|--|------|
|          | 3 idea of resistance not needed;   |      |
| 4(d)     | discontinuous;   | 1    |
| 4(e)     | p=0.13;;;  | 3    |
|          | allow max 2 for working  q²/frequency of non-resistant (mosquitoes) = 0.76  q = 0.87 |      |
|          | Total:   | 13   |

| Question | Answer  | Mark |
|----------|---|------|
| 5(a)(i)  | ecosystem is, a defined area / self-contained / a functional unit;                        | 2    |
|          | idea that Italy consists of multiple, towns and agricultural fields/water bodies/forests; |      |
| 5(a)(ii) | four from 1 increase in variety of, habitats/ecosystems;                                  | 4    |
|          | 2 increase number of species/more complex food web;                                       |      |
|          | 3 increase abundance of organisms within a species;                                       |      |
|          | 4 increase in genetic variation ;   |      |
|          | 5 ref. to succession;   |      |

| Page 9 | Mark Scheme  |      | Paper |
|--------|--|------|-------|
|        | Cambridge International AS/A Level – October/November 2016 | 9700 | 41    |

| Question | Answer   | Mark |
|----------|--|------|
| 5(b)     | four from 1 education / awareness, programmes ;  | 4    |
|          | 2 compensation scheme/incentives, (needed for farmers who have livestock preyed upon); |      |
|          | 3 ban, hunting/poaching;   |      |
|          | 4 ref. to population monitoring ;  |      |
|          | 5 international/cross-border, agreement/laws;  |      |
|          | 6 ref. to WWF/CITES/trade agreements;  |      |
|          | 7 ref. to zoos/reserves/national parks;  |      |
|          | 8 captive breeding/sperm banks;  |      |
|          | Total:   | 10   |

| Question | Answer   | Mark |
|----------|--|------|
| 6(a)(i)  | high concentration of oestrogen (causes surge in LH concentration) or (surge in LH concentration) causes ovulation to occur; | 1    |
| 6(a)(ii) | progesterone concentration falls (towards end of cycle);   | 1    |

| Page 10 | Mark Scheme  | Syllabus | Paper |  |
|---------|--|----------|-------|--|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |  |

| Question  | Answer   | Mark |
|-----------|--|------|
| 6(b)(i)   | four from<br>1 (acts on) anterior pituitary gland ;                        | 4    |
|           | 2 FSH secretion inhibited ; I FSH inhibited                                |      |
|           | 3 Graafian / dominant, follicle does not develop ;                         |      |
|           | 4 LH secretion inhibited ; I LH inhibited                                  |      |
|           | 5 ovulation prevented / AW ;   |      |
|           | 6 ref. to negative feedback ;  |      |
|           | 7 cervical mucus thickens ;  |      |
|           | 8 ref. to thin endometrium ;   |      |
| 6(b)(ii)  | to allow menstruation to occur/idea of mimicking the body's natural cycle; | 1    |
| 6(b)(iii) | one from 1 no need to take contraceptive pill every day;                   | 1    |
|           | 2 maintains steady concentration of hormones/no hormonal imbalance;        |      |
|           | 3 AVP; e.g. no menstruation/fewer side effects                             |      |
|           | Total:   | 8    |

| Page 11 | Mark Scheme  | Syllabus | Paper |  |
|---------|--|----------|-------|--|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |  |

| Question | Answer   |   |  |  |  |  |
|----------|--|---|--|--|--|--|
| 7(a)(i)  | pointing to thin filament areas ;  |   |  |  |  |  |
|          | B-pointing to overlapping areas ;  |   |  |  |  |  |
| 7(a)(ii) | four from  1 Ca <sup>2+</sup> channels open in, pre-synaptic membrane / (pre)-synaptic knob / motor end plate;     | 4 |  |  |  |  |
|          | 2 Ca <sup>2+</sup> enter, pre-synaptic knob/pre-synaptic neurone/motor end plate;                                  |   |  |  |  |  |
|          | 3 vesicles contain, neurotransmitter/ACh;  |   |  |  |  |  |
|          | 4 (vesicles) move towards/fuse, with <u>pre-synaptic membrane</u> ;  |   |  |  |  |  |
|          | 5 (ACh / neurotransmitter) released / exocytosis, <b>and</b> <u>diffuses</u> (across cleft) ;                      |   |  |  |  |  |
|          | 6 6. binds to receptors on sarcolemma ; <b>A</b> post-synaptic membrane  |   |  |  |  |  |
|          | 7 Na <sup>+</sup> channels open <b>and</b> Na <sup>+</sup> enters, (muscle fibre/sarcoplasm) ; <b>R</b> sarcolemma |   |  |  |  |  |

| Page 12 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | S   |                                      | Answer | Mark |
|----------|---|--------------------------------------|--------|------|
| 7(b)     |   |                                      |        | 4    |
|          | correct order                                 | letter of event                      |        |      |
|          | 1   | S                                    |        |      |
|          | 2   | V                                    |        |      |
|          | 3   | Q                                    |        |      |
|          | 4   | U                                    |        |      |
|          | 5   | Z                                    |        |      |
|          | 6   | Y                                    |        |      |
|          | 7   | W                                    |        |      |
|          | 8   | R                                    |        |      |
|          | 9   | Х                                    |        |      |
|          | 10  | Т                                    |        |      |
|          |   |                                      |        |      |
|          | S, V, Q, U all above<br>S, V, Q, U in correct | z;<br>t order;                       |        |      |
|          | Y, W, R, X between<br>Y, W, R, X in correct   | <b>Z</b> and <b>T</b> ;<br>t order ; |        |      |
|          |   |                                      | Total: | 10   |

| Page 13 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  | Mark |
|----------|---|------|
| 8(a)     | gibberellin;  | 1    |
| 8(b)(i)  | absorbs carbon dioxide;   | 1    |
| 8(b)(ii) | three from 1 used in, oxidative phosphorylation/ETC; 2 final electron acceptor; 3 proton acceptor; 4 forms water; 5 allows ETC to continue; 6 ref. to ATP produced; | 3    |
| 8(c)(i)  | equilibration/acclimatising/adjusting;  | 1    |

| Page 14 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question  | Answer   | Mark |
|-----------|--|------|
| 8(c)(ii)  | two from 1 act as a control;   | 2    |
|           | 2 idea of control eliminates effects of variables other than, the independent variable / temperature;        |      |
|           | 3 (changes in <b>A</b> and <b>C</b> are) due to, seeds/respiration; ora                                      |      |
| 8(c)(iii) | 0.087;;  | 2    |
|           | allow one mark for $\frac{1.7-0.4}{15}  \frac{1.3}{15}  \frac{1.3}{20-5}  \frac{1.7-0.4}{20-5}$ or $0.08666$ |      |
| 8(c)(iv)  | at 25°C (ora for 10°C) two from 1 increased kinetic energy; 2 enzymes involved; 3 idea of more ESCs;         | 2    |
| 8(c)(v)   | enzymes denatured ;  | 2    |
|           | detail ; e.g. change in active site (shape)/H bonds break  |      |
|           | Total:   | 14   |

| Page 15 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  | Mark |
|----------|---|------|
| 9(a)     | seven from 1 ref. to maintenance of constant internal environment;                      | 7    |
|          | 2 blood or tissue fluid as e.g. of internal environment;                                |      |
|          | 3 ref. to norm/optimum value/set point/within narrow limits;                            |      |
|          | 4 (low) temperature <b>and</b> consequence ; e.g. slowed metabolism/enzymes less active |      |
|          | 5 (high) temperature <b>and</b> consequence ; e.g. enzymes denatured                    |      |
|          | 6 (low) water potential <b>and</b> consequence; e.g. water leaving cells/cells shrink   |      |
|          | 7 (high) water potential <b>and</b> consequence; e.g. water enters cells/cells burst    |      |
|          | 8 (low) blood glucose and consequence; e.g. effect on respiration                       |      |
|          | 9 (high) blood glucose <b>and</b> consequence; e.g. water leaving cells/cells shrink    |      |
|          | 10 AVP; e.g. control of pH and consequence  |      |

| Page 16 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer   | Mark   |
|----------|--|--------|
| 9(b)     | eight from 1 adrenaline binds to receptors;            | 8      |
|          | 2 in, cell surface membrane / plasma membrane ;        |        |
|          | 3 receptor changes conformation ;                      |        |
|          | 4 G proteins activated ;                               |        |
|          | 5 adenylyl cyclase activated ; <b>A</b> adenyl cyclase |        |
|          | 6 cyclic AMP / cAMP, made ;                            |        |
|          | 7 second messenger;                                    |        |
|          | 8 activates kinase (protein);                          |        |
|          | 9 ref. to enzyme cascade/signal amplification;         |        |
|          | 10 ref. to phosphorylase;                              |        |
|          | 11 glycogen broken to glucose/glycogenolysis;          |        |
|          | 12 glucose diffuses, out of cells/into blood;          |        |
|          | 13 increase in blood glucose concentration;            |        |
|          | Tot  | tal 15 |

| Page 17 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  | Mark |
|----------|---|------|
| 10(a)    | seven from 1 acid-growth (hypothesis);                                      | 7    |
|          | 2 auxin stimulates proton pumps ;   |      |
|          | 3 (in) cell surface membrane ;  |      |
|          | 4 H <sup>+</sup> pumped into cell wall ;                                    |      |
|          | 5 using energy/by active transport;   |      |
|          | 6 pH of cell wall decreases / cell wall becomes (more) acidic;              |      |
|          | 7 pH-dependent enzymes activated ;  |      |
|          | 8 ref. to expansins;  |      |
|          | 9 bonds between cellulose microfibrils broken ;                             |      |
|          | 10 idea that cell wall, 'loosens' / becomes more elastic / able to stretch; |      |
|          | 11 (more) water enters cell/turgor pressure increases;                      |      |
|          | 12 (so) cell (wall) expands;  |      |

| Page 18 | Mark Scheme  | Syllabus | Paper |
|---------|--|----------|-------|
|         | Cambridge International AS/A Level – October/November 2016 | 9700     | 41    |

| Question | Answer  |        | Mark |
|----------|---|--------|------|
| 10(b)    | eight from  1 plant secretes abscisic acid, in very dry conditions/at times of water stress;  A abscisic acid is a stress hormone |        | 8    |
|          | 2 abscisic acid binds to receptors;   |        |      |
|          | 3 on cell surface membranes of guard cells;   |        |      |
|          | 4 inhibits proton pump/H <sup>+</sup> not pumped out of cell ;  |        |      |
|          | 5 high H <sup>+</sup> conc inside cell ; <b>A</b> <i>ref. to</i> change in charge   |        |      |
|          | 6 (abscisic acid) stimulates Ca <sup>2+</sup> influx ;  |        |      |
|          | 7 Ca <sup>2+</sup> acts as second messenger;  |        |      |
|          | 8 encourages K <sup>+</sup> efflux/inhibits K <sup>+</sup> influx ; <b>A</b> K <sup>+</sup> channels open                         |        |      |
|          | 9 water potential of cell increases ; A increase in solute potential  |        |      |
|          | 10 water moves out of cell by osmosis;  |        |      |
|          | 11 volume of guard cells decreases;   |        |      |
|          | 12 guard cells become flaccid;  |        |      |
|          | 13 response very fast;  |        |      |
|          |   | Total: | 15   |