UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

0610 BIOLOGY

0610/52

Paper 5 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	52

Q	ue	estic	on		Mark scheme	Mark allocation	comments A = accept R = reject I = ignore AW = alternative wording to convey the same meaning ecf = error carried forward ORA = or reverse argument
1	((a)	(i)	table	complete table with cells neatly drawn;		I absence of outer lines
				headings	number of drops of iodine solution;		A 'number of drops' or 'drops' alone
					S1, S2, S3 / concentrations of vitamin C;		A 0.2% (S1), 0.05% (S2), unknown (S3)
				results	all result cells completed;		
					in order of concentrations;	[5]	S1 most drops, S2 fewest drops, S3 between S1 and S2 . S1 0.2% > S3 0.1% > S2 0.05%
		(b)		Estimated r	numerical S3 concentration;		ecf from (a) applies throughout A calculations based on results / ecf from (a) A description in words / between 0.02% and .05% / between that of S1 and S2 / (lower than / same as S2 if it is a logical interpretation of the results) A description of order of concentrations as ecf from results in 1(a)
				Correct use	e of the number of drops for S3 ;		If number of drops not mentioned A number of drops for S3 = half number for S1 / number of drops for S3 =double number for S2 according to results
				Correct refe	erence to S1 / S2, drops and concentration;	[3]	 N.B. Can refer to conc. and number of drops separately or together anywhere in answer. S1 number of drops and 0.2 (%) / S2 number of drops and 0.05 (%) A as an alternative – calculation of ratio of drops: concentration even if S1 / S2 are not specifically mentioned e.g. approx 1 drop: 0.01%

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	52

(c)	Four marks from: Repeats / replicates / AW;		2 or more
	Average / mean;		
	Use more precise instrument to measure volume of drops;		A more finely graduated AW / syringe / burette / (Pasteur) pipette measuring cylinder
	measure volume of drops in cm ³ not drops alone;		Measure cm ³ with a burette = 2
	Use a colorimeter / white card to judge colour / AW;		A blue card for comparison
	Narrow the range between the concentrations on either side of unknown / increase concentrations between S1 and S2 / AW;		I more concentrations unqualified
	Control variables (volume / concentration iodine solution / starch solution / size of tubes);		I temperature, stirring, pH, time
	AVP;	MAX [4]	use larger samples / avoid mixing solutions e.g. use fresh syringes instead of washing them

Page 4 Mark Scheme: Teachers' version		Syllabus	Paper
	IGCSE – May/June 2011		52

(d) (i)	O – Orientation;		O 'x' axis – juices and 'y' axis – number of drops of iodine solution
	A – Axes labels;		A minimum 'drops' and named fruit (juices) without general fruit juice label
	S – Scale;		S columns plotted to fill greater than half of grid
	P – Plots – correct heights of columns;		
	L – Line – neat columns;		L ruler used and columns of equal width
			A columns touching or equally spaced or single vertical lines
		[5]	If line graph allow O , A and S , only Max [3]
(ii)	Blackcurrant;	[1]	
(iii)	In (a) the highest concentration took the most drops;		A converse
	Blackcurrant took the most drops;	[2]	
		[Total: 20]	

Page 5 Mark Scheme: Teachers' version		Syllabus	Paper
	IGCSE – May/June 2011		52

2 (a) (i)	O – single clear outline and no shading;		
	S – larger than photograph;		
	N – number of segments drawn;		A 11 / 12 / 13 segments (not including the head) Segments must be distinct / discrete / complete
	D – detail / markings within some segments;		A even if sketchy or shaded or incomplete (already penalised in O and N)
	 A – appendages on opposite sides of at least 6 segments; 	[5]	These must be joined to body
(ii)	Fig 2.1 larva = 8.3 cm (+/- 0.1 cm) / 83 mm (+/- 1 mm);		A 82 – 84 inclusive
	Length of larva in drawing in mm / cm;	[2]	+ or – 1 mm Units to be given at least once
(iii)	correct magnification and X;;		 A ecf from (a)(ii) A correct answer for 2 marks even if no working shown. A correct answers to any number decimal places (i.e. allow correctly rounded answers) A X before or after magnification / "times" If answer incorrect (incorrectly calculated / no X / units used) then allow max 1 for correct working e.g. length of drawing /
		[2]	length of image (in words or figures)

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2011	0610	52

(b) (i)	Method Marks on grid or leaf to show it was used to calculate area of leaf / tubes; Working (area of tubes / tunnels) = 3 to 20 + (total area of leaf) = 55 to 60;		It must be clear that method of adding squares and parts of squares on the grid to find the total area was used A area of grid – area not leaf = area of leaf A obvious reference to number of squares and parts of squares (covered by leaf or tubes) in working
	$\frac{\text{area of damage}}{\text{area of leaf}} \times 100 / \frac{3 \text{ to } 20}{55 \text{ to } 60} \times 100;$	[3]	 A the formula in words 'area of tubes / total area of leaf multiplied by 100' if equation not expressed numerically A ecf from their figures
(ii)	Two marks from: Able to eat through palisade and spongy mesophyll;		A tunnelling / eating A leaf blade
	(Midrib) (too) tough / AW / ORA mesophyll is softer;		A strong, thick or hard
	Cannot get food from midrib / ORA can get food from mesophyll;		I too little food in midrib
	Reference to lignin / xylem (too tough);		I phloem
	AVP;	MAX [2]	larva would fall off if leaf support structure damaged
(iii)	Two marks from: No / less photosynthesis (in damaged areas) / AW;		descriptions e.g. less food made / less chlorophyll or chloroplasts / reduced leaf area
	Dries out / too much water lost / water transported to cells reduced / AW;		A too little water (lack veins / damage to stomata) I reduced transpiration
	Infected with fungi / bacteria / viruses / AW;		A reference to disease
	AVP;	MAX [2]	A reference to reduced transport e.g. minerals from soil reduced / sugars from plant not passed to leaf

Page 7 Mark Scheme: Teachers' version		Syllabus	Paper
	IGCSE – May/June 2011		52

(c) (i)	jointed legs;	[1]	R	exoskeleton (as not clear in Fig.) / joined legs / incorrect structures – segmented body
(ii)	Three marks from: head thorax and abdomen / 3 body parts;		ı	compound eyes / segments
	3 pairs of legs or 6 legs;			
	2 pairs of wings;		Α	4 wings R 2 wings
	1 pair of antennae;	Max [3]	Α	2 antennae
		[Total: 20]		