



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE<br>NAME |  |  |                     |  |  |
|-------------------|--|--|---------------------|--|--|
| CENTRE<br>NUMBER  |  |  | CANDIDATE<br>NUMBER |  |  |

BIOLOGY 0610/32

Paper 3 Extended May/June 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 The kidneys remove metabolic waste from the liquid part of the blood. Name: the liquid part of the blood; [1] (ii) the process that involves removing metabolic waste from the body. [1] Fig. 1.1 shows a kidney tubule and its associated blood vessels. Fig. 1.1 (b) Describe the functions of the regions labelled A and B. 

Table 1.1 shows the concentrations of some substances in the blood at  $\boldsymbol{X}$ , the fluid at  $\boldsymbol{Y}$  and the urine at  $\boldsymbol{Z}$ .

Table 1.1

| substance   | concentration / g per 100 cm <sup>3</sup> |                   |                   |  |  |
|-------------|---|-------------------|-------------------|--|--|
| Substance   | blood at <b>X</b>                         | fluid at <b>Y</b> | urine at <b>Z</b> |  |  |
| glucose     | 0.1                                       | 0.1               | 0.0               |  |  |
| protein     | 7   | 0                 | 0                 |  |  |
| sodium ions | 0.35                                      | 0.35              | 0.5               |  |  |
| urea        | 0.03                                      | 0.03              | 2.0               |  |  |

| (c) | Nar   | me the substance shown in Table 1.1 that:   |         |
|-----|-------|---|---------|
|     | (i)   | has molecules that are too large to pass through the walls of capillaries;                      |         |
|     |       |   | [1]     |
|     | (ii)  | is all reabsorbed in the kidney;  |         |
|     |       |   | [1]     |
|     | (iii) | is a metabolic waste product.   |         |
|     |       |   | [1]     |
| (d) | Ехр   | plain why the concentrations of sodium ions and urea are greater at <b>Z</b> than at <b>Y</b> . |         |
|     |       |   |         |
|     |       |   |         |
|     |       |   | <br>[2] |

(e) People who have acute kidney failure are given dialysis treatment. In dialysis machines, the blood flows through narrow tubes made from partially permeable membranes, surrounded by dialysis fluid. (i) Dialysis fluid contains sodium ions. Use the information in Table 1.1 to suggest the concentration of sodium ions that should be in the fluid and give a reason for your answer. g per 100 cm<sup>3</sup> concentration reason (ii) State two components of blood that are not in dialysis fluid. Heparin is added to the blood before it returns to the body from the dialysis machine. Heparin prevents a person's blood from clotting. Describe the process of blood clotting.

[Total: 18]

For Examiner's Use

Question 2 begins on page 6.


2 Antibiotics are used to treat human diseases.

For Examiner's Use

Many bacteria have become resistant to antibiotics. Some antibiotics can no longer be used to treat certain diseases.

Samples of bacteria were taken from a person who had an infectious disease. They were spread onto four Petri dishes of agar (agar plates). Three of these agar plates contained the antibiotics 1, 2 or 3.

The results are shown in Fig. 2.1.



(i) no bacteria grew in the agar plate with antibiotic 2;

(ii) bacteria grew in the agar plate with antibiotic 3;

|     | (iii) | only a small number of bacteria grew with antibiotic 1.  | For<br>Examiner's |
|-----|-------|--|-------------------|
|     |       |  | Use               |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       | [2]  |                   |
| (b) |       | plain why it is important to carry out a test similar to that shown in Fig. 2.1 before ng an antibiotic to a person infected with a bacterial disease. |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       | [2]  |                   |
| (c) | Ant   | ibiotic resistance has become a major problem worldwide.   |                   |
|     | Sug   | ggest how the problem of antibiotic resistance can be limited.   |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       | [4]  |                   |

(d) Hormones are used to treat a variety of conditions.

For Examiner's Use

The most common hormonal treatment is the use of insulin to treat diabetes. Most of the insulin is produced using cells that are grown in large fermenters. These cells have been genetically engineered to produce human insulin.

Fig. 2.2 shows the stages involved in transferring the gene for insulin from human cells to bacterial cells.

| Р | gene from human cell removed from chromosome 11       |  |
|---|---|--|
| Q | bacterium produces human insulin                      |  |
| R | plasmid vector enters bacterium                       |  |
| s | gene for human insulin found to be on chromosome 11   |  |
| Т | bacterium divides by binary fission                   |  |
| V | gene for human insulin inserted into a plasmid vector |  |

Fig. 2.2

(i) Put the stages into the correct sequence. Two have been done for you.

| S |
|---|
|---|

[1]

(ii) Diabetes is often treated with human insulin that has been produced by genetically modified cells. In most countries this type of insulin has replaced the insulin that was prepared from animals.

| than insulin obtained from animals. |     |
|-------------------------------------|-----|
|                                     |     |
|                                     |     |
|                                     |     |
|                                     |     |
|                                     |     |
|                                     |     |
|                                     | [01 |

Suggest the advantages of providing human insulin to people with diabetes rather

[Total: 14]

Question 3 begins on page 10.

3 Fig. 3.1 shows the front part of the eye.

For Examiner's Use

The eye shown in Fig. 3.1 is far adapted, which means that the lens is focusing light from a distance.




Fig. 3.1

The lens changes shape to alter the direction of light rays passing through the eye.

- (a) Name:
  - (i) another part of the eye that also alters the direction of the light rays; [1] (ii) the part of the eye where the light rays form an image. [1]

**(b)** An eye specialist measured the change in shape of the lens of a patient during an eye test. The specialist recorded the change in shape of the lens with the patient looking at a chart 10 metres away and when reading from a book. This is shown in Fig. 3.2.

For Examiner's Use




Fig. 3.2

ciliary muscles

- (i) Write the letter **D** on Fig. 3.2 to show a time when the patient was looking at the chart that was 10 metres away. [1]
- (ii) State how the ciliary muscles and suspensory ligaments act to change the shape of the lens during the time marked **E** on Fig. 3.2.

|     | suspensory ligaments                          |
|-----|---|
|     | [2]   |
| (c) | Outline how humans are able to see in colour. |
|     |   |
|     |   |
|     |   |
|     |   |
|     |   |
|     | [3]   |

[Total: 8]

4 Sorghum bicolor is a cereal crop important in many dry areas of the world.

Fig. 4.1 shows some plants of *S. bicolor* growing in a field in China.






|     |      | Fig. 4.1   |
|-----|------|--|
| (a) | S. I | bicolor is a monocotyledon.  |
|     | Sta  | te <b>two</b> features that are used to identify plants as monocotyledons.                           |
|     | 1    |  |
|     | 2    | [2]  |
| (b) | _    | . 4.1 shows the flower heads of sorghum. Pollen is released from the individual vers when they open. |
|     | Мо   | st sorghum flowers are self-pollinated and then self-fertilised.                                     |
|     | (i)  | State the meanings of the terms pollination and fertilisation.                                       |
|     |      | pollination  |
|     |      |  |
|     |      |  |
|     |      | fertilisation  |
|     |      |  |
|     |      | [2]  |

|     | (ii)  | Describe <b>two</b> implications of self-pollination.  | For               |
|-----|-------|--|-------------------|
|     |       | 1  | Examiner's<br>Use |
|     |       |  |                   |
|     |       | 2  |                   |
|     |       | [2]  |                   |
| (c) | Des   | scribe the events that occur in flowering plants after fertilisation to form a seed.                           |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     | ••••• | [4]  |                   |
| (d) |       | ndia, the cultivation of sorghum has decreased because now people prefer foods sed on wheat and rice.          |                   |
|     |       | ere are alternative uses of sorghum in the production of new foods, processed foods as feed for animals.       |                   |
|     |       | plain why it is less efficient to feed crops, such as sorghum, to animals rather than to them for human foods. |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       |  |                   |
|     |       | [3]  |                   |
|     |       | [Total: 13]  |                   |

[Turn over © UCLES 2013 0610/32/M/J/13

| 5 | The | e alimentary canal is adapted for chemical and mechanical digestion. |
|---|-----|--|
|   | (a) | Explain how chemical digestion differs from mechanical digestion.    |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |

Fig. 5.1 is a diagram of the human alimentary canal.



© UCLES 2013 0610/32/M/J/13

For Examiner's Use

[3]

**(b)** Table 5.1 shows four functions of the alimentary canal.

For Examiner's Use

Complete the table by:

- naming the part of the system that carries out each of the functions;
- using the letters from Fig. 5.1 to identify the part of the system named.

One row has been completed for you.

Table 5.1

| function                                     | name of part | letter from Fig. 5.1 |
|--|--------------|----------------------|
| produces bile                                | liver        | J                    |
| most soluble food is absorbed into the blood |              |                      |
| indigestible food is egested                 |              |                      |
| hydrochloric acid is produced                |              |                      |
| protease, lipase and amylase are produced    |              |                      |

| ı | 4 | 4 | ı |
|---|---|---|---|
| ı |   | ٠ | J |

| (c) | Some people develop gallstones, made of cholesterol, that accumulate in the gall bladder and the bile duct. Gallstones block the flow of bile. |
|-----|--|
|     | Explain how gallstones can affect the digestion of fat.  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     | [3]  |

[Total: 13]

| (d) | Cholesterol can also accumulate in the walls of the coronary arteries. |
|-----|--|
|     | Explain the effects that this might have.                              |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     | [3]  |

6

| In s | In some countries forests are cleared by burning. This produces carbon dioxide and ash.                                  |  |  |
|------|--|--|--|
| (a)  | Outline the environmental effects of an increase in carbon dioxide in the atmosphere as a result of burning forests.     |  |  |
|      |  |  |  |
|      |  |  |  |
|      |  |  |  |
|      |  |  |  |
|      |  |  |  |
|      |  |  |  |
|      |  |  |  |
|      | [4]  |  |  |
|      | The ash helps crops to grow because it is rich in minerals, such as magnesium ions, but it is deficient in nitrate ions. |  |  |
| (b)  |  |  |  |
| (b)  |  |  |  |
| (b)  | but it is deficient in nitrate ions.   |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |
| (b)  | but it is deficient in nitrate ions.  Explain why nitrate ions and magnesium ions are important for plants.              |  |  |

For Examiner's Use

| (c) |      | When mineral ions from soils are washed into streams and rivers there is often a rapid growth of algae. |  |  |
|-----|------|---|--|--|
|     | (i)  | State the name of the effect that is caused by adding mineral ions to streams and rivers.               |  |  |
|     |      | [1]   |  |  |
|     | (ii) | These streams and rivers often have low concentrations of dissolved oxygen. Explain why.                |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      | [2]   |  |  |
| (d) | Unt  | reated domestic sewage contains organic waste as well as dissolved minerals.                            |  |  |
|     | Out  | tline how sewage is treated so that the water may be recycled as drinking water.                        |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      |   |  |  |
|     |      | [3]   |  |  |
|     |      | [Total: 14]   |  |  |

## **BLANK PAGE**

## **BLANK PAGE**

Copyright Acknowledgements:

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.