



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/62

Paper 6 Alternative to Practical

October/November 2011

1 hour

Candidates answer on the Question Paper

Additional Materials: ruler

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
Total		

Total



1 Fig. 1.1 shows a longitudinal section through a butternut squash, *Cucurbita moschata*.

This whole structure is a fruit.





Fig. 1.1

- (a) Make a large, labelled diagram of the fruit to show the arrangement of the seeds

 - the thickness of the fruit wall.

[5]

Fig. 1.2 shows two seeds from this fruit.



Fig. 1.2

(b)	Describe the external appearance of this seed.
	[2]

For Examiner's Use Fig. 1.3 shows a seedling which has grown from a seed taken from this fruit.






Fig. 1.3

(c)	Complete the labelling of the seedling on Fig. 1.3. The testa (seed coat) of this seedling has been labelled for you.	[2]
(d)	The internal contents of the seed will contain an embryo and stored food materials germination.	for

Describe how you could carry out food tests on the internal structure of the seed to show if the seed contained fat or starch.

	fat		
			•••
			•••
	starch		
			•••
		[-	4]
(e)		how you would germinate these seeds. he environmental conditions required.	
			•••
			•••
			•••
			•••
			•••
		ſ,	41

[Total: 17]

2 An investigation was carried out to find the effect of salt (sodium chloride) solution, on potato tissue.


For Examiner's Use

A large potato was cut into long thin strips, called chips. Each chip measured 60 mm in length.

One chip was placed in a concentrated salt solution and another chip was placed in distilled water.

After three hours these chips were removed from the liquids.

The chips are shown in Fig. 2.1.





salt solution

distilled water

Fig. 2.1

(a) (i) Measure the length of the chips in Fig. 2.1.
Calculate any change in length.
Record your measurements in Table 2.1.

Table 2.1

	chip in salt solution	chip in distilled water
length / mm		
change / mm		

[2]

(ii)	Explain the changes that you have recorded for these two chips.
	[4]

(b) A similar investigation was carried out by a group of students.

They measured the mass of five chips before putting each chip in a different concentration of **sucrose** solution.

The chips were left in the solution for two hours.

After two hours each chip was removed from the sucrose solution and its mass measured.

Their results are shown in Table 2.2.

Table 2.2

concentration of sucrose solution / g dm ⁻³	mass at start / g	mass after 2 hours / g	difference in mass / g	percentage change
0.0	1.36	1.49	+0.13	+9.56
35.0	1.41	1.48	+0.07	+4.96
70.0	1.46	1.47	+0.01	+0.68
175.0	1.47	1.38	-0.09	-6.12
345.0	1.45	1.31	-0.14	

© UCLES 2011 0610/62/O/N/11

For Examiner's Use

	v
U	D
a	٥
Soca	Ξ
2	
q	ט
ζ	7
C	
σ	
C	
C	٥
_	•
ā	ζ,
S	2
מכת	2
מספדר	
actor	ה ה ה
מבימים	
ropriori	
arcantaga	
Dorrophaga	

Complete Table 2.2 by calculating the percentage change in mass for the most concentrated solution. Show your working.	For Examiner's Use
Suggest why it is necessary to calculate the percentage change in mass when comparing the chips.	
[1]	
Plot a graph to show the percentage change in mass against the concentration of the sucrose solution. Use the grid and axes provided.	
concentration of sucrose solution/g dm ⁻³	
Use your graph to find the concentration of sucrose solution in which the mass of chip would stay the same.	
g dm ⁻³ [1]	
[1] [Total: 14]	
	Concentrated solution. Show your working. [1] Suggest why it is necessary to calculate the percentage change in mass when comparing the chips. [1] Plot a graph to show the percentage change in mass against the concentration of the sucrose solution. Use the grid and axes provided. Concentration of sucrose

Fig. 3.1 shows three animals **A**, **B** and **C** which belong to the same group of arthropods. 3

For Examiner's Use




			Fig. 3.1	
(a)	(i)	List three visible same group of a	features, other than size, which are used to classify them all in trthropods.	he
		1		
		2		
		3		[3]
	(ii)	Give one visible	difference, other than size, between animal,	
		A and B		
		A and C		[2]
	(iii)	Name the group	of arthropods to which these three animals belong.	
				[1]
(b)		me one other ground in (a	up of arthropods and describe how this group differs from the oa)(iii).	ne
	gro	up of arthropods		
	difference 1			
	diffe	erence 2		[3]
			[Total:	: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.