

CHEMISTRY

Paper 1 Multiple Choice (Core)

0620/12 February/March 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

6589130

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 13 printed pages and 3 blank pages.




- **1** Four physical changes are listed.
 - 1 condensation
 - 2 evaporation
 - 3 freezing
 - 4 sublimation

In which changes do the particles move further apart?

| A $Ialluz$ B $Ialluz$ C $Zalluz$ D $Salluz$ | Α | 1 and 2 | В | 1 and 3 | С | 2 and 4 | D | 3 and 4 |
|---|---|---------|---|---------|---|---------|---|---------|
|---|---|---------|---|---------|---|---------|---|---------|

2 The diagram shows liquid in a burette and in a measuring cylinder.



burette

measuring cylinder

Which row shows the readings for the burette and the measuring cylinder?

| | burette | measuring cylinder |
|---|---------|-----------------------|
| Α | 27.8 | 42 |
| В | 27.8 | 44 |
| С | 28.2 | 42 |
| D | 28.2 | 44 |

Which temperature is the boiling point of pure L?

- **A** −77 °C
- **B** $-7 \circ C$ to $+7 \circ C$
- **C** 59°C
- **D** 107 °C to 117 °C
- **4** A student is given a mixture of barium sulfate, copper(II) sulfate and water.

The table shows information about barium sulfate and copper(II) sulfate.

| substance | solubility in water | state at room temperature |
|--------------------------|---------------------|---------------------------|
| barium sulfate insoluble | | solid |
| copper(II) sulfate | soluble | solid |

How does the student obtain copper(II) sulfate crystals from the mixture?


- **A** crystallisation followed by distillation
- **B** crystallisation followed by filtration
- **C** distillation followed by crystallisation
- D filtration followed by crystallisation
- 5 What is the nucleon number of an atom?
 - A the number of electrons, neutrons and protons in the nucleus
 - B the number of neutrons and protons in the nucleus
 - **C** the number of neutrons in the nucleus
 - **D** the number of protons in the nucleus
- 6 Caesium, Cs, is an element in Group I of the Periodic Table.

When caesium reacts it forms a positive ion, Cs⁺.

How is a caesium ion formed?

- **A** A caesium atom gains a proton.
- **B** A caesium atom gains an electron.
- **C** A caesium atom loses an electron.
- **D** A caesium atom shares an electron.

- 7 Which statement about graphite and diamond is correct?
 - A Diamond has a high melting point but graphite does not.
 - **B** Graphite and diamond both conduct electricity.
 - **C** Graphite and diamond both have giant structures.
 - **D** Graphite is ionic and diamond is covalent.
- 8 What is the definition of relative atomic mass, A_r ?



- 9 Which statement about electrolysis reactions is correct?
 - A When concentrated aqueous sodium chloride is electrolysed, sodium forms at the cathode.
 - **B** When concentrated hydrochloric acid is electrolysed, a green gas forms at the cathode.
 - **C** When dilute sulfuric acid is electrolysed, a colourless gas forms at both electrodes.
 - **D** When molten lead(II) bromide is electrolysed, lead forms at the anode.
- **10** Statement 1 Hydrogen is used as a fuel.

Statement 2 When hydrogen burns in the air to form water, heat energy is produced.

Which is correct?

- A Both statements are correct and statement 2 explains statement 1.
- **B** Both statements are correct but statement 2 does not explain statement 1.
- **C** Statement 1 is correct but statement 2 is incorrect.
- **D** Statement 2 is correct but statement 1 is incorrect.

11 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which row describes the chemical reaction?

| | type of reaction | reason |
|---|------------------|--|
| Α | endothermic | because energy is given out as the match burns |
| в | endothermic | because energy is used to strike the match |
| С | exothermic | because energy is given out as the match burns |
| D | exothermic | because energy is used to strike the match |

12 Magnesium carbonate was reacted with dilute hydrochloric acid in a conical flask.

The conical flask was placed on a balance and the mass of the conical flask and contents was recorded as the reaction proceeded.

During the reaction, carbon dioxide gas was produced.

The reaction was done at two different temperatures.

Which row is correct?

| | change in mass | temperature at which the mass changed more quickly |
|---|----------------|--|
| Α | decrease | higher temperature |
| В | decrease | lower temperature |
| С | increase | higher temperature |
| D | increase | lower temperature |

13 Separate samples of anhydrous copper(II) sulfate and hydrated copper(II) sulfate are heated.



Which row shows the correct colour changes?

| | anhydrous copper(II) sulfate | hydrated copper(II) sulfate |
|---|------------------------------|-----------------------------|
| Α | blue to white | white to blue |
| в | no change | blue to white |
| С | white to blue | blue to white |
| D | white to blue | no change |

- 14 In which equation does oxidation of the underlined substance occur?
 - $\textbf{A} \quad 2CuO \ + \ C \ \rightarrow \ CO_2 \ + \ \underline{2Cu}$
 - $\textbf{B} \quad \text{Fe}_2\text{O}_3 \textbf{ + } \underline{3CO} \ \rightarrow \ 2\text{Fe} \textbf{ + } 3\text{CO}_2$
 - $\label{eq:constraint} \textbf{C} \quad 2Mg \ \textbf{+} \ O_2 \ \rightarrow \ \underline{2MgO}$
 - $\textbf{D} \quad \underline{\text{MnO}}_2 \ \textbf{+} \ \textbf{4}\text{HC} \textit{l} \ \rightarrow \ \textbf{MnC} \textit{l}_2 \ \textbf{+} \ \textbf{2}\text{H}_2 \textbf{O} \ \textbf{+} \ \textbf{C} \textit{l}_2$
- 15 Which property is shown by the alkali sodium hydroxide?
 - **A** It has a pH less than pH 7.
 - **B** It produces a gas when it is warmed with ammonium chloride.
 - **C** It turns blue litmus red.
 - **D** It turns Universal Indicator green.
- **16** A solution of compound Z gives a light blue precipitate with aqueous ammonia. The precipitate dissolves in an excess of ammonia.

A flame test is done on compound Z.

What is the colour of the flame?

- A blue-green
- B lilac
- C red
- D yellow

A 1 B 2 C 3 D 4

18 Which method is used to make the salt copper(II) sulfate?

- A dilute acid + alkali
- **B** dilute acid + carbonate
- C dilute acid + metal
- **D** dilute acid + non-metal oxide
- **19** The Periodic Table lists all the known elements.

Elements are arranged in order of1..... number.

The melting points of Group I elements 2 down the group.

The melting points of Group VII elements 3...... down the group.

Which words correctly complete gaps 1, 2 and 3?

| | 1 | 2 | 3 |
|---|---------|----------|----------|
| Α | nucleon | decrease | increase |
| в | nucleon | increase | decrease |
| С | proton | decrease | increase |
| D | proton | increase | decrease |

- 20 Which statements about Group I and Group VII elements are correct?
 - 1 In Group I, lithium is more reactive than potassium.
 - 2 In Group VII, chlorine is more reactive than fluorine.

| | statement 1 | statement 2 |
|---|-------------|-------------|
| Α | 1 | 1 |
| В | 1 | x |
| С | x | ✓ |
| D | x | x |

- 21 Which statement describes transition elements?
 - **A** They have high densities and high melting points.
 - **B** They have high densities and low melting points.
 - **C** They have low densities and high melting points.
 - **D** They have low densities and low melting points.
- 22 Which trend occurs across the period from sodium to argon?
 - **A** a change from metal to non-metal
 - **B** an increase in melting point
 - **C** a more violent reaction with water
 - **D** an increase in electrical conductivity
- 23 Why is argon used in lamps?
 - **A** Argon forms molecules when electricity is passed through it.
 - **B** Argon is inert and so does not react with the hot filament.
 - **C** Argon is less dense than air.
 - **D** Argon produces light when it burns.
- 24 Metals W, X, Y and Z are reacted with dilute hydrochloric acid.

The oxides of metals W, X, Y and Z are heated with carbon.

The results are shown.

| reaction | W | Х | Y | Z |
|----------------------------------|----------------|-------------------|--------------------|-------------------|
| metal + dilute hydrochloric acid | fizzing | fizzing | violent fizzing | no reaction |
| metal oxide + carbon + heat | no reaction | metal produced | no reaction | metal produced |

What is the order of reactivity of the metals?

| | most reactive | | | least reactive |
|---|------------------|---|---|-------------------|
| Α | Y | W | Х | Z |
| в | Y | Х | W | Z |
| С | Z | W | Х | Y |
| D | Z | Х | W | Y |

25 Iron is extracted from Fe_2O_3 by reduction with carbon.

Aluminium is difficult to extract from Al_2O_3 . The process requires electrolysis.

Starting with the most reactive, which order of reactivity is correct?

- **A** $Al \rightarrow C \rightarrow Fe$
- **B** $Al \rightarrow Fe \rightarrow C$
- $\textbf{C} \quad \text{Fe} \rightarrow \text{A}l \rightarrow \text{C}$
- $\textbf{D} \quad Fe \to C \to Al$
- 26 Which two properties are physical properties of all pure metals?

| | property 1 | property 2 |
|---|-------------------------------|------------------------|
| Α | brittle | poor conductor of heat |
| в | good conductor of electricity | malleable |
| С | good conductor of heat | low melting point |
| D | malleable | low density |

- 27 Which statement about the uses of aluminium, copper and iron is correct?
 - A Aluminium is used for aircraft manufacture because it has a high density.
 - **B** Aluminium is used for food containers because it is a good conductor of electricity.
 - **C** Copper is used for cooking utensils because it is a good conductor of heat.
 - **D** Stainless steel is used for car bodies because it corrodes easily.
- **28** The list gives four experiments done with calcium carbonate.
 - 1 acid added
 - 2 alkali added
 - 3 heated strongly
 - 4 water added

Which experiments produced carbon dioxide?

29 Water must be purified before it is suitable for use in the home.

Which processes are used to remove solid impurities and to kill bacteria?

| | to remove solid impurities | to kill bacteria |
|---|----------------------------|---------------------|
| Α | chlorination | chlorination |
| В | chlorination | filtration |
| С | filtration | chlorination |
| D | filtration | filtration |

- **30** Which gas is **not** present in clean air?
 - A argon
 - B carbon dioxide
 - **C** carbon monoxide
 - D water vapour
- 31 Which pair of compounds would make an NPK fertiliser?
 - A ammonium sulfate and potassium phosphate
 - **B** calcium hydroxide and ammonium nitrate
 - C calcium phosphate and potassium chloride
 - D potassium nitrate and ammonium sulfate
- 32 Which pollutant gas is produced by the decomposition of vegetation?
 - A carbon monoxide
 - B methane
 - **C** nitrogen dioxide
 - **D** sulfur dioxide

33 Sulfur burns to make sulfur dioxide.

Which row describes a source of sulfur and a use of sulfur dioxide?

| | source of sulfur | use of sulfur dioxide |
|---|----------------------|-----------------------|
| Α | the air | food preservative |
| в | the air | water treatment |
| С | underground deposits | food preservative |
| D | underground deposits | water treatment |

34 The diagram shows the pH values of the soil in two parts of a garden, X and Y.

| Х | Ү |
|--------|--------|
| pH 7.0 | pH 5.5 |

Lime is used to neutralise the soil in one part of the garden.

To which part of the garden should the lime be added and why?

| | part of the garden | because lime is |
|---|--------------------|-----------------|
| Α | х | acidic |
| в | Х | basic |
| С | Y | acidic |
| D | Y | basic |

- 35 Which substance is **not** used as a fuel?
 - A ethanol
 - B hydrogen
 - C methane
 - D oxygen
- 36 Which formula represents an alkene?

| Α | CH ₄ | В | C_2H_4 | С | C_2H_6 | D | C₂H₅OH |
|---|-----------------|---|----------|---|--------------|---|--------|
| | ÷4 | _ | • 24 | - | € <u>2</u> 0 | _ | •2 |

- 37 Three chemical reactions are shown.
 - 1 catalytic addition of steam to ethene
 - 2 combustion of ethanol
 - 3 fermentation of glucose

In which of the reactions does the relative molecular mass of the carbon-containing compound decrease?

A 1 and 2 **B** 1 only **C** 2 and 3 **D** 3 only

38 How is ethanol produced by fermentation?

- A using anaerobic conditions at 30 °C
- **B** using anaerobic conditions at 450 °C
- **C** using steam at 30 °C
- **D** using steam at 450 °C
- **39** A compound has the formula CH₃COOH.

What is **not** a property of this compound?

- A It has a smell like vinegar.
- **B** It reacts with acids to form salts.
- **C** It reacts with magnesium to produce hydrogen.
- **D** It turns blue litmus red.
- 40 Which statement about polymers is correct?
 - A Polymers are formed by breaking down monomers.
 - **B** Polymers can be natural or synthetic.
 - **C** Polymers contain atoms of only one element.
 - **D** Polymers have a giant ionic structure.

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

103 Lr lawrencium

101 Md mendelevium

102 No nobelium

100 Fm^{ternium}

99 ES einsteinium

98 Cf californium

97 **BK** berkelium

96 Curium L

95 Am americium

94 Pu plutonium

93 Np Teptunium

92 U uranium 238

91 Pa protactinium 231

90 Th ^{thorium} 232

89 Ac actinium

actinoids

| © UCLES 2018 |
|--------------|

| | | | | | | | | Ö | Group | | | | | | | | |
|---|---|-----------------------------------|---------------------------|------------------|-----------------|----------|------------------|-----------------|-------------------|------------------|-------------------|-----------------|-----------------|------------------|------------------|------------------|---------------|
| = | | | | | | | | | | | | ≡ | ≥ | > | N | N | ≡> |
| | | | | | | | - T | | | | | | | | | | 2 He |
| Key | Key | Key | Key | | | | hydrogen 1 | | | | | | | | | | helium 4 |
| 4 atomic number | atomic number | atomic number | atomic number | | | J | | | | | | 5 | 9 | 7 | 80 | 6 | 10 |
| Be atomic symbol | atomic symbol | atomic symbol | mic symbol | lod | | | | | | | | В | ပ | z | 0 | ш | Ne |
| beryllium name 9 relative atomic mass | name relative atomic mass | пате relative atomic mass | name ative atomic mass | ISS | | | | | | | | boron 11 | carbon 12 | nitrogen 14 | oxygen 16 | fluorine 19 | neon 20 |
| 12 | | | | | | | | | | | | 13 | 14 | 15 | 16 | 17 | 18 |
| Mg | | | | | | | | | | | | Al | Si | ٩ | ი | Cl | Ar |
| magnesium 24 | | | | | | | | | | | | aluminium 27 | silicon 28 | phosphorus 31 | sulfur 32 | chlorine 35.5 | argon 40 |
| 22 23 24 | 22 23 24 | 23 24 | 24 | | 25 | <u> </u> | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| Sc Ti V | ⊥i < | < Cr | ŗ | | Mn | | Ъe | ပိ | Ī | Cu | Zn | Ga | Ge | As | Se | Ъ | Ъ |
| calcium scandium titanium vanadium chromium manganese 40 45 48 51 52 55 | titanium vanadium chromium 1 48 51 52 | vanadium chromium 1 51 52 | chromium 52 | | manganese 55 | | iron 56 | cobalt 59 | nickel 59 | copper 64 | zinc 65 | gallium 70 | germanium 73 | arsenic 75 | selenium 79 | bromine 80 | krypton 84 |
| 40 41 42 | 40 41 42 | 41 42 | 42 | | 43 | | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| Y Zr Nb Mo Tc | Zr Nb Mo Tc | Nb Mo Tc | Mo Tc | Гс | | | Ru | Rh | Ъd | Ag | Cd | In | Sn | Sb | Те | Ι | Xe |
| strontium yttrium zircontum niobium molybdenum technetium 88 89 91 93 96 – | zirconium niobium molybdenum 91 93 96 | niobium molybdenum 93 96 | molybdenum 96 | | technetium - | | ruthenium 101 | rhodium 103 | palladium 106 | silver 108 | cadmium 112 | indium 115 | tin 119 | antimony 122 | tellurium 128 | iodine 127 | xenon 131 |
| 57–71 72 73 74 | 72 73 74 | 73 74 | 74 | | 75 | | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| lanthanoids Hf Ta W | Hf Ta W | Ta W | 8 | | Re | | SO | Ir | Ъ | Au | Hg | Tl | Pb | Bi | Ро | At | Rn |
| barium hafnium tantalum tungsten rhenium 137 178 181 184 186 | tantalum tungsten 181 184 | tantalum tungsten 181 184 | tungsten 184 | | rhenium 186 | | osmium 190 | iridium 192 | platinum 195 | gold 197 | mercury 201 | thallium 204 | lead 207 | bismuth 209 | polonium – | astatine - | radon - |
| 104 105 106 | 104 105 106 | 105 106 | 106 | | 107 | | 108 | 109 | 110 | 111 | 112 | | 114 | | 116 | | |
| Db Sg | Rf Db Sg | Db Sg | Sg | | Bh | | Hs | Mt | Ds | Rg | C | | Fl | | L< | | |
| radium rutherfordium dubnium seaborgium bohrium | dubnium seaborgium – | dubnium seaborgium – | seaborgium - | | bohrium — | | hassium | meitnerium - | darmstadtium - | roentgenium - | copernicium - | | flerovium - | | livermorium - | | |
| | - | - | | _ | | - | | | | | | | | | | | _ |
| 58 59 | 58 59 60 | 59 60 | 60 | | 61 | | 62 | 63 | 64 | 65 | 99 | 67 | 68 | 69 | 70 | 71 | |
| Ce | Ce Pr Nd | Pr Nd | Nd | | Рт | | Sm | Еu | Ъд | Tb | D | Ю | Ъ | Tm | γb | Lu | |
| lanthanum cerium praseodymium neodymium promethium 139 140 141 144 – | cerium praseodymium neodymium 140 141 144 | praseodymium neodymium 141 144 | neodymium 144 | neodymium 144 | promethium - | | samarium 150 | europium 152 | gadolinium 157 | terbium 159 | dysprosium 163 | holmium 165 | erbium 167 | thulium 169 | ytterbium 173 | Iutetium 175 | |
| | | | | | | 1 | | | | | | | | | | | - - |

0620/12/F/M/18