

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE NUMBER	
*				
	CHEMISTRY			0620/62
4 3 /	Paper 6 Alterna	ative to Practical		February/March 2018
÷ 7 7				1 hour
°	Candidates answer on the Question Paper.			
4 9 4 7	No Additional M	laterials are required.		

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Answer all questions. Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 9 printed pages and 3 blank pages.




1 A student used paper chromatography to separate a mixture of coloured dyes. The diagram shows the apparatus used.



(a)	(i)	Draw a line on the diagram to show the level of the solvent.	[1]
	(ii)	Suggest a suitable solvent that could be used.	
			[1]
(b)	Wh	at could be used to put the mixture of coloured dyes onto the paper?	
			[1]
(c)	The	e clips hold the paper in position.	
	Wh	y is this important for the chromatography experiment?	
			[1]

The diagram shows the chromatogram obtained from four dyes, A, B, C and D.



- (d) Give one conclusion that can be drawn about dye B.[1]
- (e) Suggest why dye C remained on the baseline.

.....[1]

(f)  $R_{\rm f}$  values are used to identify compounds.

 $R_{\rm f} = \frac{\text{distance travelled by the compound}}{\text{distance travelled by the solvent}}$ 

Calculate the  $R_{\rm f}$  value of dye **A**.


[Total: 8]

Three experiments were done.

#### Experiment 1

2

- A measuring cylinder was used to pour 25 cm<sup>3</sup> of solution **L** into a conical flask.
- Ten drops of thymolphthalein indicator were added to the conical flask.
- A burette was filled up to the 0.0 cm<sup>3</sup> mark with dilute hydrochloric acid.
- Dilute hydrochloric acid was added from the burette to the conical flask until the solution just changed to colourless at the end-point of the titration.
- (a) Use the burette diagram to record the final burette reading in the table and complete the table.




final burette reading

	Experiment 1
final burette reading/cm <sup>3</sup>	
initial burette reading/cm <sup>3</sup>	0.0
difference/cm <sup>3</sup>	

## Experiment 2

- Ten drops of methyl orange indicator were added to the solution in the conical flask from Experiment 1.
- Dilute hydrochloric acid was added from the burette to the conical flask until the solution just changed colour.
- (b) Use the burette diagram to record the final burette reading in the table and complete the table.




### final burette reading

	Experiment 2
final burette reading/cm <sup>3</sup>	
initial burette reading/cm <sup>3</sup>	12.0
difference/cm <sup>3</sup>	

[1]

## Experiment 3

- The conical flask was emptied and rinsed with distilled water.
- Experiment 1 was repeated using methyl orange indicator instead of thymolphthalein indicator and adding dilute hydrochloric acid from the burette to the conical flask until the solution just changed colour.
- (c) Use the burette diagrams to record the burette readings in the table and complete the table.



-23
_24
-25

initial burette reading

final burette reading

	Experiment 3
final burette reading/cm <sup>3</sup>	
initial burette reading/cm <sup>3</sup>	
difference / cm <sup>3</sup>	

	Ŭ
(d)	What colour change was observed in the conical flask in Experiment 3?
	from to
	[1]
(e)	Why was the conical flask emptied and rinsed with distilled water at the start of Experiment 3?
	[1]
(6)	
(f)	Complete the sentence.
	Experiment needed the largest volume of dilute hydrochloric acid to change the colour of the indicator. [1]
(g)	Give the name of a more accurate piece of apparatus for measuring the volume of solution L.
	[1]
(h)	What would be the effect on the results if solution L were warmed before adding the
	dilute hydrochloric acid? Give a reason for your answer.
	effect on the results
	reason
	[2]
(i)	(i) Determine the simplest whole number ratio of volumes of dilute hydrochloric acid used in
(-)	Experiments 1 and 3.
	[1]
	(ii) Suggest why the volumes of dilute hydrochloric acid used in Experiments 1 and 3 are
	different.
(j)	Suggest why Universal Indicator cannot be used in these experiments.
	[1]
(k)	Suggest how the reliability of the results could be checked.
	[2]
	[2]

[Total: 16]

6

**3** Two substances, solution **M** and solid **N**, were analysed. Solution **M** was aqueous iron(III) chloride. Tests were done on the substances.

Complete the expected observations.

# tests on solution M

- (a) Describe the appearance of solution **M**.
  - .....[1]

Solution **M** was divided into three equal portions in three test-tubes.

- - (ii) An excess of aqueous sodium hydroxide was then added to the mixture.
    [1]

#### tests on solid N

Some of the tests and observations are shown.

tests on solid <b>N</b>	observations	
The appearance of solid <b>N</b> was studied.	green powder	
test 1		
Solid <b>N</b> was heated.	solid turned black	
The gas produced was tested.	limewater turned milky	
test 2		
A flame test was done on solid <b>N</b> .	blue-green colour	

(e) Name the gas produced in test 1.
 (f) Identify solid N.
 [2]
 [Total: 10]

4 Magnesium reacts with dilute sulfuric acid at room temperature to form hydrogen gas.

Plan an experiment to find the rate of reaction between magnesium ribbon and dilute sulfuric acid.

In your answer:

- include a diagram
- indicate how you could use the results obtained to find the rate of reaction.

You are provided with common laboratory apparatus, magnesium ribbon and dilute sulfuric acid.

 [6]
[Total: 6]

# **BLANK PAGE**

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.