MNN. Firenepalers. com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the June 2005 question paper

0620 CHEMISTRY

0620/02

Paper 2 (Core Theory), maximum mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

 CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Grade thresholds for Syllabus 0620 (Chemistry) in the June 2005 examination.

	maximum	minimum mark required for grade:				
	mark available	А	С	Е	F	
Component 2	80	N/A	57	42	31	

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.


IGCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/02

CHEMISTRY (Core Theory)



· ·	IGCSE – JUNE 2005	0620	2
(i)			
			[1]
			[1]
			[1]
			[1]
			[1]
('')	NOT: charcoal		ניז
(ii)	diamond/buckminsterfullerene NOT: graphite (but ALLOW: ecf from part (i)		[1]
ALL	.OW: Na ⁺ I⁻		[1]
bec ALL	ause two different (types of) atoms <u>joined/bonded</u> etc. OW: two different elements bonded		[1]
			Total = 9
			[1]
			[1]
(i)	steel		[1]
(ii)	water NOT: steam		[1]
(iii)	copper/iron		[1]
(iv)	natural gas NOT: methane		[1]
met	thane		[1]
100	° C (100 = 0)		[1]
(i)	calcium/Ca ²⁺		[1]
(ii)	e ⁻ ALLOW: e NOT: electron		[1]
(i)	carbon dioxide + water ACCEPT: correct formulae		[1]
	(ii) (iv) (v) (i) (ii) NaIALL NO filte NO (ii) (iii) (iii) (iv) met 100 (i) (iii)	(i) A (ii) B + E (iii) A + C (iv) B (v) B + E (i) graphite NOT: charcoal (ii) diamond/buckminsterfullerene NOT: graphite (but ALLOW: ecf from part (i)) NaI ALLOW: Na*I* NOT: Na* + F compound (no mark) because two different (types of) atoms joined/bonded etc. ALLOW: two different elements bonded NOT: atoms together filtering/filtration NOT: decanting litmus turns pink/red NOT: orange (i) steel (ii) water NOT: steam (iii) copper/iron (iv) natural gas NOT: methane methane 100° C (100 = 0) (i) calcium/Ca²+ (ii) e* ALLOW: e NOT: electron	(i) A (ii) B+E (iii) A+C (iv) B (v) B+E (i) graphite NOT: charcoal (ii) diamond/buckminsterfullerene NOT: graphite (but ALLOW: ecf from part (i)) NaI ALLOW: Na*T NOT: Na* + I* compound (no mark) because two different (types of) atoms joined/bonded etc. ALLOW: two different elements bonded NOT: atoms together filtering/filtration NOT: orange (i) steel (ii) water NOT: steam (iii) copper/iron (iv) natural gas NOT: methane methane 100° C (100 = 0) (i) calcium/Ca²+ (ii) e' ALLOW: e NOT: electron

Mark Scheme

Syllabus

Paper

Page 1

	Page 2		Mark Scheme Sy		Paper
			IGCSE – JUNE 2005	0620	2
			carbon monoxide NOT: CO		[1]
					Total = 12
3	(a)	rand far a	om arrangement; part.		[2]
	(b)	рН9			[1]
	(c)	(i)	NH_3/H_3N		[1]
		(ii)	covalent		[1]
		(iii)	weak forces <u>between</u> particles OR molecules/weak inter	molecular for	rces [1]
	(d)	(i)	H ₂ SO ₄		[1]
		(ii)	nitrogen; soil		[2]
	(e)	Any	3 from:		
		diffus partis move NOT	nonia <u>evaporates</u> from (ammonia) solution; sion; <u>cles/molecules</u> of ammonia/gases are in constant move e freely; ALLOW: move fast : particles of ammonia solution move freely : move from high to low concentration	ment/	
		move	ement of <u>particles/molecules</u> is random. : ammonia spreads out;		[3]
	(f)	` '	the air ALLOW: atmosphere		[1]
		(ii)	2 (NO ₂)		[1]
			reversible reaction ALLOW: equilibrium		[1]
		(iv)	exothermic/heat given out		[1]
					Total = 16
4	(a)	mon	omers		[1]
	(b)	does	s not have a double bond/only contains single bonds/has	s a single C –	C bond [1]
	(2)	NOT NOT	: has a single bond : it is saturated : no spare bonds	o a sg.s	[1]
	(c)		ayed/graphical formula correct OW: correct dot and cross diagrams		[1]
	(d)		breaking down of long-chained hydrocarbons/formation hydrocarbons from larger	of smaller	[1]

ı ug		IGCSE – JUNE 2005	0620	2
	(ii)	high temperature ALLOW: heat (catalyst alone = 0)	<u> </u>	[1]
	(iii)	C_8H_{18} ALLOW: other sensible combinations $2(C_2H_4) + C_6H_{14}$		[1]
(e)	(i)	H_2		[1]
	(ii)	any 2 of:		
		temperature gradient in fractionation column; smaller/lighter molecules (rise) higher in column OR sm more easily vaporised OR e.g. referring to larger/heaver molecules ALLOW: hydrocarbons in place of molecules NOT: lighter/heavier fractions different fractions condense at particular heights in colucondense when temperature falls below their boiling po ALLOW: different fractions have different boiling points/temperatures	umn/fractions ints	[2]
	(iii)	petrol: fuel (for cars)/other suitable use NOT: for cars etc.		[1]
		lubricating fraction: lubricating oils/waxes/polishes/other NOT: for planes etc.	suitable use	[1]
		NOT. for planes etc.		Total = 11
(a)	(i)	molecule containing 2 atoms ALLOW: element containing 2 atoms		[1]
	(ii)	whether it is solid, liquid or gas (all 3 needed)		[1]
(b)	(i)	gas; liquid; solid (all 3 = 2 marks; 2 correct = 1 mark)		[2]
	(ii)	red/brown/orange or combination of these		[1]
	(iii)	130-210 (°C) (actual = +184 °C)		[1]
(c)	iodi	ne + potassium chloride (1 each)		[2]
(d)	(i)	8 electrons in each shell + atoms joined no bonding electrons = 1 IGNORE: inner shell electrons if correct (incorrect inner shell electrons = 1 max)		[2]
	(ii)	water purification OR treatment/killing bacteria etc./bleamaking refrigerants/making organic chlorine compounds solvents/extracting titanium/detinning scrap tinplate/malacid/extraction of bromine from seawater/other suitable	s (named)/ <u>ma</u> <u>king</u> hydrochlo	king

Mark Scheme

Page 3

5

Syllabus

Paper

J		IGCSE – JUNE 2005	0620	2
(e)	(i)	A		[1]
	(ii)	С		[1]
	(iii)	it contains ions; which can <u>move</u> /are free to <u>move</u> (OWT reference to electrons = 0	ГТЕ)	[2]
(f)	(i)	Period 6		[1]
	(ii)	85		[1]
	(iii)	atoms with (same number of protons and) different num different mass number/different nucleon number NOT: molecules with ALLOW: elements with	ber of neutro	ns/ [1]
	(iv)	125		[1]
				Total = 19
(a)	(i)	iron + sulphuric acid → iron sulphate + hydrogen -1 per error/omission NOT: iron(III) sulphate NOT: hydrogen sulphate		[2]
	(ii)	lighted splint; pop/small explosion etc. (consequential marking)		[2]
(b)	(i)	cathode		[1]
	(ii)	allows conduction (of electricity)/allows charges or ions	to flow throuເ	gh the solution [1]
	(iii)	gains layer of copper/coated with copper NOT: gets bigger decreases in size/gets smaller/loses copper etc. ALLOW: the copper dissolves NOT: breaks up/flakes off		[1] [1]
	(iv)			blue solution [3]
(c)	not NO NO	corrode OR oxidise <u>easily</u> /less reactive than iron T: chromium is unreactive etc. T: other properties of chromium e.g. hard	so it does no	t rust/does [1]
(d)	iron	> chromium > copper		[1]
				Total = 13
	(f) (a) (b)	(iii) (f) (i) (ii) (iii) (iv) (a) (i) (ii) (iii) (iii) (iv) (c) to monot NOO NOO NOO NOO NOO NOO NOO NOO NOO NO	 (e) (i) A (ii) C (iii) it contains ions; which can move/are free to move (OWT reference to electrons = 0 (f) (i) Period 6 (ii) 85 (iii) atoms with (same number of protons and) different num different mass number/different nucleon number NOT: molecules with ALLOW: elements with (iv) 125 (a) (i) iron + sulphuric acid → iron sulphate + hydrogen -1 per error/omission NOT: iron(III) sulphate NOT: hydrogen sulphate (ii) lighted splint; pop/small explosion etc. (consequential marking) (b) (i) cathode (ii) allows conduction (of electricity)/allows charges or ions (iii) gains layer of copper/coated with copper NOT: gets bigger decreases in size/gets smaller/loses copper etc. ALLOW: the copper dissolves NOT: breaks up/flakes off (iv) aqueous sodium hydroxide; light blue ppt; insoluble in excession (consequential marking) 	 (e) (i) A (ii) C (iii) it contains ions; which can move/are free to move (OWTTE) reference to electrons = 0 (f) (i) Period 6 (ii) 85 (iii) atoms with (same number of protons and) different number of neutro different mass number/different nucleon number NOT: molecules with ALLOW: elements with (iv) 125 (a) (i) iron + sulphuric acid → iron sulphate + hydrogen -1 per error/omission NOT: inon(III) sulphate NOT: hydrogen sulphate (ii) lighted splint; pop/small explosion etc. (consequential marking) (b) (i) cathode (ii) allows conduction (of electricity)/allows charges or ions to flow through the creases in size/gets smaller/loses copper etc. ALLOW: the copper dissolves NOT: breaks up/flakes off (iv) aqueous sodium hydroxide; light blue ppt; insoluble in excess OR aqueous ammonia; light blue ppt; soluble in excess OR aqueous ammonia; light blue ppt; soluble in excess/forming dark (consequential marking) (c) to make them attractive/makes them shiny/protects the iron so it does no not corrode OR oxidise easily/less reactive than iron NOT: chromium is unreactive etc. NOT: other properties of chromium e.g. hard NOT: corrosive

Mark Scheme

Syllabus

Paper

Page 4