

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

### CHEMISTRY

Paper 1 Multiple Choice

0620/01 May/June 2008

**45 Minutes** 

MMM. Hiremepapers com

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.


#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 15 printed pages and 1 blank page.



**1** A yellow precipitate is formed in the experiment shown.



How is the precipitate formed?

- **A** Particles collide, diffuse and then react.
- **B** Particles collide, react and then diffuse.
- C Particles diffuse, collide and then react.
- D Particles diffuse, react and then collide
- **2** A student is asked to measure the time taken for 4.00 g of magnesium carbonate to react completely with 25.0 cm<sup>3</sup> (an excess) of dilute hydrochloric acid.

Which pieces of apparatus does the student need?

- A balance, clock, pipette
- B balance, clock, thermometer
- C balance, pipette, thermometer
- D clock, pipette, thermometer
- 3 Chromatography and fractional distillation can be used to separate compounds.

In which type of separation is a thermometer needed for checking that complete separation has occurred?

- A chromatographic separation of two colourless solids
- **B** chromatographic separation of two solids of different colours
- C fractional distillation of two colourless liquids
- **D** fractional distillation of two liquids of different colours

- 4 The nucleon number and proton number of the lithium atom are shown by the symbol  $\frac{7}{3}$ Li. What is the correct symbol for the lithium ion in lithium chloride?
  - $\textbf{A} \quad \ \ \, \overset{6}{_2} Li^- \qquad \qquad \ \ \, \textbf{B} \quad \ \ \, \overset{6}{_3} Li^+ \qquad \qquad \ \ \, \textbf{C} \quad \ \ \, \overset{7}{_3} Li^+ \qquad \qquad \ \ \, \textbf{D} \quad \ \ \, \overset{7}{_3} Li^-$
- 5 The table shows the numbers of particles present in the nuclei of four atoms or ions.

	protons	neutrons	electron structure
1	18	22	2,8,8
2	19	20	2,8,8
3	19	21	2,8,8,1
4	20	20	2,8,8,2

Which two particles belong to the same element?

Α	1 and 2	В	1 and 4	С	2 and 3	D	2 and 4
---	---------	---	---------	---	---------	---	---------


**6** What are the nucleon numbers for carbon and magnesium?

	carbon	magnesium
Α	6	12
В	6	24
С	12	12
D	12	24

7 Which of the following can be used as a lubricant?


	graphite	a liquid fraction from petroleum
Α	$\checkmark$	1
В	$\checkmark$	X
С	x	$\checkmark$
D	×	X

8 The diagram shows the outer shell electron arrangement of compound J that contains the elements Y and Z.



What type of compound is J?

- A an alloy
- B a macromolecule
- **C** covalent
- D ionic
- 9 The electronic structures of atoms P and Q are shown.




P and Q react to form an ionic compound.

What is the formula of this compound?


10 For which compound is the formula correct?


	compound	formula
Α	ammonium chloride	NH₃C <i>l</i>
в	copper(II) sulphide	CuS
С	iron(II) sulphide	Fe₃S
D	silver nitrate	$Ag_2NO_3$

**11** The diagram shows a molecule of vinyl chloride (used to make pvc).



**12** Which apparatus could be used to electroplate an iron nail with copper?






**13** Two elements X and Y form ionic compounds, XBr<sub>2</sub> and Y<sub>2</sub>O<sub>3</sub>. The compounds are separately melted and electricity is passed through the liquids.

What are the products at the cathodes?

- **A** bromine and oxygen
- B bromine and Y
- **C** oxygen and X
- D X and Y

14 Which change can take place during electrolysis?

- A lead(IV) oxide  $\rightarrow$  lead(II) oxide + oxygen
- **B** concentrated hydrochloric acid  $\rightarrow$  hydrogen + chlorine
- **C** sodium hydroxide + nitric acid  $\rightarrow$  sodium nitrate + water
- **D** lead(II) nitrate + sulphuric acid  $\rightarrow$  lead(II) sulphate + nitric acid
- **15** The diagram shows an experiment.



Which terms describe the experiment?

	endothermic	neutralisation
Α	$\checkmark$	1
в	$\checkmark$	X
С	×	1
D	×	X

16 Charcoal and uranium are used as sources of energy.

Which of them are oxidised when used in this way?

	charcoal	uranium
Α	$\checkmark$	1
в	$\checkmark$	X
С	x	√
D	X	X

**17** Magnesium reacts with acids to produce hydrogen gas.

Under which set of conditions is hydrogen formed the most slowly?

	magnesium	acid	temperature/°C
Α	ribbon	concentrated	40
В	ribbon	dilute	20
С	powder	concentrated	40
D	powder	dilute	20

- 18 When written as formulae, which compound has the greatest number of oxygen atoms?
  - A calcium oxide
  - **B** copper(II) oxide
  - **C** iron(III) oxide
  - D potassium oxide

**19** The equation explains the colour change that occurs when aqueous potassium hydroxide is added to aqueous potassium dichromate(VI).

$K_2Cr_2O_7$	+	2KOH	$\rightarrow$	$2K_2CrO_4$	+	$H_2O$
potassium				potassium		
dichromate(VI)				chromate(VI)		
orange				yellow		

As a result of adding an excess of aqueous potassium hydroxide to aqeous potassium dichromate(VI), what happens to the oxidation state of the chromium and the pH of the reaction mixture?

	oxidation state of the chromium	pH of the mixture
Α	decreases	decreases
в	decreases	increases
С	stays the same	decreases
D	stays the same	increases

20 An oxide of element X dissolves in water to form a solution of pH 5.

Which line in the table is correct?

	type of element	type of oxide
Α	metallic	acidic
В	metallic	basic
С	non-metallic	acidic
D	non-metallic	basic

- 21 Which statement describes a test for carbon dioxide gas?
  - A It bleaches damp litmus paper.
  - **B** It relights a glowing splint.
  - **C** It turns cobalt(II) chloride paper pink.
  - **D** It turns limewater cloudy.

22 A solution of zinc sulphate can be made by adding an excess **either** of zinc carbonate **or** of zinc hydroxide to dilute sulphuric acid.

In which forms are these zinc compounds added to the acid?

	zinc carbonate	zinc hydroxide
Α	aqueous	aqueous
В	aqueous	solid
С	solid	aqueous
D	solid	solid

- **23** Which aqueous ion causes a white precipitate to form when acidified aqueous silver nitrate is added to it?
  - A chloride
  - **B** iodide
  - **C** nitrate
  - D sulphate
- 24 What is the colour of gaseous chlorine and of solid sodium chloride?

	chlorine	sodium chloride
Α	colourless	yellow-green
в	colourless	white
С	yellow-green	yellow-green
D	yellow-green	white

**25** The Group I elements lithium and potassium are tested.

Which element has the higher melting point and which element reacts more vigorously with water?

	higher melting point	more vigorous reaction with water
Α	lithium	lithium
в	lithium	potassium
С	potassium	lithium
D	potassium	potassium

26 The proton numbers of four elements are shown.

Which element forms a singly charged positive ion in its salts?


element	proton number
Α	34
в	35
С	36
D	37

27 The table gives information about four elements.

Which element is a transition metal?

	electrical conductivity	density g/cm³	melting point in °C
Α	good	0.97	98
в	good	7.86	1535
С	poor	2.33	1410
D	poor	3.12	-7

28 Which diagram best represents the structure of a solid alloy?



## 29 Element E

- forms an alloy;
- has a basic oxide;
- is below hydrogen in the reactivity series.

What is element E?

- A carbon
- B copper
- C sulphur
- **D** zinc


**30** The position of metal X in the reactivity series is shown.

K Na Mg Fe (H) X

Which statements about X and its oxide are correct?

	reaction of X with dilute hydrochloric acid	reaction of oxide of X with carbon
Α	hydrogen formed	no reaction
в	hydrogen formed	oxide reduced
С	no reaction	no reaction
D	no reaction	oxide reduced

**31** The diagram shows a blast furnace used to extract iron from iron ore.



Why is limestone added to the furnace?

- A to cause the furnace to heat up
- B to change the ore into iron
- **C** to convert impurities in the ore into slag
- **D** to produce oxygen for the coke to burn

32 Which uses of the metals shown are both correct?

	aluminium	stainless steel
Α	aircraft bodies	car bodies
В	car bodies	aircraft bodies
С	chemical plant	food containers
D	food containers	chemical plant

- 33 In which industrial process is water essential?
  - **A** the production of aluminium from bauxite
  - **B** the production of calcium oxide from limestone
  - **C** the production of ethanol from ethene
  - **D** the production of petrol from crude oil
- **34** Some students are asked to suggest why acetylene, rather than ethanol, is the fuel used for welding metals.


Two suggestions are

- 1 acetylene is a gas but ethanol is a liquid;
- 2 acetylene burns with a hotter flame.

Which suggestions are correct?

	1	2
Α	$\checkmark$	√
в	$\checkmark$	x
С	x	$\checkmark$
D	x	x

**35** The diagrams show four sacks which a farmer has in his barn.




Which sacks should be mixed to make a complete fertiliser, containing all the essential elements needed by plants?

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4


- 36 Which of the following does **not** produce carbon dioxide?
  - **A** adding hydrochloric acid to carbon
  - **B** adding hydrochloric acid to potassium carbonate
  - C burning coke
  - **D** burning petrol

**37** Cholesterol occurs naturally in the body.

Its name indicates that it has the same functional group as



- 38 Which fuel is a mixture of hydrocarbons?
  - A coal
  - B methane
  - **C** petroleum
  - D wood
- 39 In the diagram, which substance could be ethene?



40 Which properties do butane, propene and ethanol all have?

	burn	polymerise
Α	1	1
в	1	X
С	x	$\checkmark$
D	X	X

# **BLANK PAGE**

	0 II 1	- <sup>4</sup>	16 19 20 <b>A</b> Coxygen 9 Fluorine 10 Neon	32 35.5 40 S C1 Ar 10 Ar 18 Ar 19 Argon	79 80 84   See Br Kr   34 35 36	128 127 131   Te I Xe   Tallurum 53 54	Po At Rn Polonium At Rn 84 85		169 173 175   Tm Yb Lu   Thulium Viterbium 71	Md No Lr Mondelevium Lawrendium 101 102
	>		14 Nitrogen 7	31 Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium 68	Fermium 100
	2		12 Carbon 6	28 Silicon	73 Ge Germanium 32	119 <b>Sn</b> 50	207 <b>Pb</b> Lead		165 <b>HO</b> Holmium 67	Einsteinium 99
	=		5 Bo <b>D</b> 1	27 <b>A1</b> Auminium 13	70 <b>Ga</b> Galiium 31	115 <b>In</b> Indium	204 <b>T 1</b> Thalium 81		162 Dysprosium 66	Cf Californium 98
					65 <b>Zn</b> 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> <sup>Mercury</sup> 80		159 <b>Tb</b> <sup>Terbium</sup> 65	BK Berkelium 97
					64 Copper 29	108 <b>Ag</b> Silver	197 <b>Au</b> Gold 79		157 <b>Gd</b> Gadolinium 64	C Curium 66
Group					59 Nickel 28	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 Eu 63	Am Americium 95
Gre			_		59 <b>CO</b> <sup>Cobalt</sup>	103 <b>Rh</b> odium 45	192 Ir Iridium		150 Samarium 62	Putonium 94
		<sup>-</sup> Hydrogen			56 Iron 26	101 <b>Ru</b> Ruthenium 44	190 <b>OS</b> Osmium 76		Promethium 61	Neptunium 93
					55 Manganese 25	Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium 60	238 Uranium 92
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>V</b> 74		141 <b>Pr</b> Praseodymium 59	Pa Protactinium 91
					51 Vanadium 23	93 Niobium 41	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium 58	232 <b>7</b> Thorium 90
					48 Titanium 22	91 Zrconium 40	178 Hafhium 72		1	mic mass Ibol nic) number
			[	I	45 Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89	*58-71 Lanthanoid series 190-103 Actinoid series	<ul><li>a = relative atomic mass</li><li>X = atomic symbol</li><li>b = proton (atomic) number</li></ul>
		1	a. E	4 <b>D</b> sium	40 Calcium	88 Strontium	137 <b>Ba</b> Barium	226 <b>Ra</b> Radium	anoic oid s	ت × ۵
	=		9 Beryllium	24 Mg Magnesium 12	50 °	38 Street	56 Ba <b>T</b> 1	~~ <u>~</u> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	antha Actin	а <b>Х</b>

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.