

Location Entry Codes

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Question Paper	Mark Scheme	Principal Examiner's Report
Introduction	Introduction	Introduction
First variant Question Paper	First variant Mark Scheme	First variant Principal Examiner's Report
Second variant Question Paper	Second variant Mark Scheme	Second variant Principal Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at:

international@cie.org.uk

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

- First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

- Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

Paper 3 (Extended)

0620/31

May/June 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer **all** questions.

A copy of the Periodic Table is printed on page 12.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part questions.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
Total	

This document consists of **11** printed pages and **1** blank page.



1 For each of the following select an element from Period 4, potassium to krypton, that matches the description.

For
Examiner's
Use

(a) It is a brown liquid at room temperature.

(b) It forms a compound with hydrogen having the formula XH_4

(c) A metal that reacts violently with cold water.

(d) It has a complete outer energy level.

(e) It has oxidation states of 2 and 3 only.

(f) It can form an ion of the type X^-

(g) One of its oxides is the catalyst in the Contact Process.

[Total: 7]

- 2 (a) Complete the table which gives the names, symbols, relative masses and relative charges of the three subatomic particles.

name	symbol	relative mass	relative charge
electron	e^-		
proton		1	
	n		0

[3]

- (b) Use the information in the table to explain the following.

- (i) Atoms contain charged particles but they are electrically neutral because they have no overall charge.

.....
 [2]

- (ii) Atoms can form positive ions.

.....
 [2]

- (iii) Atoms of the same element can have different masses.

.....
 [2]

- (iv) Scientists are certain that there are no undiscovered elements missing from the Periodic Table from hydrogen to lawrencium.

..... [1]

[Total: 10]

For
Examiner's
Use

3 Copper is purified by electrolysis.

(a) Complete the following.

The positive electrode (anode) is made from

The negative electrode (cathode) is made from

The electrolyte is aqueous [3]

(b) Write an ionic equation for the reaction at the positive electrode (anode).

..... [2]

(c) (i) Give **two** reasons why copper is used,

in electric wiring, [2]
.....

in cooking utensils. [2]
.....

(ii) Give another use of copper.


..... [1]

[Total: 10]


4 Sulphuric acid is a typical strong acid.

For
Examiner's
Use


(a) Change the equations given into a different format.




..... [1]



..... [2]




..... [2]



..... [1]

(b) When sulphuric acid dissolves in water, the following reaction occurs.



Explain why water is behaving as a base in this reaction.


..... [2]

(c) Sulphuric acid is a strong acid, ethanoic acid is a weak acid.
Explain the difference between a strong acid and a weak acid.

.....
..... [2]

[Total: 10]

- 5 Carbonyl chloride, COCl_2 , is a colourless gas. It is made by the following reaction.



For
Examiner's
Use

- (a) When the pressure on the equilibrium mixture is decreased, the position of equilibrium moves to left.

- (i) How does the concentration of each of the three chemicals change?

.....
..... [2]

- (ii) Explain why the position of equilibrium moves to left.

.....
..... [2]


- (b) Using the information given with the equation, is the forward reaction exothermic or endothermic? Give a reason for your choice.

.....
..... [2]

- (c) Carbonyl chloride reacts with water to form two acidic compounds. Suggest which acidic compounds are formed.

1.
2. [2]

- (d) The structural formula of carbonyl chloride is given below.



Draw a diagram that shows the arrangement of the valency electrons in one molecule of this covalent compound.

Use x for an electron from a chlorine atom.

Use o for an electron from a carbon atom.

Use • for an electron from an oxygen atom.

[4]
[Total: 12]

6 Three of the factors that can influence the rate of a chemical reaction are:

- physical state of the reactants
- light
- the presence of a catalyst

(a) The first recorded dust explosion was in a flour mill in Italy in 1785. Flour contains carbohydrates. Explosions are very fast exothermic reactions.


(i) Use the collision theory to explain why the reaction between the particles of flour and the oxygen in the air is very fast.

.....
 [2]

(ii) Write a word equation for this exothermic reaction.


..... [1]

The decomposition of silver(I) bromide is the basis of film photography. The equation for this decomposition is:



This reaction is photochemical.

A piece of white paper was coated with silver(I) bromide and the following experiment was carried out.




(b) Explain the results.

.....

 [3]

- (c) The fermentation of glucose is catalysed by enzymes from yeast. Yeast is added to aqueous glucose, the solution starts to bubble and becomes cloudy as more yeast cells are formed.



The reaction is exothermic.

Eventually the fermentation stops when the concentration of ethanol is about 12%.

- (i) What is an enzyme?

..... [1]

- (ii) Pasteur said that fermentation was respiration in the absence of air. Suggest a definition of *respiration*.

.....
 [2]

- (iii) On a large scale, the reaction mixture is cooled. Suggest a reason why this is necessary.

..... [1]

- (iv) Why does the fermentation stop? Suggest **two** reasons.

.....
 [2]

- (v) When the fermentation stops, there is a mixture of dilute aqueous ethanol and yeast. Suggest a technique which could be used to remove the cloudiness due to the yeast.

..... [1]


Name a technique which will separate the ethanol from the ethanol/water mixture.

..... [1]

[Total: 14]

7 Crystals of sodium sulphate-10-water, $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$, are prepared by titration.

For
Examiner's
Use



- (a) 25.0 cm^3 of aqueous sodium hydroxide is pipetted into a conical flask. A few drops of an indicator are added. Using a burette, dilute sulphuric acid is slowly added until the indicator just changes colour. The volume of acid needed to neutralise the alkali is noted.

Suggest how you would continue the experiment to obtain pure, dry crystals of sodium sulphate-10-water.

.....

[4]

- (b) Using 25.0 cm^3 of aqueous sodium hydroxide, 2.24 mol / dm^3 , 3.86 g of crystals were obtained. Calculate the percentage yield.



Number of moles of NaOH used =

Maximum number of moles of $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$ that could be formed =

Mass of one mole of $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O} = 322 \text{ g}$

Maximum yield of sodium sulphate-10-water = g

Percentage yield = % [4]

[Total: 8]

8 Large areas of the Amazon rain forest are cleared each year to grow soya beans. The trees are cut down and burnt.

(a) Why do these activities increase the percentage of carbon dioxide in the atmosphere?

.....
..... [2]

(b) Soya beans contain all three main food groups. Two of which are protein and carbohydrate.


(i) What is the third group?

..... [1]

(ii) Draw the structural formula of a complex carbohydrate such as starch.

[3]

(iii) Compare the structure of a protein with that of a synthetic polyamide. The structure of a typical protein is given below.



How are they similar?

.....

How are they different?

.....
..... [3]

[Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		Group																		
I	II	III	IV	V	VI	VII	0					0								
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1											4 He Helium 2							
23 Na Sodium 11	24 Mg Magnesium 12	5 B Boron 5	11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 Cl Chlorine 17	40 Ar Argon 18						
39 K Potassium 19	40 Ca Calcium 20	48 Ti Titanium 22	45 Sc Scandium 21	51 V Vanadium 23	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36					
85 Rb Rubidium 37	88 Sr Strontium 38	91 Zr Zirconium 40	89 Y Yttrium 39	93 Nb Niobium 41	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54					
133 Cs Caesium 55	137 Ba Barium 56	178 Hf Hafnium 72	139 La Lanthanum 57	181 Ta Tantalum 73	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86					
226 Ra Radium 88	227 Ac Actinium 89											227 Fr Francium 87								
													* 58-71 Lanthanoid series † 90-103 Actinoid series							
													140 Ce Cerium 58		159 Tb Terbium 65		169 Tm Thulium 69		175 Lu Lutetium 71	
													141 Pr Praseodymium 59		157 Gd Gadolinium 64		167 Er Erbium 68		173 Yb Ytterbium 70	
													144 Nd Neodymium 60		152 Eu Europium 63		162 Dy Dysprosium 66		168 Ho Holmium 67	
													150 Sm Samarium 62		158 Cm Curium 96		164 Bk Berkelium 97		171 Lr Lawrencium 103	
													155 Am Americium 95		163 Cf Californium 98		172 No Nobelium 102		178 Og Oganesson 118	
													156 Cm Curium 96		165 Es Einsteinium 99		173 Fm Fermium 100		179 Uue Ununennium 119	
													157 Bk Berkelium 97		166 Fl Flerovium 102		174 Mc Moscovium 103		180 Uu Ununium 110	
													158 Cf Californium 98		167 Db Dubnium 105		175 Lr Lawrencium 103		181 Uub Unbibium 112	
													159 Db Dubnium 105		168 Ubn Unbibium 112		176 Uuq Ununquadium 113		182 Uub Unbibium 112	
													160 Ubn Unbibium 112		169 Ubu Unbibium 112		177 Uuq Ununquadium 113		183 Uub Unbibium 112	
													161 Ubn Unbibium 112		170 Ubu Unbibium 112		178 Uuq Ununquadium 113		184 Uub Unbibium 112	
													162 Ubn Unbibium 112		171 Ubu Unbibium 112		179 Uuq Ununquadium 113		185 Uub Unbibium 112	
													163 Ubn Unbibium 112		172 Ubu Unbibium 112		180 Uuq Ununquadium 113		186 Uub Unbibium 112	
													164 Ubn Unbibium 112		173 Ubu Unbibium 112		181 Uuq Ununquadium 113		187 Uub Unbibium 112	
													165 Ubn Unbibium 112		174 Ubu Unbibium 112		182 Uuq Ununquadium 113		188 Uub Unbibium 112	
													166 Ubn Unbibium 112		175 Ubu Unbibium 112		183 Uuq Ununquadium 113		189 Uub Unbibium 112	
													167 Ubn Unbibium 112		176 Ubu Unbibium 112		184 Uuq Ununquadium 113		190 Uub Unbibium 112	
													168 Ubn Unbibium 112		177 Ubu Unbibium 112		185 Uuq Ununquadium 113		191 Uub Unbibium 112	
													169 Ubn Unbibium 112		178 Ubu Unbibium 112		186 Uuq Ununquadium 113		192 Uub Unbibium 112	
													170 Ubn Unbibium 112		179 Ubu Unbibium 112		187 Uuq Ununquadium 113		193 Uub Unbibium 112	
													171 Ubn Unbibium 112		180 Uuq Ununquadium 113		188 Uub Unbibium 112		194 Uub Unbibium 112	
													172 Ubn Unbibium 112		181 Uuq Ununquadium 113		189 Uub Unbibium 112		195 Uub Unbibium 112	
													173 Ubn Unbibium 112		182 Uuq Ununquadium 113		190 Uub Unbibium 112		196 Uub Unbibium 112	
													174 Ubn Unbibium 112		183 Uuq Ununquadium 113		191 Uub Unbibium 112		197 Uub Unbibium 112	
													175 Ubn Unbibium 112		184 Uuq Ununquadium 113		192 Uub Unbibium 112		198 Uub Unbibium 112	
													176 Ubn Unbibium 112		185 Uuq Ununquadium 113		193 Uub Unbibium 112		199 Uub Unbibium 112	
													177 Ubn Unbibium 112		186 Uuq Ununquadium 113		194 Uub Unbibium 112		200 Uub Unbibium 112	
													178 Ubn Unbibium 112		187 Uuq Ununquadium 113		195 Uub Unbibium 112		201 Uub Unbibium 112	
													179 Ubn Unbibium 112		188 Uuq Ununquadium 113		196 Uub Unbibium 112		202 Uub Unbibium 112	
													180 Ubn Unbibium 112		189 Uuq Ununquadium 113		197 Uub Unbibium 112		203 Uub Unbibium 112	
													181 Ubn Unbibium 112		190 Uuq Ununquadium 113		198 Uub Unbibium 112		204 Uub Unbibium 112	
													182 Ubn Unbibium 112		191 Uuq Ununquadium 113		199 Uub Unbibium 112		205 Uub Unbibium 112	
													183 Ubn Unbibium 112		192 Uuq Ununquadium 113		200 Uub Unbibium 112		206 Uub Unbibium 112	
													184 Ubn Unbibium 112		193 Uuq Ununquadium 113		201 Uub Unbibium 112		207 Uub Unbibium 112	
													185 Ubn Unbibium 112		194 Uuq Ununquadium 113		202 Uub Unbibium 112		208 Uub Unbibium 112	
													186 Ubn Unbibium 112		195 Uuq Ununquadium 113		203 Uub Unbibium 112		209 Uub Unbibium 112	
													187 Ubn Unbibium 112		196 Uuq Ununquadium 113		204 Uub Unbibium 112		210 Uub Unbibium 112	
													188 Ubn Unbibium 112		197 Uuq Ununquadium 113		205 Uub Unbibium 112		211 Uub Unbibium 112	
													189 Ubn Unbibium 112		198 Uuq Ununquadium 113		206 Uub Unbibium 112		212 Uub Unbibium 112	
													190 Ubn Unbibium 112		199 Uuq Ununquadium 113		207 Uub Unbibium 112		213 Uub Unbibium 112	
													191 Ubn Unbibium 112		200 Uuq Ununquadium 113		208 Uub Unbibium 112		214 Uub Unbibium 112	
													192 Ubn Unbibium 112		201 Uuq Ununquadium 113		209 Uub Unbibium 112		215 Uub Unbibium 112	
													193 Ubn Unbibium 112		202 Uuq Ununquadium 113		210 Uub Unbibium 112		216 Uub Unbibium 112	
													194 Ubn Unbibium 112		203 Uuq Ununquadium 113		211 Uub Unbibium 112		217 Uub Unbibium 112	
													195 Ubn Unbibium 112		204 Uuq Ununquadium 113		212 Uub Unbibium 112		218 Uub Unbibium 112	
													196 Ubn Unbibium 112		205 Uuq Ununquadium 113		213 Uub Unbibium 112		219 Uub Unbibium 112	
													197 Ubn Unbibium 112		206 Uuq Ununquadium 113		214 Uub Unbibium 112		220 Uub Unbibium 112	
													198 Ubn Unbibium 112		207 Uuq Ununquadium 113		215 Uub Unbibium 112		221 Uub Unbibium 112	
													199 Ubn Unbibium 112		208 Uuq Ununquadium 113		216 Uub Unbibium 112		222 Uub Unbibium 112	
													200 Ubn Unbibium 112		209 Uuq Ununquadium 113		217 Uub Unbibium 112		223 Uub Unbibium 112	
													201 Ubn Unbibium 112		210 Uuq Ununquadium 113		218 Uub Unbibium 112		224 Uub Unbibium 112	
													202 Ubn Unbibium 112		211 Uuq Ununquadium 113		219 Uub Unbibium 112		225 Uub Unbibium 112	
													203 Ubn Unbibium 112		212 Uuq Ununquadium 113		220 Uub Unbibium 112		226 Uub Unbibium 112	
													204 Ubn Unbibium 112		213 Uuq Ununquadium 113		221 Uub Unbibium 112		227 Uub Unbibium 112	
													205 Ubn Unbibium 112		214 Uuq Ununquadium 113		222 Uub Unbibium 112		228 Uub Unbibium 112	
													206 Ubn Unbibium 112		215 Uuq Ununquadium 113		223 Uub Unbibium 112		229 Uub Unbibium 112	
													207 Ubn Unbibium 112		216 Uuq Ununquadium 113		224 Uub Unbibium 112		230 Uub Unbibium 112	
													208 Ubn Unbibium 112		217 Uuq Ununquadium 113		225 Uub Unbibium 112		231 Uub Unbibium 112	
													209 Ubn Unbibium 112		218 Uuq Ununquadium 113		226 Uub Unbibium 112		232 Uub Unbibium 112	
													210 Ubn Unbibium 112		219 Uuq Ununquadium 113		227 Uub Unbibium 112		233 Uub Unbibium 112	
													211 Ubn Unbibium 112		220 Uuq Ununquadium 					



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

* 8 6 7 2 1 8 2 5 5 2 2 *

CHEMISTRY

0620/32

Paper 3 (Extended)

May/June 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer **all** questions.

A copy of the Periodic Table is printed on page 12.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part questions.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
Total	

This document consists of **11** printed pages and **1** blank page.



1 For each of the following select an element from Period 4, potassium to krypton, that matches the description.

For
Examiner's
Use

(a) It is a brown liquid at room temperature.

.....

(b) It forms a covalent compound with hydrogen having the formula H_2X .

.....

(c) A metal that reacts violently with cold water.

.....

(d) It has a complete outer energy level.

.....

(e) It has oxidation states of 2 and 3 only.

.....

(f) It can form an ion of the type X^+ .

.....

(g) This metal is the catalyst in the Haber Process.

.....

[Total: 7]

- 2 (a) Complete the table which gives the names, symbols, relative masses and relative charges of the three subatomic particles.

For
Examiner's
Use

name	symbol	relative mass	relative charge
electron	e^-		
proton		1	
neutron	n		

[3]

- (b) Use the information in the table to explain the following.

- (i) Atoms contain charged particles but they are electrically neutral - they have no overall charge.

.....
..... [2]

- (ii) Atoms can form negative ions.

.....
..... [2]

- (iii) Different atoms of the element chlorine are ${}_{17}^{35}\text{Cl}$ and ${}_{17}^{37}\text{Cl}$.

How are they different?

How are they the same? [2]

- (iv) Scientists are certain that there are no undiscovered elements missing from the Periodic Table from hydrogen to lawrencium.

..... [1]

[Total: 10]

3 Copper is purified by electrolysis.

(a) Complete the following.

The positive electrode (anode) is made from

The negative electrode (cathode) is made from

The electrolyte is aqueous [3]

(b) Write an ionic equation for the reaction at the positive electrode (anode).

..... [2]

(c) (i) Give **two** reasons why copper is used,

in electric wiring, [2]
.....

in cooking utensils. [2]
.....

(ii) Give another use of copper.


..... [1]

[Total: 10]


4 Sulphuric acid is a typical strong acid.

For
Examiner's
Use


(a) Change the equation given into a different format.




..... [1]



..... [2]




..... [2]



..... [1]

(b) When sulphuric acid dissolves in water, the following reaction occurs.



Explain why water is behaving as a base.


..... [2]

(c) Sulphuric acid is a strong acid, ethanoic acid is a weak acid. One way of distinguishing between them is to measure their pH. The weaker acid will have the higher pH. Describe another way by which they could be distinguished.

..... [2]
.....

[Total: 10]

- 5 Carbonyl chloride, COCl_2 , is a colourless gas. It is made by the following reaction.



For
Examiner's
Use

- (a) When the pressure on the equilibrium mixture is increased, the position of equilibrium moves to right.

- (i) How does the concentration of each of the three chemicals change?

.....
..... [2]

- (ii) Explain why the position of equilibrium moves to right.

.....
..... [2]


- (b) Using the information given with the equation, is the forward reaction exothermic or endothermic? Give a reason for your choice.

.....
..... [2]

- (c) Carbonyl chloride reacts with water to form two acidic compounds. Name them.

..... [2]

- (d) The structural formula of carbonyl chloride is given below.



Draw a diagram that shows the arrangement of the valency electrons in one molecule of this covalent compound.

Use x for an electron from a chlorine atom.

Use o for an electron from a carbon atom.

Use • for an electron from an oxygen atom.

[4]
[Total: 12]

6 Three of the factors that can influence the rate of a chemical reaction are:

- physical state of the reactants
- light
- the presence of a catalyst

(a) The first recorded dust explosion was in a flour mill in Italy in 1785. Flour contains carbohydrates. Explosions are very fast exothermic reactions.


(i) Use the collision theory to explain why the reaction between the particles of flour and the oxygen in the air is very fast.

.....
 [2]

(ii) Write a word equation for this exothermic reaction.


..... [1]

The decomposition of silver(I) bromide is the basis of film photography. The equation for this decomposition is:



(b) This reaction is photochemical.

A piece of white paper was coated with silver(I) bromide and the following experiment was carried out.




Explain the results.

.....

 [3]

- (c) The fermentation of glucose is catalysed by enzymes from yeast. Yeast is added to aqueous glucose, the solution starts to bubble and becomes cloudy as more yeast cells are formed.



The reaction is exothermic.

Eventually the fermentation stops when the concentration of ethanol is about 12%.

- (i) What is an enzyme?

..... [1]

- (ii) Pasteur said that fermentation was respiration in the absence of air. Define *respiration*.

.....
 [2]

- (iii) On a large scale, the reaction mixture is cooled. Suggest a reason why this is necessary.

..... [1]

- (iv) Why does the fermentation stop? Suggest **two** reasons.

.....
 [2]

- (v) When the fermentation stops, there is a mixture of dilute aqueous ethanol and yeast. Suggest a technique which could be used to remove the cloudiness due to the yeast.

..... [1]


Name another technique which will separate the ethanol from the ethanol / water mixture.

..... [1]

[Total: 14]

7 Crystals of sodium sulphate-10-water, $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$, are prepared by titration.

For
Examiner's
Use



- (a) 25.0 cm^3 of aqueous sodium hydroxide is pipetted into a conical flask. A few drops of an indicator are added. Using a burette, dilute sulphuric acid is slowly added until the indicator just changes colour. The volume of acid needed to neutralise the alkali is noted.

Suggest how you would continue the experiment to obtain pure, dry crystals of sodium sulphate-10-water.

.....

[4]

- (b) Using 25.0 cm^3 of aqueous sodium hydroxide, 2.64 mol / dm^3 , 3.95 g of crystals were obtained. Calculate the percentage yield.



Number of moles of NaOH used =

Maximum number of moles of $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$ that could be formed =

Mass of one mole of $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O} = 322 \text{ g}$

Maximum yield of sodium sulphate-10-water = g

Percentage yield = % [4]

[Total: 8]

8 Large areas of the Amazon rain forest are cleared each year to grow soya beans. The trees are cut down and burnt.

(a) Why do these activities increase the percentage of carbon dioxide in the atmosphere?

.....
..... [2]

(b) Soya beans contain all three main food groups. Two of which are protein and carbohydrate.


(i) What is the third group?

..... [1]

(ii) Draw the structural formula of a complex carbohydrate such as starch.

[3]

(iii) Compare the structure of a protein with that of a synthetic polyamide. The structure of a typical protein is given below.



How are they similar?

.....

How are they different?

.....
..... [3]

[Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		Group																
I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	O						
		1 H Hydrogen 1																
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 Cl Chlorine 17	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54		
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86		
87 Fr Francium	226 Ra Radium	227 Ac Actinium											162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
												98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	103 Lr Lawrencium	

*58-71 Lanthanoid series
†90-103 Actinoid series

a	X
b	

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).