



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/61
Paper 6 Alternative to Practical			May/June 2017
			1 hour
Candidates ans	wer on the Question Paper.		
No Additional Ma	aterials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 A student prepared strontium nitrate crystals.

The diagram shows some of the stages in this preparation.



(a)	(i)	Complete the box to identify the apparatus.	[1]
	(ii)	What is used to add the strontium carbonate to the acid in stage 1?	
			[1]
	(iii)	Name the dilute acid used.	
			[1]
	(iv)	Give one expected observation in stage 2.	
			[1]
(b)	Wh	y is heat not necessary in stage 2?	
			[1]
(c)	Whi	ich of the reactants is in excess? Explain your answer.	
			[-]
(d)	Des	scribe how crystals of strontium nitrate could be obtained from the mixture in stage 3.	


[Total: 10]

2 A student investigated the reaction between aqueous sodium thiosulfate and two different aqueous solutions of potassium iodate labelled solution **C** and solution **D**.

Two experiments were carried out.

Experiment 1

- A burette was filled with aqueous sodium thiosulfate. The initial burette reading was recorded.
- Using a measuring cylinder, 20 cm³ of solution C were poured into a conical flask. 10 cm³ of dilute sulfuric acid and 1 g of potassium iodide were added to the flask to form a solution of iodine. The flask was swirled to mix the contents.
- Aqueous sodium thiosulfate was slowly added from the burette to the flask and swirled to mix thoroughly.
- When the contents of the flask turned pale yellow, starch solution was added and the solution turned blue-black.
- More aqueous sodium thiosulfate was then added slowly to the flask until the solution just turned colourless. The final burette reading was recorded.
- (a) Use the burette diagrams to record the readings in the table and complete the table.




final burette reading/cm ³	
initial burette reading/cm³	
difference/cm ³	

[2]

Experiment 2

- The conical flask was emptied and rinsed with distilled water.
- Experiment 1 was repeated using solution **D** instead of solution **C**.
- (b) Use the burette diagrams to record the readings in the table and complete the table.



final burette reading/cm ³	
initial burette reading/cm³	
difference/cm ³	

[2]

(c)	(i)	Which solution of potassium iodate, solution C or solution D , is the more concentrated Explain your answer.	
	(ii)	How many times more concentrated is this solution of potassium iodate?	
		[1]
(d)		edict the volume of aqueous sodium thiosulfate which would be needed to react complete in 30 cm ³ of solution D .	ly
		_	_

© UCLES 2017 0620/61/M/J/17

(e) (i)	State two sources of error in the experiments.	
	1	
	2	
		[2]
(ii)	Suggest two improvements to reduce the sources of error in (e)(i).	
	1	
	2	
		[2]
		[Total: 13]

3 Two solids, **E** and **F**, were analysed. Solid **F** was potassium iodide. Tests were carried out on each solid. Some of the observations on solid **E** are shown.

tests on solid E	observations
Appearance of solid E .	green solid
test 1	
Solid E was heated gently then strongly.	the solid turned black
test 2	
Dilute sulfuric acid was added to solid E .	rapid effervescence
The gas given off was tested.	limewater turned milky
Excess aqueous ammonia was then added to the mixture in the test-tube.	a pale blue precipitate formed, which then dissolved to form a dark blue solution
test 3	
A flame test was carried out on solid E .	blue-green colour

(a)	Test 1 states that the solid should be heated gently then strongly.	
	In terms of safety, explain why it is necessary to heat gently at first.	
		[1]
(b)	Identify the gas given off in test 2 .	
		[1]
(c)	Identify solid E.	
		[2]

© UCLES 2017 0620/61/M/J/17

tests on solid F

Cor	nple	te the expected observations.
(d)	Des	scribe the appearance of solid F .
		[1]
D:-	اء مالئا	water was added to solid E in a tast tube and abelian to discolve solid E
DIS	unea	water was added to solid F in a test-tube and shaken to dissolve solid F .
(e)	(i)	To the first portion of the solution, an excess of aqueous sodium hydroxide was added.
		observations[1]
	(ii)	To the second portion of the solution, dilute nitric acid and aqueous silver nitrate were added.
		observations[2]
(f)	A fla	ame test was carried out on solid F .
	obs	ervations[1]
(g)	Des	scribe how you would carry out a flame test.
		[2]
		[Total: 11]

A sa	mpl	e of furniture cleaner contains aqueous sodium chloride, aqueous ammonia and sand.	
(a)	Giv	e a test to show the presence of ammonia in the mixture.	
		[1]
4.	Di		
(b)	Plai	n an investigation to obtain a sample of	
	(i)	pure water from the mixture,	
		[2	2]
((ii)	pure sand from the mixture.	
		[3]
		[Total: 6	3]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the line available to account and the line available to download at www.cie.org.uk after

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2017 0620/61/M/J/17