Candidate Name

www.tirenepapers.com

## **International General Certificate of Secondary Education CAMBRIDGE INTERNATIONAL EXAMINATIONS** 0620/2 **CHEMISTRY**

PAPER 2

## **OCTOBER/NOVEMBER SESSION 2002**

1 hour

Candidates answer on the question paper. No additional materials are required.

Time 1 hour

## **INSTRUCTIONS TO CANDIDATES**

Write your name, Centre number and candidate number in the spaces at the top of this page. Answer all questions.

Write your answers in the spaces provided on the question paper.

## INFORMATION FOR CANDIDATES

The number of marks is given in brackets [] at the end of each question or part question.

You may use a calculator.

A copy of the Periodic Table is printed on page 16.

FOR EXAMINER'S USE			
1			
2			
3			
4			
5			
6			
TOTAL			

[1]

**1** Ammonia, NH<sub>3</sub>, is synthesised by the following route.

methane ———— hydroger	า
	iron catalyst
	→ ammonia
air ——— nitrogen	,

(a) (i) To which group of organic compounds does methane,  $CH_4$ , belong? Put a ring around the correct answer.

alkane alcohol alkene carboxylic acid [1]

(ii) Draw the formula for methane, showing all atoms and bonds.

(iii) State the most likely source of methane.

[1]

(b) (i) State the percentage of nitrogen in clean air.

[1]

(ii) Name another non-metal that is in the same Period as nitrogen.

[1]

(c) Ammonia is made by heating hydrogen with nitrogen in the presence of a catalyst.

(i) What is the purpose of the catalyst?

What happens to the rate of a reaction when the temperature is increased?

(ii)

\_\_\_\_\_\_[1]

	$3H_2$ + $N_2$ $\rightleftharpoons$ $NH_3$	[1]
(ii)	What does the sign <del>←</del> mean?	
		[1]
Tho	ammonia formed in the reaction is liquefied	
	represents a single molecule of ammonia.	
		[2]
How	would you test for ammonia in the laboratory?	
test		
resi	ult	[2]
Amn		
(i)	Why are fertilizers used in agriculture?	
		[4]
		[1]
(ii)	Some fertilizers contain ammonium sulphate.	ניו
(ii)		ניו
	Some fertilizers contain ammonium sulphate.	
	(ii) The Comamn How test	The ammonia formed in the reaction is liquefied.  Complete the diagram below to show the arrangement of the molecules in liquid ammonia.  represents a single molecule of ammonia.  How would you test for ammonia in the laboratory?  test  result  Ammonia is used to make fertilizers.

2 When rain water trickles through rocks, it dissolves some of the minerals present.


This water, which is bottled for drinking, is called mineral water.

The table shows the ions present in a litre of mineral water.

name of ion	formula of ion	mass of ion present in one litre of water/milligrams
calcium	Ca <sup>2+</sup>	10
chloride	Cl-	8
hydrogencarbonate	HCO <sub>3</sub>	64
sodium	Na⁺	8
sulphate	SO <sub>4</sub> <sup>2-</sup>	7

(a)	What do you understand by the term ion?					
	[1]					
(b)	Which positive ion has the greatest concentration in this sample of water?					
	[1]					
(c)	Complete the following equation to show how a calcium ion is formed from a calcium atom.					
	Ca $\longrightarrow$ Ca <sup>2+</sup> + e <sup>-</sup>					
	[41]					
	[1]					
(d)	When this sample of mineral water is evaporated to dryness, various compounds are formed. One of these compounds is calcium chloride.					
	Suggest the name of <b>two</b> other compounds which could be formed.					
	compound 1					
	compound 2 [2]					

(e) Part of the structure of calcium chloride is shown below.



Use this diagram to work out the simplest formula for calcium chloride.

formula	['	1]
	<u> </u>	-

**(f)** Complete the following table to show the electrical conductivity of calcium and calcium chloride in the solid and liquid states.

Put a ✓ if the substance conducts.

Put a **x** if the substance does not conduct.

substance	state	electrical conductivity
calcium	solid	
calcium	liquid	
calcium chloride	solid	
calcium chloride	liquid	

[2]

(g) A sample of water was contaminated with clay, which is insoluble in water.

Explain with the help of a labelled diagram, how you would separate the clay from the water.

- 3 Fluorine, chlorine, bromine and iodine are halogens.
  - (a) Complete the table by filling in the blank spaces.

halogen	colour	melting point /°C	boiling point /°C	state at room temperature
fluorine	orine yellow -220 -18		-188	
chlorine		-101	-35	gas
bromine	ne reddish- brown -7		+59	
iodine		+114		solid

[4]

**(b)** Predict the boiling point of iodine.

[1]


**(c)** When chlorine is bubbled through a solution of potassium bromide, the solution turns orange - red.

When iodine is mixed with potassium bromide, no colour change occurs.

(i) Write a word equation for the reaction between chlorine and potassium bromide.

[2]

(ii) Put the elements bromine, chlorine and iodine in order of reactivity.



[1]

(d) State a use of chlorine.

[1]

(e) In the presence of sunlight, chlorine reacts with methane.

Hydrogen chloride gas, H — Cl, is given off during this reaction.

State the type of bonding in a hydrogen chloride molecule.

Put a ring around the correct answer.

covalent ionic metallic weak

[1]

4 Some organic compounds found in ripe fruits are shown below.

	H	C H	· CH₃CO₂H	Cŀ	H <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H			
	,	A	В		С			
		CI	H₃CH₂OH	CH₃CH₂CHO				
			D	E				
(a)	Wha	at do you	understand by the term <i>or</i>	ganic compound?				
					[1]			
(b)	Whi	ch <b>two</b> of	the compounds belong to	the same homolog	gous series?			
	cor	mpound	a	and compound	[1]			
		•		·				
(c)	Whi	ch <b>one</b> of	these compounds is an u	nsaturated hydroca	arbon?			
					[1]			
(d)	) Which <b>one</b> of these compounds is an alcohol?							
()	••••	on one or	and a compound to an a		[4]			
					[1]			
(e)		ch <b>one</b> of n petroleu		formed directly by	cracking the paraffin fraction			
		•			[1]			
<b>(£</b> )					[1]			
(f)			burns readily.					
	(i)	Burning	is an exothermic reaction					
		Explain	the meaning of the term e	exothermic.				
					[1]			
	(ii)	State th	e products formed when <b>I</b>	<b>)</b> burns in excess a	air.			


[2]

	(iii)	Name the combustion		compound	formed	when D	undergoes	incomplete
								[1]
(g)	Write	down the n	nolecular for	mula of com	pound <b>C</b> .			
								[1]
(h)	Calcula	ate the rela	ative molecu	ılar mass of	compound	d <b>C</b> .		
								[1]
(i)	Many 1	fruits conta	ain a variety	of different o	coloured c	ompounds	i.	
	What compo	•	n technique	e can you	use to	separate	these differe	nt coloured
								[1]

9

5 Iron is extracted from the ore, haematite.

The iron ore is put in a blast furnace with coke and a current of air is blown through the heated mixture.




	cement	limewater	limestone	slag	
	Put a ring around th	ie correct answer.			
(b)	What other raw mat	erial needs to be adde	ed to the blast furnace?		
					[1]
(a)	What do you unders	tand by the term ore?			

[1]

(c)	Near the bottom of the furnace, iron(III) oxide is reduced by carbon.					
		Fe <sub>2</sub> O <sub>3</sub> + 3C	→ 2Fe	+	3CO	
	(i)	Write a word equation for the	is reaction.			
					[4]	
	/::\	Evalois what is moont by the	n torm raduation		[1]	
	(ii)	Explain what is meant by the	e term reduction.			
						•
, IV	<b>.</b>				[1]	
(d)	The t	able shows the composition	of the waste gases I	eaving	the blast furnace.	
		gas	percentage of gas in the mixture			
		carbon dioxide	12			
		carbon monoxide	24			
		hydrogen	4			
		nitrogen	60			
	(i)	The hydrogen in the waste ovapour.	gas is formed by the	reaction	on of hot carbon with water	
		There is no water in the mat	erials added to the t	op of th	ne furnace.	
		Suggest where this water va	pour comes from.			
					[1]	
	(ii)	The reaction of hot carbon w	vith water vapour is	endoth	ermic.	
		What is meant by the term e	endothermic?			
					[1]	
(e)	Iron o	orrosion.				
	(i)	Describe briefly how iron is	converted into steel.			
					[2]	
	(ii)	State <b>one</b> use of mild steel.				
					[1]	

(f) In some conditions, steel corrodes more quickly than in others.

The graphs show the rate of corrosion of a particular type of steel under different controlled conditions.




(i)	How does pH affect the rate of corrosion?	
		[1]
(ii)	How does temperature affect the rate of corrosion?	
		[1]
	Explain this in terms of moving particles.	
		[2]
		[ک]

(iii) The presence of acidic gases in the air may increase the rate of corrosion.
State the name and source of one acidic gas found in the air as a result of pollution.

name	
source	[2]

**6** A student took a sample of seawater and heated it using the apparatus shown below.



(a)	What	is the name given to the process shown in the diagram?	
			[1]
(b)	State	the name of the piece of apparatus labelled <b>A</b> .	
		[	[1]
(c)	Expla	in the function of the condenser.	
			[2]
(d)	Pure	water collects in the beaker.	
	(i)	State the pH of pure water.	
			[1]
	(ii)	State the boiling point of pure water.	
		ī	·11

0620/2 Nov 2002

[1]


(e) The table shows the mass of various compounds obtained when 1 litre of seawater is evaporated.

compound	formula	mass of solid present / g
sodium chloride	NaC <i>l</i>	28.0
	MgCl <sub>2</sub>	8.0
magnesium sulphate	MgSO <sub>4</sub>	6.0
calcium sulphate	CaSO <sub>4</sub>	2.0
potassium chloride	KC1	
calcium carbonate	CaCO <sub>3</sub>	1.0
potassium bromide	KBr	
		total mass = 45.0

(i) How many grams of magnesium sulphate are present in 180 g of solid left by evaporation of seawater?

(ii)	Which compound in the table reacts with acids to release carbon dioxide?	
		[1]
(iii)	State the name of the compound which has the formula $MgCl_2$ .	
		[1]
(iv)	Calcium sulphate contains sulphate ions.	
	Describe a test for sulphate ions.	
	test	
	result	
		[0]

(f) Pure sodium chloride can be electrolysed using the apparatus shown below.



Why does the sodium chloride have to be molten for electrolysis to occur?	
	[2]
State the name of the product formed during electrolysis at	
the cathode (negative electrode)	[2]
Suggest a suitable substance which could be used for the electrodes.	[1]
	State the name of the product formed during electrolysis at the anode (positive electrode)  the cathode (negative electrode)

DATA SHEET
The Periodic Table of the Elements

								Gre	Group								
_	=											≡	2	^	N	IIN	0
							T Hydrogen										4 <b>He</b> Helium
Lithium 3 23 23 Na Sodium 11	Be Berylium 4 24 Mg Magnesium 12	e E										11 B Boron 5 27 A1 Aluminium 13	Carbon 6 Carbon 8 Silicon 114	Nitrogen 7 31 <b>P</b> Phosphorus 15	16 Oxygen 8 32 S	19 Fluorine 9 35.5 <b>C1</b> Chlorine	20 Neon 10 A40 Argan
39 <b>K</b> Potassium	40 <b>Ca</b> n Calcium	Scandium 21	48 <b>Ti</b> Titanium	51 V Vanadium 23	52 <b>Cr</b> Chromium 24	Mn Manganese 25	56 <b>Fe</b> Iron	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel	64 Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>AS</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
Rb Rubidium	Strontium 38	89 <b>Y</b> ttrium 39	2 <b>r</b> Zrconium 40	Nobium Nobium	96 <b>Mo</b> Molybdenum 42	Tc Technetium	Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	<b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium	127 <b>I</b> Iodine	Xe Xenon 54
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Irdium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>T t</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
<b>Fr</b> Francium 87	226 <b>Ra</b> n Radium	227 <b>Ac</b> Actinium															
*58-71 90-10	58-71 Lanthanoid seri 90-103 Actinoid series	*58-71 Lanthanoid series 90-103 Actinoid series		140 <b>Ce</b> Cerium	Pr Praseodymium 59	Neodymium 60	Pm Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium	<b>Yb</b> Ytterbium 70	Lu Lutetium 71
Key	æ <b>★</b>	a = relative atomic mass  X = atomic symbol b = proton (atomic) number		232 <b>Th</b> Thorium	Pa Protactinium 91	238 <b>U</b> Uranium 92	Neptunium	<b>Pu</b> Plutonium 94	Am Americium 95	<b>Cm</b> Curium	<b>Bk</b> Berkelium 97	Californium	<b>ES</b> Einsteinium 99	Fm Fermium	Md Mendelevium 101	Nobelium	<b>Lr</b> Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).