

Centre Number

Candidate Number

Name

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CHEMISTRY**0620/02**

Paper 2

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
You may use a calculator.

Answer **all** questions.

The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is provided on page 16.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Examiner's Use

1	
2	
3	
4	
5	
6	
Total	

This document consists of **15** printed pages and **1** blank page.



- 1 The table below gives some information about the elements in Group I of the Periodic Table.

<i>element</i>	<i>boiling point / °C</i>	<i>density / g cm⁻³</i>	<i>radius of atom in the metal / nm</i>	<i>reactivity with water</i>
lithium	1342	0.53	0.157	
sodium	883	0.97	0.191	rapid
potassium	760	0.86	0.235	very rapid
rubidium		1.53	0.250	extremely rapid
caesium	669	1.88		explosive

- (a) How does the density of the Group I elements change down the Group?

..... [2]

- (b) Suggest a value for the boiling point of rubidium.

..... [1]

- (c) Suggest a value for the radius of a caesium atom.

..... [1]

- (d) Use the information in the table to suggest how fast lithium reacts with water compared with the other Group I metals.

..... [1]

- (e) State three properties shown by **all** metals.

1.

2.

3. [3]

- (f) When sodium reacts with water, hydrogen is given off.



- (i) State the name of the other product formed in this reaction.


..... [1]

- (ii) Describe a test for hydrogen.

test

result [2]

- (g) The diagrams below show three types of hydrogen atom.



- (i) State the name of the positively charged particle in the nucleus.

..... [1]

- (ii) What is the name given to atoms with the same number of positive charges in the nucleus but different numbers of neutrons?

..... [1]

- (iii) State the number of nucleons in a single atom of tritium.

..... [1]


- (iv) Tritium is a radioactive form of hydrogen.

State **one** medical use of radioactivity.


..... [1]

2 The structures of some compounds found in plants are shown below.


A




B




C



D



E



(a) Which **two** of these compounds are unsaturated hydrocarbons?

..... [1]

(b) Which **two** of these compounds contain a carboxylic acid functional group?

..... [1]

(c) Write the molecular formula for compound **D**.

..... [1]

(d) Draw the structure of the product formed when compound **A** reacts with bromine.

Show all atoms and all bonds.


[1]

- (e) Strawberry fruits produce compound **A** (ethene) naturally.

A scientist left some green strawberry fruits to ripen.

The scientist measured the concentration of ethene and carbon dioxide produced by the strawberry fruits over a ten day period.

The graph below shows the results.



- (i) Between which two days does the rate of ethene production increase most rapidly?

..... [1]

- (ii) What is the name given to the process in which carbon dioxide is produced by living organisms?

Put a ring around the correct answer.

acidification **combustion** **neutralization** **respiration** [1]

- (iii) Carbon dioxide concentration over 350 ppm has an effect on ethene production by the fruits.

What effect is this?

..... [1]

- (iv) Ethene gas spreads throughout the fruit by a random movement of molecules.

What is the name given to the random movement of molecules?

Put a ring around the correct answer.

aeration **diffusion** **evaporation** **ionisation** [1]

- (v) Ethene gas promotes the ripening of strawberry fruits.

Ripening of strawberries is slowed down by passing a stream of nitrogen over the fruit.

Suggest why this slows down the ripening process.


.....
..... [1]

- (vi) Enzymes are involved in the ripening process.

What is an *enzyme*?

.....
..... [2]

- (f) Plants make a variety of coloured pigments.
A student extracted red colouring from four different plants, **R, S, T** and **U**.
The student put a spot of each colouring on a piece of filter paper.
The filter paper was dipped into a solvent and left for 30 minutes.
The results are shown below.



- (i) What is name given to the process shown in the diagram?

..... [1]

- (ii) Which plant contained the greatest number of different pigments?

..... [1]

- (iii) Which two plants contained the same pigments?

..... [1]

3 Read the following instructions for the preparation of hydrated nickel(II) sulphate ($\text{NiSO}_4 \cdot 7\text{H}_2\text{O}$), then answer the questions which follow.

- 1 Put 25 cm^3 of dilute sulphuric acid in a beaker.
- 2 Heat the sulphuric acid until it is just boiling then add a small amount of nickel(II) carbonate.
- 3 When the nickel(II) carbonate has dissolved, stop heating, then add a little more nickel carbonate. Continue in this way until nickel(II) carbonate is in excess.
- 4 Filter the hot mixture into a clean beaker.
- 5 Make the hydrated nickel(II) sulphate crystals from the nickel(II) sulphate solution.

The equation for the reaction is



(a) What piece of apparatus would you use to measure out 25 cm^3 of sulphuric acid?

..... [1]

(b) Why is the nickel(II) carbonate added in excess?

..... [1]

(c) When nickel(II) carbonate is added to sulphuric acid, there is a fizzing.

Explain why there is a fizzing.

..... [1]

(d) Draw a diagram to describe step 4.

You must label your diagram.

[3]

- (e) After filtration, which one of the following describes the nickel(II) sulphate in the beaker?

Put a ring around the correct answer.


crystals **filtrate** **precipitate** **water** [1]

- (f) Explain how you would obtain pure dry crystals of hydrated nickel(II) sulphate from the solution of nickel(II) sulphate.

.....
..... [2]

- (g) When hydrated nickel(II) sulphate is heated gently in a test tube, it changes colour from green to white.

- (i) Complete the symbol equation for this reaction.



- (ii) What does the sign \rightleftharpoons mean?

..... [1]

- (iii) How can you obtain a sample of green nickel(II) sulphate starting with white nickel(II) sulphate?

..... [1]

- 4 The table below shows the composition of the mixture of gases coming from a typical car exhaust.

<i>gas</i>	<i>% of the gas in the exhaust fumes</i>
carbon dioxide	9
carbon monoxide	5
oxygen	4
hydrogen	2
hydrocarbons	0.2
nitrogen oxides	0.2
sulphur dioxide	less than 0.003
gas X	79.6

- (a) State the name of the gas **X**.

..... [1]

- (b) The carbon dioxide comes from the burning of hydrocarbons, such as octane, in the petrol.

- (i) Complete the word equation for the complete combustion of octane.

octane + → carbon dioxide + [2]

- (ii) Which **two** chemical elements are present in hydrocarbons?

..... [1]

- (iii) To which homologous series of hydrocarbons does octane belong?

..... [1]

- (c) Suggest a reason for the presence of carbon monoxide in the exhaust fumes.

..... [1]

(d) Nitrogen oxides are present in small quantities in the exhaust fumes.

(i) Complete the following equation for the formation of nitrogen dioxide.



(ii) State **one** harmful effect of nitrogen dioxide on organisms.

..... [1]

(e) Sulphur dioxide is an atmospheric pollutant which is only found in small amounts in car exhausts.

(i) What is the main source of sulphur dioxide pollution of the atmosphere?

..... [1]

(ii) Sulphur dioxide is oxidised in the air to sulphur trioxide. The sulphur trioxide may dissolve in rainwater to form a dilute solution of sulphuric acid, H_2SO_4 .

State the meaning of the term *oxidation*.

..... [1]

(iii) Calculate the relative molecular mass of sulphuric acid.

..... [1]

(iv) Sulphuric acid reacts with metals such as iron.

Complete the following word equation for the reaction of sulphuric acid with iron.

sulphuric acid + iron \rightarrow +
..... [2]

(v) What effect does acid rain have on buildings made of stone containing calcium carbonate?

..... [1]

5 Fertilizers often contain ammonium nitrate.

(a) (i) What effect do fertilizers have on crops?

..... [1]

(ii) Name **one** metal ion which is commonly present in fertilizers.

..... [1]

(iii) Which **one** of the following ions is commonly present in fertilizers?

Put a ring around the correct answer.

bromide **chloride** **hydroxide** **phosphate** [1]

(b) Describe a test for nitrate ions.

test

.....

result [4]

(c) Ammonium nitrate can be made by adding nitric acid to a solution of ammonia.

(i) What type of reaction is this?

..... [1]

(ii) Complete the symbol equation for this reaction.

..... + HNO₃(aq) → NH₄NO₃(aq) [1]

(d) Which **two** of the following statements about ammonia are true?

Tick **two** boxes.

ammonia is insoluble in water

ammonia turns red litmus blue

a solution of ammonia in water has a pH of 7

ammonia has a molecular structure

[2]

6 The electrolysis of a concentrated solution of sodium chloride, provides us with chemicals.

(a) Sodium chloride has an ionic giant structure.

Which **one** of the following is a correct description of a property of sodium chloride.

Tick **one** box.

sodium chloride has a low melting point

sodium chloride conducts electricity when it is solid

sodium chloride has a high boiling point

sodium chloride is insoluble in water

[1]

(b) (i) Explain what is meant by the term *electrolysis*.

.....
 [1]

(ii) At which electrode is hydrogen produced during the electrolysis of aqueous sodium chloride?

..... [1]

(iii) Name a suitable substance that can be used for the electrodes.

..... [1]

(c) (i) State the name of the particle which is added to a chlorine atom to make a chloride ion.

..... [1]


(ii) Describe a test for chloride ions.

test

result [2]

- (d) If chlorine is allowed to mix with sodium hydroxide, sodium chlorate(I), NaOCl is formed.

Balance the equation for this reaction.



[1]

- (e) One tonne (1 000 kg) of a commercial solution of sodium hydroxide produced by electrolysis contains the following masses of compounds.

<i>compound</i>	<i>mass of compound kg/ tonne</i>
sodium hydroxide	510
sodium chloride	10
sodium chlorate(V)	9
water	471
total	1000

- (i) How many kilograms of sodium hydroxide will be present in 5 tonnes of the solution?

[1]

- (ii) All the water from one tonne of impure sodium hydroxide is evaporated.

What would the approximate percentage of the remaining impurities be?

Put a ring around the correct answer.

0.036%


3.6%

36%

96%

[1]

- (f) The hydrogen obtained by electrolysis can be used in the manufacture of margarine.



- (i) Complete the following sentences about this reaction using words from the list.

catalyst
inhibitor
monomeric
saturated
unsaturated

Hydrogen gas is bubbled through carbon compounds
 using a nickel which speeds up the reaction.

The margarines produced are compounds. [3]

- (ii) State **one** other use of hydrogen.

..... [1]

DATA SHEET
The Periodic Table of the Elements

		Group																	
		I	II	III	IV	V	VI	VII	VIII	IX	X								
7	3	Li Lithium 4	Be Beryllium 4	<table border="1" style="margin: auto;"> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">H Hydrogen 1</td> </tr> </table>										1	H Hydrogen 1				
1	H Hydrogen 1																		
23	11	Na Sodium 11	Mg Magnesium 12																
39	19	K Potassium 19	Ca Calcium 20	Sc Scandium 21	Ti Titanium 22	V Vanadium 23	Cr Chromium 24	Mn Manganese 25	Fe Iron 26	Co Cobalt 27	Ni Nickel 28	Cu Copper 29	Zn Zinc 30	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36
85	37	Rb Rubidium 37	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54
133	55	Cs Caesium 55	Ba Barium 56	La Lanthanum 57	Hf Hafnium 72	Ta Tantalum 73	W Tungsten 74	Re Rhenium 75	Os Osmium 76	Ir Iridium 77	Pt Platinum 78	Au Gold 79	Hg Mercury 80	Tl Thallium 81	Pb Lead 82	Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
226	87	Fr Francium 87	Ra Radium 88	Ac Actinium 89	<table border="1" style="margin: auto;"> <tr> <td style="text-align: center;">a</td> <td style="text-align: center;">X</td> <td style="text-align: center;">b</td> </tr> </table>										a	X	b		
a	X	b																	
232	90	Th Thorium 90	Pa Protactinium 91	U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103				
140	58	Ce Cerium 58	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71				
144	60	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	61	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	62	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	63	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	64	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	65	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	66	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	67	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	68	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	69	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	70	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	71	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	72	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	73	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	74	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	75	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	76	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	77	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	78	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	79	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	80	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	81	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	82	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	83	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	84	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	85	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	86	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	87	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	88	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	89	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141	90	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71					
141																			