



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/22
Paper 2		Oct	ober/November 2014
			1 hour 15 minutes
Candidates and	swer on the Question Paper.		
No Additional N	Materials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 (a) The electronic structure of five atoms, A, B, C, D and E, are shown below.



Answer the following questions about these structures. Each structure can be used once, more than once or not at all.

Which structure:

	(i)	represents a	an atom of	an element in G	Group V of the	Periodic Tab	ole,	[1]	
	(ii)	has a complete outer shell of electrons,							
	(iii)	represents a	an oxygen	atom,				[1]	
	(iv)	has a protor	number o	of 20,				[1]	
	(v)	is an atom o	of an eleme	ent in Period 4 o	of the Periodic	Table,		[1]	
	(vi)	has a single	valency e	electron?				[1]	
(b)	(b) Complete the following sentences about isotopes using words from the list below. atoms ions molecules neutrons nuclei protons								
	Isot	opes are		of the same	element with t	he same nu	mber of		
	but	different num	nbers of					[3]	

[Total: 9]

2 The table below shows some nutritional information on a bottle of apple juice.

contents	mass present in g / 100 cm ³
protein	0.10
sugars	10.40
unsaturated fat	0.10
saturated fat	0.06
chloride ions, Cl-	0.04
magnesium ions, Mg ²⁺	0.01
nitrate ions, NO ₃ ⁻	0.01
potassium ions, K ⁺	0.02
sodium ions, Na ⁺	0.05
X , SO ₄ ²⁻	0.01

(a)	Answer these questions using information from the table.						
	(i)	Which negatively charged ion is present in the highest concentration?					
			[1]				
	(ii)	State the name of the ion, \mathbf{X} , whose formula is SO_4^{2-} .					
			[1]				
	(iii)	The formulae for some chlorides are shown below.					
		aluminium chloride, $AlCl_3$ calcium chloride, $CaCl_2$ lead(IV) chloride, $PbCl_4$ potassium chloride, KCl					
		Deduce the formula for magnesium chloride.					
((iv)	Calculate the mass of sugars in 250 cm³ of this apple juice.	[1]				

.....g [1]

(b)	The fats in the apple juice are both saturated and unsaturated.						
	Describe a test to distinguish between saturated and unsaturated compounds						

test	
result with saturated compound	
result with unsaturated compound	
·	[3]

- (c) Apple juice is slightly acidic.
 - (i) Which **one** of the following pH values is slightly acidic? Put a ring around the correct answer.

(ii) One of the acids found in apple juice is malic acid. The structure of malic acid is shown below.

On the structure of malic acid above, put a ring around a carboxylic acid functional group. [1]

[Total: 9]


3 Hydrogen chloride gas can be prepared by the action of concentrated sulfuric acid on sodium chloride.

$$H_2SO_4 + 2NaCl \rightarrow Na_2SO_4 + 2HCl$$

(a) Write the word equation for this reaction.

LA CONTRACTOR OF THE CONTRACTO

- (b) Hydrogen chloride dissolves in water to form hydrochloric acid.
 - (i) Complete the dot-and-cross diagram to show the arrangement of the outer shell electrons in water.




[2]

(ii) Describe what you would observe when a few drops of silver nitrate solution are added to hydrochloric acid.

r/	`
Γ_{2}	71
	-1

(c) The graph below shows how pH changes when aqueous ammonia is neutralised by hydrochloric acid.



(i)	What is the pH of the aqueous ammonia at the start of the experiment?	
		[1]
(ii)	What volume of hydrochloric acid has been added when the pH is 10?	

(iii) What volume of hydrochloric acid has been added when the pH is changing most quickly?

(d)	Concentrated	hydrochloric	acid	reduces	manganese(IV)	oxide,	MnO ₂ ,	to	manganese(II)
	chloride.								

$$\mathrm{4HC}\mathit{l} + \mathrm{MnO_2} \rightarrow \mathrm{MnC}\mathit{l}_2 + \mathrm{C}\mathit{l}_2 + \mathrm{2H_2O}$$

How does this equation show that manganese(IV) oxide gets reduced?

(e) The table shows some properties of four metals, A, B, C and D, and their oxides.

metal	density in g/cm³	boiling point /°C	colour of oxide	charge on the metal ion	
Α	2.99	2831	white	3+	
В	0.53	1342	white	1+	
С	7.86	2750	black or red-brown	2+ or 3+	
D	7.14	907	white	2+	

Which one of these metals is a transition metal? Use the information in the table to explain your answer.	
	[2]


[Total: 11]

4 Calcium carbonate reacts with dilute hydrochloric
--

(a) Complete the symbol equation for this reaction.

$$\mathsf{CaCO_3} \ + \ \dots ... \mathsf{HC}l \ \to \ \mathsf{CaC}l_2 \ + \ \mathsf{CO_2} \ + \ \dots ...$$

(b) The rate of this reaction can be followed using the apparatus shown below.




(i) State the names of the pieces of apparatus labelled A ar
--

A	
В	
	[2]

	(ii)	i) Explain why	the mass of the	reaction mixture	decreases v	with tir	me
--	------	----------------	-----------------	------------------	-------------	----------	----

г	41
	ш

(c) The graph below shows how the mass of the reaction mixture changes with time. The calcium carbonate was in excess and large pieces of calcium carbonate were used.



	[1]
Calculate the total loss in mass of the reaction mixture in this experiment	

		[1]
(iii)	How does the rate of reaction change when:	

smaller pieces of calcium carbonate are used,

(ii)


the temperature is decreased,


the concentration of hydrochloric acid is decreased?

[3]

(d)	Wh	en heated, calcium carbonate breaks dow	n to form calcium oxide and carbon dioxide.
		ich two words from the list below describe two boxes.	this reaction?
		combustion	
		decomposition	
		endothermic	
		exothermic	
		oxidation	[2
(e)	Cal	cium oxide is used in flue-gas desulfurisati	on.
	(i)	Explain how flue-gas desulfurisation work	S.
			[2
	(ii)	Give one other use of calcium oxide.	
			[1]
			[Total: 15

5 The structures of graphite and sodium chloride are shown below.





phite sodium chloride

(a)	Des	scribe the similarity and differences in these structures.
		[4]
		. ,
(b)		phite is a form of carbon. bon is an element.
	(i)	What is meant by the term <i>element</i> ?
		[1]
	(ii)	Write a symbol equation for the complete combustion of carbon.

[2]

(c) The table shows some properties of four substances, A, B, C and D.

substance melting point /°C		boiling point /°C	electrical conductivity
Α	– 7	+59	does not conduct
В	-157	-152	does not conduct
С	+769	+1930	conducts when molten but not when solid
D	+1410	+2355	does not conduct

Which one of these substances, A, B, C or D,


(i)	is a liquid at room temperature,	[1]
(ii)	is a giant ionic structure,	[1]
(iii)	is a noble gas,	[1]
(iv)	is a giant covalent structure?	[1]
	[Total:	11]

6 The table below shows some properties of the first five members of the alkane homologous series.

alkane	molecular formula	boiling point /°C	density of the liquid alkane in g/cm³
methane	CH ₄	-164	0.47
ethane	C ₂ H ₆	-88	
propane	C ₃ H ₈	-42	0.59
butane	C ₄ H ₁₀	0	0.60
pentane		+36	0.63

(a)	(i)	What do you understand by the term <i>homologous series</i> ?	
			[2]
	(ii)	Deduce the molecular formula for pentane.	
			[1]
	(iii)	Describe how the boiling points of these alkanes change as the number of carbon ato increases.	ms
			[1]
	(iv)	Deduce the density of liquid ethane.	
			[1]
(b)		thane is a fuel which is a gas at room temperature. te the name of a fuel which is:	
	a s	olid at room temperature,	
	a lid	quid at room temperature.	
			[2]

(c) The diagram below shows a distillation column used to separate petroleum into different fractions.



- (i) On the diagram above:
 - put a letter **X** to show where the temperature in the column is lowest,
 - put a letter **F** to show where the fraction containing the largest molecules is collected,
 - put a letter **M** to show where petroleum enters the distillation column.

[3]

(ii) The refinery gas fraction contains ethane.

Hydrogen is one of the products formed when ethane is cracked.

Complete the symbol equation for the cracking of ethane.

C_2H_6	\rightarrow	 +	
			[2]

(iii) State the conditions needed for cracking.

	121
·····	

[Total: 14]

- 7 Gallium and aluminium are in Group III of the Periodic Table.
 - (a) The melting point of gallium is 30 °C.

 Use the kinetic particle theory to explain what happens when a spoon made of gallium is put into a cup of tea at 40 °C.

In your answer, refer to:

•	the	change	of	state	which	occurs.
---	-----	--------	----	-------	-------	---------

•	the change	in the	arrangement	of the	particles,
---	------------	--------	-------------	--------	------------

•	the change	n the motion	on of the	particles.

		[4]
 	 	 [']

(b) Gallium burns in air at a high temperature to form gallium(III) oxide. Complete the symbol equation for this reaction.


.....Ga +
$$3O_2 \rightarrowGa_2O_3$$

[2]

(c) Explain why aluminium is often used in containers for food and drinks.

[2]	

(d) Aluminium chloride can be made by heating aluminium foil in a stream of chlorine.



- (i) On the diagram above, draw an arrow to show where heat should be applied. [1]
- (ii) At temperatures between 178 °C and 400 °C, aluminium chloride has the structure shown below.

Deduce the molecular formula of this structure.

[1]

(iii) Some properties of aluminium and silver are shown in the table below.

	cost	density in g/cm³	electrical conductivity	melting point /°C	
aluminium	high	2.7	good	660	
silver	very high	10.5	very good	962	

Use the information in the table to suggest why aluminium rather than silver is used in overhead power cables.

.....[1]

[Total: 11]

BLANK PAGE

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Ne Neon	40 Ar Argon	8 Ā	Krypton 36	131 Xe Xenon			Lutetium 71	Lr Lawrendum 103
	II/		19 Fluorine	35.5 C1 Chlorine	80 Q	Bromine 35		At Astatine 85		173 Yb Ytterbium 70	No Nobelium
	>		16 Oxygen	32 S Suffur 16	Se 39	Selenium 34	128 Te Tellurium			169 Tm Thulium 69	Md Mendelevium 101
	>		14 N Nitrogen 7	31 P Phosphorus 15	75 As	Arsenic 33	122 Sb Antimony	209 Bi Bismuth		167 Er Erbium 68	Fm Fermium 100
	<u>></u>		12 C Carbon 6	28 Si Silicon 14		Germanium 32	119 Sn Tn	207 Pb		165 Ho Holmium 67	ES Einsteinium 99
	Ш		11 B Boron 5	27 A 1 Aluminium 13	70 Ga	Gallium 31	115 In Indium			162 Dy Dysprosium 66	Californium 98
					es Zn	Zinc 30	112 Cd Cadmium			159 Tb Terbium 65	BK Berkelium
					64 Cu	Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm Curium 96
Group					28 Z	Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
Gr					°8		103 Rh Rhodium 45			Sm Samarium 62	Pu Plutonium
		1 Hydrogen			56 Fe	Iron 26	101 Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium 93
					SS Mn	Manganese 25	Tc Technetium	186 Re Rhenium 75		Neodymium 60	238 U Uranium 92
					52 Cr	Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
					51	Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum		140 Ce Cerium	232 Th Thorium 90
					⁴⁸	Titanium 22	91 Zr Zirconium 40				nic mass bol nic) number
					Sc	Scandium 21	89 Yttrium	139 La Lanthanum *	227 Ac Actinium †	l series eries	a = relative atomic massX = atomic symbolb = proton (atomic) number
	=		9 Be Beryllium	24 Mg Magnesium 12	Ca	Calcium 20	Strontium	137 Ba Barium 56	226 Ra Radium	*58-71 Lanthanoid series 190-103 Actinoid series	« × °
	_		7 Li Lithium	23 Na Sodium	% ¥	Potassium 19	Rb Rubidium 37	133 CS Caesium 55	Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.