www.xrenepabers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2009 question paper for the guidance of teachers

0648 FOOD AND NUTRITION

0648/01

Paper 1 (Theory), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01
	IGCSE – October/November 2009	0648	01

Section A

1 (a) Elements in protein

carbon – hydrogen – oxygen – nitrogen – phosphorus – sulphur 6 points – 2 points = 1 mark

[3]

(b) Functions of protein

Growth

Maintenance

Repair

Energy

Body secretions / enzymes / antibodies / hormones

3 × 1 mark

[3]

(c) Definition of HBV protein

Contains **all** essential / indispensable amino acids 1 mark In correct proportion / in sufficient amounts 1 mark

[2]

(d) Examples of HBV protein

meat - fish - milk - cheese - eggs - soya

4 points 2 points = 1 mark

[2]

(e) Definition of LBV protein

lacks at least one essential / indispensable amino acid

1 mark [1]

(f) Examples of LBV protein

cereals (or 1 named example) - nuts (or one named example) - peas - beans - lentils - gelatine

(only credit 'pulses' if no examples are given)

4 points 2 points = 1 mark [2]

(g) Digestion and absorption of protein

In the stomach, **hydrochloric** acid creates a suitable medium for the digestion of protein to begin. There are two enzymes in the stomach.

Pepsin converts protein to peptones / peptides / polypeptides and rennin clots milk.

In the duodenum, the enzyme **trypsin**, produced by the **pancreas** continues to convert protein to **peptones** / **peptides** / **polypeptides**. In the ileum, the enzyme **erepsin**, from **intestinal** juice, completes the breakdown of protein to **amino acids**.

Absorption takes place in the ileum. Finger-like projections, known as **villi**, provide a large surface area. The end products of protein digestion are absorbed into **blood capillaries**. They dissolve in **blood** and are carried around the body.

12 points 2 points = 1 mark [6]

Pa	ige 3	Mark Scheme: Teachers' version IGCSE – October/November 2009	Syllabus 0648	Paper 01
(h)	excreted	ted – in liver – nitrogen removed – to as urine – remainder used for energy – or or around internal organs – may lead to obes	stored fat - under sl	
(a)	formation blood clo function	of nerves of muscles		[
(b)	milk –	of calcium cheese – yoghurt – bones of canned fish (o getables (or named example) – bread 2 poin	or named example) – ts = 1 mark	hard water
(c)		cy disease / Osteomalacia / Osteoporosis		I
(a)	absorption	os of vitamin <u>D</u> on of calcium and/or phosphorus n of bones and/or teeth ork		[
(b)	liver – f butter	of vitamin D ish liver oil — oily fish (or named example) — e credit 'sunlight' — given in next part of question 2 poin		lk – cheese
(c)	Groups v	who do not benefit from sunlight		

(c) Groups who do not benefit from sunlight

People who are house-bound / ill / elderly - not outdoors so not exposed to sunlight

Those who cover their body for religious reasons - although outdoors, sun cannot reach skin

People who live in industrial / polluted areas - sunlight prevented from reaching them by smoky atmosphere

People who live surrounded by high buildings – sun cannot reach them / always in shadow of buildings etc.

 $\begin{array}{ll} \text{2 groups} & \text{2} \times \text{1 point} \\ \text{2 explanations} & \text{2} \times \text{1 point} \end{array}$

4 points 2 points = 1 mark [2]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

4 Dietary needs of teenage girls

Protein – rapid growth / production of hormones

Calcium - bones / teeth

Vitamin D - absorption of calcium

Iron - blood loss during menstruation / anaemia

Vitamin C – absorption of iron

Carbohydrate / starch - for energy

Vitamin B / Thiamine / Riboflavine / Nicotinic acid — energy production from carbohydrates / protein / fats

Small amount of fat - concentrated source or energy

6 nutrients from list above 6 × 1 point 6 explanations / reasons 6 × 1 point

12 points 2 points = 1 mark [6]

[Total: 40]

Section B

5 (a) protein – fat – iron – vitamin A / retinol – vitamin D / cholecalciferol – phosphorus – sulphur – vitamin B1 – vitamin B2 – vitamin B12 / cobalamin 6 × 1 point 2 points = 1 mark [3]

(b) Reasons for toughness

long muscle fibres — thick muscle fibres — meat from an old animal — muscles have had most movement — e.g. neck / leg — muscles well-developed — animal stressed before slaughter — contains a large amount of collagen / connective tissue — and gristle / elastin — incorrect cooking method sued — e.g. dry method for a tough cut of meat — frozen meat not defrosted thoroughly before cooking etc.

4 points 2 points = 1 mark [2]

(c) Methods of tenderising meat before cooking

mince / cut into small pieces $\,-$ score / shorten muscle fibres $\,-$ beat (with hammer / rolling pin) $\,-$ hang $\,-$ marinade / soak in wine / lemon juice / vinegar etc. $\,-$ use enzymes / papain from papaya / bromalin from pineapple

(Do not credit use of commercial tenderiser.)

4 points 2 points = 1 mark [2]

(d) How tough meat becomes tender during cooking

moist method of cooking - e.g. stewing / braising etc. - moisture penetrates between muscle fibres - collagen - insoluble - converted to gelatine - soluble - muscle fibres fall apart

6 points 2 points = 1 mark [3]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

(e) Processing soya to resemble meat

Advantages

soya is HBV protein — contains all indispensable amino acids — only vegetable source of HBV protein — useful for vegans / vegetarians — more healthy than meat — low in fat — meat contains saturated fat — linked to CHD — cheaper than meat — no preparation — cooks quickly — without shrinking — takes flavours from other food — easy to transport — dehydrated — easy to store — light to carry — meat extender — or meat replacement / substitute — e.g. sausages / mince / chunks — can mix with meat to give a cheaper product — fortified with iron — and vitamin from B group — no risk of animal diseases — e.g. BSE / bird flu etc.

Disadvantages

processed food — artificial additives may have been used — to preserve — flavour — colour — some people try to avoid additives — long-term effect not known — may not like texture — no cooking aroma — does not taste like meat etc.

10 points (to include at least 2 points from each area)

2 points = 1 mark [5]

6 (a) Types of convenience food

frozen – peas – ice cream – fish fingers etc. canned – peaches – salmon – baked beans etc.

dried – instant dessert – custard powder – stock cubes etc.

ready to eat — biscuits — potato crisps — meat pies etc.

3 types × 1 point 3 points

3 examples × 1 point 3 points

6 points 2 points = 1 mark [3]

(b) Advantages and disadvantages of convenience foods

Advantages

saves time — saves fuel — saves effort — easy to prepare — some of the preparation / cooking already done — easy to store — can shop less often — useful for emergencies — easy to carry — wide variety available — little waste — readily available in many stores — require little skill — may have extra nutrients added — may include cooking instructions — some products would be too complicated to prepare — less equipment needed — less washing up — can enjoy food from other countries — foods out of season — no need to buy each separate ingredient etc.

Disadvantages

can be expensive — need to pay for packaging — small portions — may need to buy extra — or add other dishes to meal — increases cost — can be high in sugar — high in fat — high in salt — low in NSP — contain artificial additives — e.g. colourings — flavourings — preservatives — long term effects not known — some people allergic to certain additives — loss of cooking skills — nutrients lost may not be replaced — e.g. vitamin C — vitamins B and C may be destroyed by heat during processing etc.

10 points (at least 2 points from each area) 2 points = 1 mark [5]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

(c) Labour-saving equipment

electric hand mixer creaming, whisking, making batter

blender / liquidiser batter, fruit puree, soup, baby food, breadcrumbs creaming, shortcrust pastry, whisking, dough creaming, shortcrust pastry, yeast dough

grinder spices, chopping herbs hand-chopper herbs, onions, mushrooms

stick blendersoup, saucesmandolinslicing vegetablesdishwashercutlery, glass, crockery

electric knife slicing bread, meat etc.

3 examples 3×1 point 3 uses 3×1 point

6 points 2 points = 1 mark [3]

(d) Safe use of electrical equipment

choose a reliable brand — covered by safety checks — have equipment serviced regularly—store in a dry place — avoid twisting flex — may damage wires — dry hands — in case of electric shock — switch off at socket before removing plug — shock from pins as they are pulled out — switch off at socket before removing blades / beaters — switch off at appliance before removing blades / beaters — no trailing flexes — danger of tripping — read instructions for use / make sure of how to use — check that plugs are wired correctly — no bare wires exposed — plugs should not be broken / have screws missing — do not try to mend — needs a qualified electrician — do not overload sockets — danger of fire — damage to appliance — no fraying flexes — danger of fire — and electric shock — handle processor blade with care — extremely sharp — do not leave in washing up bowl — store safely — in protective cover — make sure fuse is correct size — or motor may be burnt out — do not leave electric deep-fat pan near edge of work-surface — child could pull at flex and overturn pan — no metal in mircrowave — sparking — damage to microwave oven etc.

8 points 2 points = 1 mark [4]

7 (a) CREAMING METHOD

cream – fat and sugar – with wooden spoon / electric mixer – until light and fluffy – traps air – beat eggs – add gradually – beat well between each addition – prevents curdling – sift flour – trap air – remove lumps – and impurities – fold into mixture – with metal spoon – a little at a time – to prevent air being knocked out – soft dropping consistency **OR**

ALL-IN-ONE METHOD

sift flour - trap air - add all other ingredients - beat - with wooden spoon / electric mixer - until smooth - about 2 minutes - to incorporate air

grease and line tin / grease and flour tin - to prevent sticking - preheat oven - so cooking begins immediately - gas mark 4 / 325°C / 160°C - 40–45 minutes - until golden brown / firm to the touch / springs back when pressed / shrunk from sides of tin / skewer comes out clean (max. 2) - cool on a wire cooling rack - to allow steam to escape (Do not credit points on decoration.)

10 points 2 points = 1 mark [5]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

(b) Variations

cocoa – coffee – lemon / orange – coconut – cherries – chopped nuts / ground almonds etc. – currants / raisins / sultanas – vanilla essence – almond essence – pandan leaves etc.

2 points 2 points = 1 mark [1]

(c) Changes taking place when the cake is baking

fat melts — sugar melts — absorbed by starch — starch absorbs liquid — carbon dioxide produced — action of moist heat — softens — swells — on baking powder — gases expand — push up mixture — makes the cake rise — bursts — open texture — water turns to steam — gelatinises — sugar on outside caramelises — starch dextrinises — Maillard browning — reaction of starch with protein — shape sets — coagulation of protein — shrinks — evaporation of water — crisp / dry outer surface — browns etc.

8 points 2 points = 1 mark [4]

(d) Transfer of heat by convection and conduction

Convection

through gases — e.g. air in oven — air heated by gas or electricity — molecules become less dense — rise — colder molecules fall — they are then heated — create convection currents — until a constant temperature is reached — heat energy is transferred by the movement of the gas molecules — oven is heated — and heat is maintained — heat passes to solid cake tin — or oven shelf — which heats by conduction — etc.

Conduction

through solids — e.g. oven shelf — cake tin — or liquids — e.g. cake mixture becomes liquid when heated — by contact between molecules — molecules vibrate rapidly — neighbouring molecules vibrate — generate heat — pass heat to adjoining molecules — heat passes to all parts of cake — beginning at outside — where mixture touches tin

10 points (at least 2 from each area) 2 points = 1 mark [5]

[Total: 45]

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

Section C

Answer either Question 8 or Question 9.

8 Discuss different fats and oils and their uses in the preparation of dishes.

[15]

The answer may include the following knowledge and understanding.

Types of fats and oils

fats are solid at room temperature - oils are liquid at room temperature - saturated fats hold maximum hydrogen - single bonds - e.g. butter / lard / suet - may give information in diagrams - found in animal products - e.g. milk / cream / bacon / meat etc. - cholesterol in saturated fat - deposited in arteries - narrows - blocks - associated with CHD - excess causes obesity - oils can be monounsaturated - one double bond - oleic acid - in olive oil can take up more hydrogen - at double bond - to make single bonds - polyunsaturated fats more than two double bonds - linoleic acid - hydrogenation - nickel catalyst - hardens oils changes uses - oils hydrogenated to make margarine - fat softer if process incomplete - fats and oils made up of different fatty acids and glycerol - different fatty acids produce fats and oils of differing 'hardness' - 'soft' margarine is easier to cream - 'hard' margarine easier to rub in at least 40 different fatty acids known - butyric / oleic / stearic etc. - all have different properties - taste - decomposition point etc. - fats and oils are usually a mixture of different tryglycerides - choose fat or oil according to use - oils usually from plants - e.g. corn / sunflower / soya etc. - some plants produce solid fat - e.g. cocoa butter - some animals produce oil - e.g. whale / fish etc. - fats and oils have different smoke points - high smoke point for frying - fats decompose into glycerol and fatty acid on heating - irreversible - butter decomposes at too low temperature for frying - corn oil at high temperature - fatty acids have different flavours etc.

Uses

```
spreading on bread – butter / margarine
frying – corn oil / sunflower oil / dripping
sauce-making - margarine / butter - colour - and flavour
aeration – margarine traps air when creamed with sugar – rich cakes
pastry-making - holds layers apart in flaky pastry - traps air when rubbed with flour -
    shortcrust pastry
shortening - crumbly texture - of shortbread - rock buns
adding flavour - butter in cake making
improve keeping quality - high proportion of fat in Christmas cake etc.
sealing - melted butter / margarine on pate to prevent drying
adds calories without adding bulk - frying - enriches - adds vits. ADEK
dressing - adds moisture - flavour - glossiness - French dressing - forms and emulsion -
    mayonnaise
basting – adds moisture – and flavour – to fried / roast / grilled meat etc.
vegans will not use animal fat - those with CHD choose polyunsaturated fats
lubricates – prevents pasta sticking together
glazes - boiled potatoes etc.
butter icing for cake decorating - mixture of margarine and icing sugar
prevents sticking on cake tins - brushed before baking
adds colour - fried food becomes golden etc.
```

Mark Band	<u>Descriptor</u>	Part-mark
High	 candidate can state many different types of fats and oils can describe composition of fats may give scientific information can name several fats and oils can give many uses of fats and oils gives examples to illustrate uses demonstrated a clear understanding of the topic comments are precise and related to named examples specific terminology used information generally accurate 	11–15
Middle	 candidate can state several different types of fats and oils gives some additional information in support of statements several uses of fats and oils named examples often given to illustrate some scientific information attempted information generally accurate not all areas of question addressed response tends to be factual tends not to develop points made does not always seem to understand information given 	6–10
Low	 can give a few facts about fats and oils little attempt to explain points does not consider a wide range of uses few examples given information general lacks detail 	0–5

Syllabus

0648

Paper

01

Mark Scheme: Teachers' version

IGCSE - October/November 2009

- tends to be a list of facts

- information not always accurate

- limited knowledge of the topic apparent

Page 9

[Total: 15]

Page 10	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0648	01

9 Discuss eggs and their uses in the preparation of dishes.

[15]

The answer may include the following knowledge and understanding.

Nutritive value

protein – ovalbumin – mucin – HBV – growth – repair energy – hormones etc. fat – emulsion – energy – warmth etc.

iron - formation of haemoglobin - red pigment - transports oxygen - prevention of anaemia etc.

vitamin A - mucous membranes - skin - visual purple - night vision etc.

vitamin D - absorption of calcium - bones / teeth

riboflavin – from B group of vitamins – release of energy from carbohydrate lecithin – emulsifier water

Storage

Cool place — e.g. refrigerator — away from strong smells — e.g. cheese / fish — smell absorbed through porous shell — do not wash — remove protective cuticle — bacteria penetrate shell — round end up — keep air space in place — separate for freezing — water freezes and breaks shell — add salt or sugar — note on label — hens eggs usually used in cooking — duck eggs / quails' eggs etc. used — thick white becomes thinner during storage — spreads more when broken — moisture lost through shell — size of air space increases — test for freshness by placing in brine — sinks if fresh — heavier — hard-boiled egg may have black ring around yolk — iron sulphide — iron in yolk and sulphur in white etc.

Effect of heat

ovalbumin / egg white coagulates (sets) - at 60°C - protein in yolk at 70°C - yolk thickens - becomes powdery - difficult to digest - white becomes rubbery - if cooked too quickly proteins shrink rapidly - syneresis - liquid squeezed out - irreversible

Uses of eggs

trapping air - whole eggs with sugar - in Swiss roll etc.

egg white - traps 7 × volume - ovalbumin stretches - meringue etc.

lightening – whisked egg white in mousse etc.

thickening - custard / sauce / soup - protein coagulates at 60°C

emulsifying - lecithin in egg yolk is emulsifying agent - mayonnaise etc.

binding - rissoles / fish cakes etc. - coagulation of protein

setting - quiche / baked cake

coating — with breadcrumbs or flour — forms a seal around food — fish etc. — prevents absorption of fat / breaking up / protects from hot fat

glazing - white / yolk / whole egg - on pastries / bread - to give shine - and browns on heating - denaturation of protein

enriching - to sauces / soups / milk pudding - adds HBV protein

garnishing - hard-boiled egg in salads - separated egg white and egg yolk on dressed crab etc.

main dish - boiled / poached / scrambled / omelette etc. - easily digested - quick to cook - source of HBV protein

clarifying - whisked egg white in consommé / mint jelly etc.

		-
Mark Band	<u>Descriptor</u>	Part-mark
High	 candidate can state many different nutrients in eggs can give some functions of nutrients may give scientific information possibly mentions storage facts can give many uses of eggs gives examples to illustrate uses demonstrated a clear understanding of the topic comments are precise and related to named examples specific terminology used information generally accurate 	11–15
Middle	 candidate can state several different nutrients in eggs may give some functions of nutrients gives some additional information in support of facts may mention storage of eggs several uses of eggs given examples often given to illustrate some scientific information attempted information generally accurate not all areas of question addressed response tends to be factual tends not to develop points made does not always seem to understand information given 	6–10
Low	 can give a few facts about eggs some nutrients may be mentioned few functions noted storage of eggs not always mentioned little attempt to explain points does not consider a wide range of uses few examples given information general lacks detail tends to be a list of facts information not always accurate limited knowledge of the topic apparent 	0–5

Mark Scheme: Teachers' version

IGCSE - October/November 2009

Syllabus

0648

Paper

01

Page 11

[Total: 15]