
			5
entre Number	Candidate Number	Name	an til
	1		enner
In	CAMBRIDGE INTER	-	
MATHEMA	TICS		0560/03
Deper 2			0581/03
Paper 3			May/June 2003
Candidates ar	nswer on the Question Pap	per.	2 hours
Additional Ma		ator ruments oles (optional)	
READ THESE INS	STRUCTIONS FIRST		
Write your Centre	number, candidate numbe	r and name on all	the work you hand in.
-	or black pen in the spaces		
•	ft pencil for any diagrams o	• •	6 · 1
Do not use staples	, paper clips, highlighters,	glue or correction	ı fluid.
Answer all questio	ns.		
If working is neede	ed for any question it must	be shown below t	that question.
		at the end of eac	h question or part question.
	arks for this paper is 104. ors should be used.		
		he question, and i	f the answer is not exact, give the answe
to three significant	figures. Give answers in o	degrees to one de	
For π , use either y	our calculator value or 3.1	42.	
f you have been given	a label look at the		For Examiner's Use
details. If any details a	re incorrect or		
nissing, please fill in y n the space given at th			
Stick your personal lab	el nere, if provided.		
	This document consists of	f 13 printed pages	s and 3 blank pages
		VERSITY of CAMBR	RIDGE
CIE 2003	🔍 Local	I Examinations Sync	dicate [Turn ov

1 Fifty students take part in a quiz. The table shows the results.

N	umber of correct answers	5	6	7	8	9	10	11	12
	Number of students	4	7	8	7	10	6	5	3
ı)	How many students had	6 correc	et answe	ers?					
					Ar	ıswer(a)		
b)	How many students had	less that	n 11 cor	rect ans	wers?				
					Ar	ıswer(b,)		
(c)	Find								
	(i) the modal number of	f correc	t answe	rs,					
	(ii) the median number	of corre	ect answ	ers,	Ar	ıswer(c,)(i)		
	(iii) the mean number of	correct	answer	s.	Ar	ıswer(c,)(ii)		

(e) A pie chart is drawn to show the results. What is the angle for the number of students who had 11 correct answers? *Answer(e)*..... [2] (f) The students who had the most correct answers shared a top prize of \$22.50. How much did each of these students receive? *Answer(f)* \$..... [2] Work out the percentage of students who had less than 7 correct answers. (g) *Answer(g)*.....% [2] A student is chosen at random from the fifty students. **(h)** What is the probability that this student had (i) exactly 10 correct answers, *Answer(h)*(i)..... [1] (ii) at least 10 correct answers, *Answer(h)*(ii)..... [1] (iii) more than 1 correct answer? Answer(h)(iii)..... [1]



(f) The graphs of $y = \frac{120}{x}$ and y = 120 - 20x intersect at two points. Write down the coordinates of these two points.

Answer(f) (.....) and (.....) [2]

(g) Write down the gradient of the line y = 120 - 20x.

Answer(g).....[2]

3	(a)	Bottles of water cost 25 cents each.		
		(i) Find the cost of 7 bottles in cents.		
			Answer(a)(i)cents	[1]
				[1]
		(ii) Write down an expression in b for the cost of b	bottles in cents.	
			Answer(a)(ii)cents	[1]
		(iii) Change your answer to part (i) into dollars.		
			<i>Answer(a)</i> (iii) \$	[1]
				[1]
		(iv) Write down an expression in b for the cost of b	bottles in dollars.	
			<i>Answer(a)</i> (iv) \$	[1]
	(b)	The total cost, T , of n bars of chocolate is given by	T = nc.	
		(i) Write c in terms of T and n .		
			<i>Answer(b)</i> (i) <i>c</i> =	[1]
		(ii) What does <i>c</i> represent?		
		Answer(b)(ii)		[1]
	(c)	The average cost of a book is A .		
	(,)	(i) The total cost of 8 books is \$36.		
		Find the value of A .		
				543
			$Answer(c)(i) A = \dots$	[1]
		(ii) One of the 8 books is removed. The cost of this book is \$6.60.		
		Find the new value of <i>A</i> .		
			<i>Answer(c)</i> (ii) <i>A</i> =	[2]
				-


(iii) The total cost of x books is \$y.Write an expression for A in terms of x and y.

7

 $Answer(c)(iii) A = \dots [1]$


(iv) One of the x books is removed. The cost of this book is \$7. Write a new expression for A in terms of x and y.

 $Answer(c)(iv) A = \dots [2]$




For
Examiner's
Use


(b)	Describe fully the single transformation which maps					
	(i)) triangle P onto triangle T ,				
Answ	ver(b)	<i>b)</i> (i)		[2]		
	(ii)	i) triangle <i>S</i> onto triangle <i>T</i> .				
Answ	ver(b)	<i>b)</i> (ii)		[3]		
(c)	The	he rectangle $DEFG$ is rotated onto the rectangle $KLMN$, with D m	apped onto K.			
	Write down					
	(i)	the angle of the rotation,				
		<i>Answer(c)</i> (i)		[1]		
	(ii)	i) the coordinates of the centre of the rotation.				
		Answer(c)(ii) ()	[2]		



The quarter-circle above has centre *O* and radius 7 cm.


(a)	Using a straight edge and compasses only construct					
	(i)	the perpendicular bisector of AO,		[2]		
	(ii)	the locus of points inside the quarter-circle	which are 5 cm from <i>O</i> .	[2]		
(b)	Shade the region, inside the quarter-circle, containing the points which are more than 5 cm from <i>O</i> and nearer to <i>A</i> than <i>O</i> .					
(c)	(i) The line <i>OX</i> bisects angle <i>AOB</i> and is 12 cm long. Draw <i>OX</i> accurately.					
	(ii) Draw accurately the tangent to the quarter-circle at A.					
	(iii)	This tangent meets the line OX at Y. Measure the length of AY .				
		An	$swer(c)(iii) AY = \dots cm$	[1]		





For Examiner's Use





Answer(c)..... [1]

(i) Complete the table which shows falls in temperature. (d)


Between	0 and 4 minutes	4 and 8 minutes	8 and 12 minutes	12 and 16 minutes
Fall in temperature				

[3]

(ii)	What pattern do you notice about these falls in temperature?	

Answer(d)(ii)..... [1]

. . . .



BLANK PAGE

BLANK PAGE

BLANK PAGE