

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2008 question paper

0580 and 0581 MATHEMATICS

0580/03 and 0581/03 Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	03

_					
1	(a)		0.68 x 450	M1	
			= 306	A1	
			2 x 450 + 306 (= 1206)	M1	dep allow 900 or 450 + 450
					SCM3 for 2.68 x 450 (= 1206)
	(b)		2814	B3	M1 for $1206 \div 6$ (implied by 201) or $450 \div 6$ or $306 \div 6$
					M1 dep for x $(6+5+3)$ implied by 14
					SCM2 for 1206 + 1005 + 603
	(c)		4955	B2	M1 for 500 x 9.91 implied by figs 4955
	(J)		2220 or 11.20 nm	B2	SC1 for 1720 or 1120 seen
	(d)		2320 or 11 20 pm	D2	
					SC1 for any arrival time $+ 6$ soi
					[10]
2	(a)		translation	B1	
-	(4)		col.vector 2 -4	B1 B1	SC1 for col.vectors 4 -8 or -4 2 or for $(2, -4)$
				DIDI	
	(b)		reflection	B1	
	(0)		(in) $x = 0$ or y axis	B1	
			(m) x = 0 of y axis	DI	
	(c)		rotation	B1	
			90° (anticlockwise) oe	B1 B1	i.e. 1/4, 270 clockwise, - 270
			(about) origin oe	B1 B1	accept (0,0), O
				DI	
	(d)		enlargement	B1	
	()		(scale factor) -2	B1	
			(SC1 for enlargement, SF=2, about origin (oe) and
			(centre) origin oe	B1	rotation of 180 about the origin (oe)
					[11]
		(1)	(17.0.0.11.0)	Da	
3	(a)	(i)	6,17,8,9,11,9	B2	B1 for 4 or 5 correct or for all tallies correct
		(! •)		D10	Q. Commendation Commences (11) (11)
		(ii)	correct bar chart	B1ft	ft from their frequency table or tallies
	,	(:::)	2	DIA	from their table or chert
	((iii)	2	B1ft	from their table or chart
		(iv)	3	B1ft	from their table or chart
	((iv)	0	ып	
				B3cao	M1 for clear indication of $1x6 + 2x17 + 3x8 + 4x9 +$
		(v)	3.48		5x11 + 6x9 ft imp by 209
		. /			M1 dep for \div 60
	(b)		66°	B2ft	M1 for "11" ÷ 60 x 360 or "11" x 6
					[10]
L				1	1

	Page 3		3	Mark Scheme			er	
				IGCSE – May/June 2008		ne 2008 0580/0581 03		
4	(a)	(i)	3r = 14	4+4 oe	M1			
-	(<i>a</i>)	(1)	(x =) 6		Alcao	SC2 for 6 www		
			()0		111040			
		(ii)	y + 1 =	= 2 x 5 oe	M1			
			(y =) 9		Alcao	SC2 for 9 www		
		(iii)		-2z+6 (= -9)	B1			
			4z = 6		B1ft	ft their expansion but must be 4 terms		
			<i>z</i> = 1.5		B1cao			
	(b)	(i)	p+q =	= 12	B1			
	()	(-)	$P \cdot q$	12	51			
		(ii)	25p + 4	40q = 375	B1			
		(iii)		tmethod	M1	multiply and subtract, substitution		
			<i>p</i> = 7		A1			
			<i>q</i> = 5		A1	SC3 for $p=7$ and $q=5$ www	[10]	
							[12]	
5	(a)	(i)	43.0 ar	rt or 43	B2	M1 for $\pi \ge 3.7^2$		
-	()	(-)						
		(ii)	10.0 ar	rt or 10	B2ft	M1 for 430 ÷ their (a)(i) ft		
				\ 	D.			
	(b)	(i)	· –	(1) = 22.2	B1	accept length and width interchanged		
			(width) (height) = 14.8	B1 B1ft	ft is 2 x their (a)(ii)		
			(neight	1) – 20	DIII	ft is 2 x their (a)(ii)		
		(ii)	6570 a	rt	B2 ft	ft is their L x W x H from (b)(i)		
						M1 for L x W x H ft (substituted)		
		(iii)	78.5 (%	%) art	B3 ft	ft is 5160 ÷ their (b)(ii) x 100 but only if answer <	100	
						B1 for 12 x 430 or 5160		
						M1 for 5160 ÷ their (b)(ii) x 100	[10]	
							[12]	
6	(a)	(i)	63		B1			
	. /	()						
					B2 cao	M1 for 180 - 2 x their (a)(i) soi (may be impli	ed by	
		(ii)	54			answer)		
		(iii)	134		B2 cao	M1 for 360 - (100 + 63 + their (a)(i)) or 197 - their	(a)(i)	
		(111)	1.34		D2 Ca0	soi (may be implied by answer)	(4)(1)	
						set (may be implied by another)		
	(b)	(i)	360 ÷ 8	8 or 6 x 180	MA1			
			180 - 4	5 or 1080 ÷ 8	MA1	dependent		
						SC2 for convincing argument		

Page 4			Mark Scheme		Syllabus 0580/0581	Paper	
		IGC	IGCSE – May/June 2008			03	
	(ii) octagon drawn accurate				trant ual to 135 +/- 2 degr H equal to 4 +/- 0.1 c		
	(iii)	4.7 to 5.0	B1				
	(iv)	9.6	B2ft	ft is 2 x their (b)(iii) M1 for 0.5 x 4 x thei	r (b)(iii)		
	(v)	76.8	B1 ft	ft is 8 x their (b)(iv)		[13]	
7 (a)	(i)	tan (QPR) = 10.3 ÷ 7.2 55 (.0)	M1 E1	M1 for complete lon	g method		
	(ii)	125	B1	cao			
(b)	(i)	125 - 98 or 180 - (98 + 55)	E1	accept 55 + 98 + 27 do not accept 180 - 1			
	(ii)	6.13 art	B2cao	SCM1 for PR (pyth	sin27 oe (allow full correct long methods) (pythag, sin or cos) RS (pythag) then A1 SCM1 for PR (pythag, sin or cos) RS(tan) 4 art.		
	(iii)	37.1 or 37.13 art	B1 ft	ft is 31 + their (b)(ii))		
(c)		8.24 to 8.25(1)	B2 ft	M1 for their (b)(iii)	÷ 4.5	[9]	
8 (a)	(i)	<i>x</i> + 3	B1				
	(ii)	$x(x+3)$ or x^2+3x	B1	ft from their (a)(i)			
	(iii)	$x^{2} + 3x = 7$ $x^{2} + 3x - 7 = 0$	E1	both lines seen			
(b)	(i)	-3, -9, -3	В3	B1, B1, B1			
	(ii)	8 points correctly plotte	ed P3 ft	P2ft or 6 or 7, P1ft f	or 4 or 5 (+/- 1/2 sma	all square)	
		smooth curve	C1	(must go below $y = -$	9)		

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	03

	(c)	(i)	1.5 to 1.6	B1 ft		
			-4.5 to -4.6	B1 ft	ft is their intersections with the x-axis	
		(ii)	4.5 to 4.6	B1 ft	ft is their positive $(c)(i) + 3$	
		(11)	4.5 10 4.0	DIII		
			. 1	T 1		
	(d)	(i)	correct line	L1	long enough to cross y axis (+/- $1/2$ small square)	
		(ii)	(y =) 2x - 3	B1,B1ft	B1 for 2 (as coefficient of x)	
					B1 ft for their intersection with the <i>y</i> -axis	
						[16]
9	(a)		Pentagon	B1		
1						
	(b)	(i)	61 to 63	B1		
	(b)	(i)	01 10 03	DI		
		(ii)	AE = 6.3 to 6.5 cm			
			and $DE = 5.7$ to 5.9 cm	B1		
			correct arcs seen	B1	accept concave polygon	
					SC1 if lengths reversed and with arcs	
					e e	
	(c)	(i)	perpen.bisector of BC	B1	+/- 1mm and +/- 1 degree accuracy	
	(0)	(-)	correct arcs seen	B1	in the second	
			concet ares seen	DI		
		(;;)	historia of anala ADC	D1	1/ 1 degree ecoureer	
		(ii)	bisector of angle ABC	B1	+/- 1 degree accuracy	
			correct arcs seen	B1		
1						
	(d)		"M" correctly marked	B1	dep. on at least first B1 in each part of (c)	
1						
1						
1	(e)		2 marks 0.8 (+/-0.1) apart	B1		
1	(9		1.85 (+/-0.1) from A and B	B1		
						[11]
						L • • J