

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0580 MATHEMATICS

0580/33

Paper 33 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2010 | 0580 | 33 |

Abbreviations

| cao | correct answer only |
|-----|----------------------------|
| cso | correct solution only |
| dep | dependent |
| ft | follow through after error |
| isw | ignore subsequent working |
| oe | or equivalent |
| SC | Special Case |
| www | without wrong working |
| art | anything rounding to |

soi seen or implied

| Qu. | Answers | Mark | Part Marks | | |
|-----------|----------------------|------|--|--|--|
| 1 (a) | 1750 | 2 | M1 $\frac{7}{4+7} \times 2750$ oe | | |
| (b) | 660 | 2 | M1 $\frac{24 \times 2750}{100}$ | | |
| (c) | $\frac{3}{25}$ | 2 | W1 for equivalent fractions | | |
| (d) | 3135 cao | 3 | M2 $\frac{114}{100} \times 2750$ oe | | |
| | | | If M0 then M1 for $\frac{14}{100} \times 2750$ or 385 seen | | |
| (e) | 9475 | 1 | cao | | |
| (f) | 3.5×10^{4} | 1 | cao | | |
| 2 (a) (i) | Any 5 multiples of 7 | 2 | -1 each error or omission | | |
| (ii) | Two multiples of 28 | 2 | W1, W1 | | |
| (b) (i) | 25 | 1 | cao | | |
| (ii) | 17 | 1 | cao | | |
| (c) | 4 | 1 | cao | | |
| (d) | (k =) 2, (m =) 19 | 2 | W1, W1 | | |

| Page 3 | | Mark Scheme: Teachers' version | | | Syllabus | Paper | |
|---------|---|-----------------------------------|-------------|---|----------|-------|--|
| | | IGCSE – May/J | 010 0580 33 | | | | |
| 3 (a) | 3, 5, -1 | l | 3 | 1 each | | | |
| (b) | 7 points plotted reasonable freehand curve | | P3ft C1 | P2 for 5 or 6 points, P1 for 3 or 4 points | | | |
| (c) | -1.3, 2 y = 2 | .3 strict ft their intercept with | 2ft | W1 for either | | | |
| (d) (i) | -7, -1, | 5 | 2 | W1 for 2 correc | et | | |
| (ii) | Correct | t ruled line | 2 | SC1 for freehand line, or ruled short line crossing curve twice Or their 3 points plotted | | | |
| (iii) | 2 | | 1 | cao | | | |
| (e) | (-3, -7 | () and (2, 3) | 2ft | 1 for either | | | |
| 4 (a) | (<i>x</i> =) 7. | 5 | 3 | W1 for correct bracket expansions M1ft for collecting their terms correctly | | | |
| (b) | $(f =) = \frac{2}{2}$ | $\frac{g+5}{7}$ | 2 | M1 for one correct step seen | | | |
| (c) | 2y(3x) | -5z) | 2 | W1 for $2(3xy-5yz)$ or $y(6x-10z)$ or $2y(ax+bz)$ where <i>a</i> and <i>b</i> are integers | | | |
| 5 (a) | Congru | ient | 1 | сао | | | |
| (b) | 36° or 3 | 36.0° art | 2 | M1 for tan angle = $\frac{8}{11}$ | | | |
| (c) (i) | 20 | | 2 | M1 for $\frac{1}{2} \times 5 \times (5+3)$ oe | | | |
| (ii) | 40 | | 1ft | ft is $2 \times \text{their}(\mathbf{c})(\mathbf{i})$ | | | |
| (d) | 14 | | 3 | W1 for $x + x + x + 3 + x + 3 = 62$ o.e. M1ft for correct first step but must be from a linear equation $ax + b = k$ | | | |

| Page | | | | Syllabus | Paper | |
|-----------|-----------------------|--|-----|---|--------------------|-----|
| | IGCSE – May/June 2010 | | 0 | 0580 | 33 | |
| 6 (a) | | C constructed with arcs, 1 cm BC = 9 cm | 2 | W1 if correct without arcs | | |
| (b) | 46° | | 1ft | | | |
| (c) (i) | | or of angle <i>ABC</i> with 4 correct d reaches AC | 2ft | W1 if accurate without arcs or accurate with arcs and short | | |
| (ii) | Perpen correct | dicular bisector of <i>AC</i> , with arcs | 2ft | W1 if accurate | without arcs | |
| (d) (i) | 0.7 to (|).8 cm | 1ft | ft their PQ prov | vided on their AC | |
| (ii) | Region constru | of triangle between their ctions | 1 | dep on W1 and W1 in (c)(i) and (c)(ii) | | |
| (e) | 500 | | 2 | W1 for figs 5 o | r 9 and 4500 oe se | een |
| 7 (a) (i) | 21 | | 1 | cao | | |
| (ii) | 33 | | 1 | cao | | |
| (iii) | 4 <i>n</i> + 1 | oe | 2 | W1 for $4n + j$ or $kn + 1$, where k not equal to zero, seen | | |
| (b) (i) | 40 | | 1 | cao | | |
| (ii) | 3 | | 2 | W1 for embedded answer or M1 for $1(1 + p) = 4$ oe | | |
| (iii) | 10300 | | 1ft | ft is $100 \times (100 + \text{their } p)$ evaluated | | |
| 8 (a) (i) | $\frac{19}{50}$ | | 1 | Accept 0.38 or 38% | | |
| (ii) | $\frac{29}{50}$ | | 1 | Accept 0.58 or 58% | | |
| (iii) | $\frac{40}{50}$ oe | | 1 | Accept 0.8 or 80% | | |
| (iv) | 0 | | 1 | Accept $\frac{0}{50}$, 0%, nil or zero | | |
| (b) | 50 or a | 11 | 1 | | | |

| Page | e 5 | 5 Mark Scheme: Teachers' version | | | | Paper |
|-----------|-----------------------|--|---------|--|-----------|-------|
| | IGCSE – May/June 2010 | | | 0 | 0580 | 33 |
| 9 (a) | 67 | | 2 | M1 their 469 ÷ | 7 | |
| (b) | 62 | | 1 | cao | | |
| (c) | Bars ec | t labelled vertical scale jual width (with ent/without gaps), or lines | 1 1 | | | |
| | | ars/lines correct height | 3ft | W2ft for 5 or 6 bars correct, W1ft for 3 or 4 | | |
| 10 (a)(i) | 325.65 | | 2 | M1 for 500×0 | .6513 soi | |
| (ii) | 460.62 | or 460.61 | 3 | M1 for 300 ÷ 0.6513 A1 for 460.6 or 461 or 460.617 W1 indep for their visible answer <u>corrected</u> to 2dp | | |
| (b) | 349.70 | | 3 | M1 for $\frac{325 \times 2 \times 3.8}{100}$ or 24.7(0) M1dep for their interest added to 325 | | |
| (c) | 617.98 | | 3 | M2 for 550×1.06^2 or M1 for 550×1.06 oe and M1 dep for second year Penalise accuracy only once in the question | | |
| 11 (a)(i) | Reflect | ion in the <i>x</i> -axis (or $y = 0$) | 1, 1 | | | |
| (ii) | Rotatic clockw | n, about origin, 90° (anti- ise) | 1, 1, 1 | Accept (0,0) or <i>O</i> Accept (+) 90, - 270, ¹ / ₄ turn | | |
| (b)(i) | Correc | t translation | 2 | W1 for correct shape and orientation translated by $\begin{pmatrix} 6\\0 \end{pmatrix}$ or $\begin{pmatrix} 0\\4 \end{pmatrix}$ or $\begin{pmatrix} 4\\6 \end{pmatrix}$ | | |
| (ii) | Correc | t enlargement | 2 | W1 for correct orientation and size but wrong position | | |