UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the October/November 2010 question paper

MMM. Hiremepapers.com

for the guidance of teachers

0580 MATHEMATICS

0580/12

Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0580	12

Abbreviations

_

cao	correct answer only
cso	correct solution only

dependent dep

follow through after error ft

ignore subsequent working or equivalent isw

oe

Special Case SC

without wrong working www

Qu.	Answers	Mark	Part Marks
1	134	1	
2	512(.00)	1	
3	(a) -7	1	
	(b) (+)6	1ft	ft –1 – their (a)
4	1.43×10^9 final answer	2	B1 for answers of 1.43×10^{n} ($n \neq 0$) or figs 143 or $1.429() \times 10^{9}$ SC1 for answer of 1.42×10^{9} or 1.4×10^{9}
5	$899.5 \le w < 900.5$	2	B1 for 1 correct or SC1 for correct but reversed.
6	10 www	2	M1 for $15 \div 6$ soi or B1 for $\frac{6}{4} = \frac{15}{EF}$ oe or better
7	662.794 to 663.304 final answer	3	M2 for 600×1.034^3 or M1 for $(600 + 0.034 \times 600) \times 0.034$ or $(600 \times 1.034) \times 0.034$ and M1 dep correct method for the remaining time.
8	(a) $4p(2q+3r)$	2	B1 for $p(8q + 12r)$ or $2p(4q + 6r)$ or $4p(aq + br) a$, b integers or $4(2pq + 3pr)$
	(b) $(p=) \frac{s}{4(2q+3r)}$ oe	1ft	ft if p is a common factor in (a) or in working in (b)
9	(a) 245	1	
	(b) 360	2	M1 for $\frac{3}{7} \times 840$ or SC1 for answer 480

Page 3		Mark Scheme: Teachers' version		Syllabus	Paper	
	IGCSE – October/No		ovembe	ber 2010 0580		12
	15					
10	(a) $\frac{13}{43}$ ca	no final answer	1	If zero in (a) an	nd (b) then	desimale en
		<i>с</i> т		SCI if both (a) and (b) are correct decimals or percentages as answers		
				(Mark as 0 for	(a) and SC1 for (b))
	42					
	(b) $\frac{42}{43}$ ca	ao final answer	1			
	(c) 0 or $\frac{1}{4}$	$\frac{0}{12}$	1			
	4	5				
11	(a) (<i>x</i> =) 3	5	2	B1 for angle <i>B</i> .	DC = 90 soi	
				May be marked	1 on the diagram	
	(b) (y=) 5	5	1ft	ft 90 – their x		
12	(a) (i) (x	x=) 6	1			
	(ii) (2	x=) -2	1			
	(b) 3		1			
				1 ~ 7 +	$2 \times 5 \qquad 1 \times 7 \qquad 2 \times 5 \qquad 1 \times 7 \qquad 1 \times 7 \qquad 2 \times 5 \qquad 1 \times 7 \qquad 1 \times 7 \qquad 2 \times 5 \qquad 1 \times 7 \qquad 1 \times $	5
13	(a) Two s	tage proof	2	M1 for $\frac{1\times7+}{5\times}$	$\frac{2\times 3}{7}$ or $\frac{1\times 7}{5\times 7} + \frac{2\times 3}{5\times 7}$	7
				or alt $\frac{4}{2}$ - $\frac{2}{2}$ or	or $\frac{5}{2} - \frac{1}{2}$	
				5 7	7 5	17 25
				M1dep for 1–	their $\frac{17}{35}$ or $\frac{18}{35}$ + .	$\frac{17}{35} = \frac{35}{35}$
				or alt $\frac{28-10}{28-10}$	$\frac{25-7}{25-7}$ or	
				35	35	
	6 for	alangwar	2	M1 for 1 1	8	
	$(0) \frac{1}{35}$ III		2	$\frac{1}{3} \times \frac{1}{3}$	5	
				If zero SC1 for	answer of $\frac{12}{35}$	
					55	
14	(a) (i) $\frac{1}{2}$	$\frac{0\times8-0.5\times90}{5}$	1			
	<i>(</i>) –	5				
	(ii) 7	(.0) cao	2	B1 for 80 (from 5 (denominator	n 10×8) or 45 (fro	$m 0.5 \times 90) \text{ or}$
	(b) 5.92 o	r 5.919()	1			
15	(a) (i) 1	75	1			
	(ii) 7	0	1			
	(b) 2 poin	ts plotted correctly (±1mm).	1			
	(c) Positiv	ve	1			

P	Page 4 Mark Scheme: Teachers' version		ersion	Syllabus	Paper	
		IGCSE – October/No	IGCSE – October/November 2010		0580	12
			-			
16	(a) Rotation or enlargement		1	Two transformations named, zero for (a)		
	180° (SF) –1		1	Independent		
	(about	or centre) origin oe	1	Independent		
	(b) Correct 5 right	et translation and 3 down	2	B1 for 5 right or 3 down applied		
17	(a) $\begin{pmatrix} -12 \\ -3 \end{pmatrix}$		2	B1 for 1 compo	onent correct.	
	(b) $\begin{pmatrix} -3\\ 3 \end{pmatrix}$		1			
	(c) (i) V (ii) 13	ector AB drawn 34° to 136°	1 1	Diagonal line,	ignore working line	es
18	(a) (i) 12	2.7 to 12.73	2	M1 for $\frac{x}{18} = s$	in 45 or $\frac{x}{18} = \cos 45$	or better
	(ii) 1	61 to 162.1	2ft	M1 for method	l for squaring their	(a)(i).
	(b) 254 to	255	2	M1 for $\pi \times 9^2$		