

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES

Answer all the questions.

## CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets  $\left[ \ \right]$  at the end of each question or part question.


The total of the marks for this paper is 40.

This document consists of 8 printed pages.




## Formula List


For the equation $ax^2 + bx + c = 0$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Curved surface area, $A$ , of cylinder of radius $r$ , height $h$ .	$A = 2\pi rh$
Curved surface area, $A$ , of cone of radius $r$ , sloping edge $l$ .	$A = \pi r l$
Curved surface area, $A$ , of sphere of radius $r$ .	$A=4\pi r^2$
Volume, $V$ , of pyramid, base area $A$ , height $h$ .	$V=\frac{1}{3}Ah$
Volume, $V$ , of cylinder of radius $r$ , height $h$ .	$V = \pi r^2 h$
Volume, $V$ , of cone of radius $r$ , height $h$ .	$V = \frac{1}{3}\pi r^2 h$
Volume, $V$ , of sphere of radius $r$ .	$V = \frac{4}{3}\pi r^3$
A	$\frac{a}{\sin A} = \frac{b}{\sin B} =$
	$a^2 = b^2 + c^2 - 2bc$



$\frac{a}{\sin A} =$	$=\frac{b}{\sin B}=$	$=\frac{c}{\sin C}$
$a^2 = b^2$	$+c^{2}-2i$	$bc\cos A$
Area = $\frac{1}{2}$	$\frac{1}{2}bc\sin t$	A



4	Wri	te the following as algebraic expressions.		Fo	)r
		One-third of the sum of $p$ and $q$ .		Exami Us	iner's
	(b)	The square root of the product of $x$ and $y$ .	Answer (a)	 [1]	
			Answer (b)	 [1]	
5	List	the elements of the following sets.			
	<b>(a)</b>	$A = \{x \mid x \in \mathbb{Z}, -4 < x \le 1\}$			
			Answer (a)	 [1]	
	(b)	$B = \{ \text{prime numbers between 25 and 35} \}$			
			Answer (b)	 [1]	
	(c)	$C = \{x   x \in \mathbb{R},  x  = 4\}$			
			Answer (c)	 [1]	
6	(a)	Write as a single logarithm.			
		$\log 6 + \log 3 - \log$	g2		
			Answer (a)	 [1]	
	(b)	Simplify. $\sqrt{98} - \sqrt{50} + \sqrt{8}$			
			Answer (b)	 [2]	



- 9 Solve the simultaneous equations.
  - 2x + 3y = 75x 4y = -17

- Answer x =
  - *y* = [4]


For Examiner's

Use


10 Make *t* the subject of the formula.

$$y = \frac{a}{t-2}$$

Answer t = [3]



7



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.