



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			NDIDATE MBER		

6828773900

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/04

Paper 4 (Extended)

May/June 2010

2 hours 15 minutes

Candidates answer on the Question Paper

Additional Materials:

Geometrical Instruments

Graphics Calculator

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate.

Answers in degrees should be given to one decimal place.

For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 120.

For Examiner's Use

This document consists of 18 printed pages and 2 blank pages.



Formula List

For the equation

$$ax^2 + bx + c = 0$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Curved surface area, A, of cylinder of radius r, height h.

 $A = 2\pi rh$

Curved surface area, A, of cone of radius r, sloping edge l.

 $A = \pi r l$

Curved surface area, A, of sphere of radius r.

 $A = 4\pi r^2$

Volume, V, of pyramid, base area A, height h.

 $V = \frac{1}{3}Ah$

Volume, V, of cylinder of radius r, height h.


 $V = \pi r^2 h$

Volume, V, of cone of radius r, height h.

 $V = \frac{1}{3}\pi r^2 h$

Volume, V, of sphere of radius r.

$$V = \frac{4}{3} \pi r^3$$



$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area =
$$\frac{1}{2}bc \sin A$$

For
Examiner
Use

Answer **all** the questions.

1	(a)	Samia buys 8 kg of oranges, which cost \$1.55 per kilogram. She pays with a \$20 note.	
		Calculate how much change she receives.	
		Answer(a) \$	[2]
	(b)	\$1.55 per kilogram is \$0.05 more than the cost per kilogram last year.	
		Calculate the percentage increase on last year's cost per kilogram.	
		Answer(b)%	[2]
	(c)	The cost of melons is \$0.84 per kilogram. This is an increase of 12% on last year's cost per kilogram.	
		Calculate last year's cost per kilogram.	
		Answer(c) \$	[2]
	(d)	The cost of bananas is \$0.75 per kilogram.	
		The cost increases by 6% each year.	
		How many complete years will it take for the cost to become greater than \$1 per kilogram?	
		Anguan(d)	[2]
		Answer(d)	[3]

				4		
2	(a)	Show clearly that ($(x^2 - x + 1)(x +$	$1) = x^3 + 1$		
	(b)	Show that $x^2 - x + 1 = 0$ has no	solutions.			[2]
		<i>x</i> > 3 · 4				[3]
	(c)	$f(x) = x^3 + 1$ (i) Find $f(2)$.				
				Answer(c)(i	i)	[1]
		(ii) Find $f(-1)$.				
		(iii) Find $f^{-1}(x)$.		Answer(c)(ii)	[1]
		(m) 1 ma 1 (x).				

 $Answer(c)(iii) f^{-1}(x) =$ [3]

For Examiner's Use

(iv) Solve the equation $f^{-1}(x) = 3$.

Answer(c)(iv) x = [1]


3
$$U = \{ x \mid 0 < x \le 12, x \in \mathbb{Z} \}$$

 $A = \{\text{multiples of 3}\}$ $B = \{\text{factors of 30}\}$ $C = \{x \mid 6 \le x \le 11, x \in \mathbb{Z}\}$

(a) List the elements of the sets.

 $A = \{$ $B = \{$ $C = \{$ $\}$ [3]

(b)



Put the 12 elements of U in the correct regions of the Venn diagram. [2]

(c) Complete the following statements.

(i)
$$A \cap B = \{$$
 [1]

(ii)
$$A \cup C = \{$$
 [1]

(iii)
$$(A \cup C) \cap B = \{$$
 [1]

(iv)
$$B' = \{$$
 [1]

(v)
$$n(A \cap B \cap C)' =$$
 [1]

4 The masses of 100 bags of flour are given in the table.

Mass (m grams)	Frequency
980≤ <i>m</i> <990	4
990≤ <i>m</i> <1000	10
1000≤ <i>m</i> <1005	50
1005≤ <i>m</i> <1010	20
1010≤ <i>m</i> <1020	8
1020≤ <i>m</i> <1040	8

(a)	Calculate an	estimate of the me	an mass of a	bag of flour,	correct to the near	est gram.
-----	--------------	--------------------	--------------	---------------	---------------------	-----------


Answer(a) _____ g [3]

(b) (i) Complete the frequency density column in this table.

Mass (m grams)	Frequency	Frequency density
980≤ <i>m</i> <990	4	
990≤ <i>m</i> <1000	10	
1000≤ <i>m</i> <1005	50	
1005≤ <i>m</i> <1010	20	
1010≤ <i>m</i> <1020	8	
1020≤ <i>m</i> <1040	8	


[3]

(ii) On the grid opposite, draw an accurate histogram to show this information.



5

For Examiner's Use



- (a) On the axes, sketch the graph of y = f(x) where $f(x) = \frac{1}{(x^2 2x 3)}$.
- **(b)** Write down the equations of the three asymptotes.

Answer(b) , , [3]

(c) Write down the co-ordinates of the local maximum point.

Answer(c) (, , ,] [2]

(d) Write down the domain and range of f(x).

Answer(d) Domain

Range [4]

(e) How many solutions are there to these equations?

(i) f(x) = 0.5

Answer(e)(i) [1]

(ii) |f(x)| = 0.5

Answer(e)(ii) [1]

6	(a)	A car uses fuel at a rate of 5.6 litres per 100 km.	For miner's Use
		Calculate the distance travelled when the car has used 14 litres of fuel.	
		Answer(a) km [2]	
	(b)	The car passes a post at a speed of 72 km/h.	
		(i) Change 72 km/h into m/s.	
		Answer(b)(i) m/s [2]	
		(ii) The car has a length of 4.5 metres.	
		Calculate, in seconds, the time the car takes to pass the post completely.	
		Answer(b)(ii) s [2]	
		<i>Initiation (0)</i> (1)	

Examiner's Use

7	(a)	One day Zak sold some books at \$5 each. He received a total of x .									
		Write down, in terms of x , the number of books he sold.									
		Answer(a) [1]									
	(b)	The next day Zak reduced the price of each book to \$4. He received \$13 more than on the first day.									
		(i) Write down, in terms of x , the number of books he sold on this day.									
		$Answer(b)(i) \qquad [1]$									
		(ii) He sold a total of 46 books during the 2 days.									
		Write down an equation in x to show this information.									
		Answer(b)(ii)[1]									
		(iii) Solve your equation.									
		Answer(b)(iii) x = [3]									
	(c)	Calculate the mean price of a book during these two days. Give your answer correct to 2 decimal places.									
		$Answer(c) \$ \qquad [2]$									


A student investigates the monthly rainfall (r) and the monthly temperature (t) of ten cities. 8

Monthly rainfall (r mm)	1	3	4	5	8	10	13	15	17	20
Monthly temperature (<i>t</i> ° C)	2	6	9	3	11	16	15	20	25	23

	Monuny raintan (r mm)	1	3	4	3	0	10	13	13	1 /	20	
	Monthly temperature (t° C)	2	6	9	3	11	16	15	20	25	23	
(a)	(a) Without doing any calculations, underline the word that best describes the correlation between rainfall and temperature.										etwee	n
	None	Negative			Positive					[1]		
(b)	Find											
	(i) the mean rainfall,											
					Ans	swer(b)(i) .			mr	n [1	1]
	(ii) the interquartile range of the rainfall.											
					Ans	swer(b)(ii)			mr	n []	1]
(c)	Find the equation of the linear reg	ressio	n line,	giving							_	_

9

For Examiner's Use



The diagram shows the cities of Amman (A), Damascus (D), Tehran (T) and Kuwait (K).

AD = 180 km, DT = 1410 km and TK = 770 km.

Angle $ADK = 82.5^{\circ}$, angle $AKD = 8.6^{\circ}$ and angle $DTK = 58.3^{\circ}$.

(a) Use the sine rule in triangle ADK to calculate the distance AK.

Answer(a) km [3]


(b) Use the cosine rule in triangle DKT to calculate the distance DK.

Answer(b) km [3]

(c)	Calculate the area of the quadrilateral <i>ADTK</i> .				For Examiner's Use
(d)	Calculate the distance AT .	Answer(c)	km^2	[3]	
(e)	A map is drawn to a scale of 1: 5000000 . Calculate the length of DT on the map, in centimetres.		km	[5]	

10

For Examiner's Use



The diagram shows a gold bar of length 8 cm. The cross-section of the bar, ABCD, is an isosceles trapezium. AB = 4 cm, DC = 3 cm and these parallel edges are 1.5 cm apart.

(a)	Write down the mathematical name for this solid.	
		Г1

(b) (i) Calculate the area of the trapezium.

	2	
Answer(b)(i)	 cm ²	[2]

(ii) One cubic centimetre of gold has a mass of 19.3 g.

Calculate the mass of the gold bar.

Answer(b)(ii) _____ g [3]

	(iii) Calculate the total surface area of the gold bar.	Examiner's Use
		Ose
	2	
	Answer(b)(iii) cm ²	Г 4 1
		[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)		[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg.	[4]
(c)	A box can hold a maximum of 20 kg. Find the largest number of gold bars that can be put in the box.	
(c)	A box can hold a maximum of 20 kg. Find the largest number of gold bars that can be put in the box.	[4]
(c)	A box can hold a maximum of 20 kg. Find the largest number of gold bars that can be put in the box.	

For
Examiner's
Use

- A school bus picks up students at the town centre and takes them to the school. On any day the probability that the bus is on time at the town centre is $\frac{5}{6}$.
 - (a) Write down the probability that the bus is not on time at the town centre.

Answer(a) [1]

- **(b)** If the bus is on time at the town centre, the probability that it is on time at the school is $\frac{7}{8}$. If the bus is not on time at the town centre then the probability that it is on time at the school is $\frac{1}{4}$.
 - (i) Draw a tree diagram and write the correct probability against each branch.

[4]

(ii)	Calculate the probability that the bus is on time at the school.	For Examiner's Use
	Answer(b)(ii) [3]	
(iii)	Calculate the probability that the bus is never on time at the school in a week of 5 school	
()	days. Give your answer as a decimal, correct to 2 significant figures.	
	$Answer(b)(iii) \qquad [2]$	
(iv)	There are 192 days in this school's year.	
	On how many days is the bus expected to be on time at the school?	
	4	
	$Answer(b)(iv) \qquad \qquad [1]$	

12	Find the next term and the <i>n</i> th term in each of the sequences.					
	(a) 6, 12, 24, 48, 96,					
		4		F13		
		Answer(a) next term =		[1]		
		<i>n</i> th term =		[2]		
	(b) -1, 0, 3, 8, 15,					
		Answer(b) next term =		[1]		
		<i>n</i> th term =		[3]		

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.