MARK SCHEME for the October/November 2012 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/06 Paper 6 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0607	06

1		parallel	1		
2	(a)	• • • • • • • • • • • • • • • • • • •	1	4 lines and 3 points C	If arrows on parallels condone non-parallel lines once, otherwise 'parallel' lines must not meet inside the answer
	(b)	o.e.	1	4 lines and 4 points C	space. If arrows on non- parallels condone once
	(c)		1	4 lines and 5 points C	Allow diagrams where crossing points coincide
					Communication opportunity for parallel arrows drawn correctly on any one diagram
	(d)		1	4 lines and 6 points	
3	(a)	cross all lines o.e.	1	 'other lines' 'through all lines' 'cuts at 4 (distinct) points' 'not parallel to any if the others' 	Ignore extra statements Statements about triangles are insufficient Distinct points, if not indicated here must be shown on diagram in (b)(i)
	(b)	(i) 	1	5 lines and 10 points	Allow freehand lines but must not imply another intersection
		(ii) 10	1FT	FT for 5 lines only	

Pag													Syllabu	5	Paper	
			IGCSE – October/November 201							nbe	2		0607		06	
4	(a)	Numbe	er of	1	2	3	4	5	6	7	8	9	3	B1 for 1 B1 for 21		
		Maxim numbe crossin points	r of	0	1	3	6	10	15	21	28	36		B1 for 36		
	(b)	odd + even = odd odd + odd = even even + even = even even + odd = odd					R1				nu	ith or without mbers atement any order				
5	(a)	$\frac{1}{2}n^2 - \frac{1}{2}$	[√] 2 n ⊂	or 1	√2 n (<i>n</i> – 1) 0.	e.			3	M1 method that would lead to a correct answer B1 $\frac{1}{2} n^2$ SC2 $\frac{1}{2} n^2 + \frac{1}{2} n$ o.e. without working				g. difference method far as kn^2 substitutions seen umber of lines' $\equiv n$
	(b)	Must <u>see</u> 10 substituted once and $\cdot = 45$ '									1					g. $\frac{1}{2} \times 10 \times 9 = 45$ $\times 100 - \frac{1}{2} \times 10 = 45$
	(c)	16									1	-	-	nity for working	Att for Gt Ex ind Tr tw	tempt at factorising tempt at use of rmula raph/sketch drawn tend table – 10 to 16 clusive ial & Improvement – o cases seen cluding 16
	(d)	e.g. ske atte atte solu and sub	Evidence of methodM1FT for use of quadratic with midd term found in $5(a)$ e.g. sketch, attempt at factorising, attempt at use of formula, solution of quadratic (33 and 34 or 1056 and 1122), substitution of 34 and 35 (561 and 595),M1M1FT for use of quadratic with midd term found in $5(a)$ Solution of quadratic (33 and 34 or 1056 and 1122), Sollowed by NoM1SC1 Correct equation followed by $n = 34.8$ and No SC1 34 and 561, 35 and 595 and No SC2 595 and No with explanation						with middle d in 5(a) ect <u>equation</u> by and No ad 561, 35 ad No and No with							
											1	C1				ommunication seen in e of 2(a or b or c) or c)
									Tota	al	20					

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0607	06

1	(a)	7 or 8 correctly plotted points from table	3	point	ts or 4 (or 5 correct or 3 correct		
	(b)	2.3 (seconds)	1				Coordinates not accepted	
	(c)	(i) Time (seconds) 1 0 50 100 150 200 250 Length (cm) This shape curve through approx. (100,		50	1	C opportunity for smooth curve	Curve should ignore incorrectly plotted points Correct polygon = 1 (no C1)	
		(ii) 1.9 – 2.1 (seconds)	1FT			curve if utside range		
2	(a)	$T = aL^b$	1					
	(b)	(i) $1.4 = a \times 50^{b}$ and $2.8 = a \times 200^{b}$ then <i>a</i> eliminated OR $1.4 = a \times 50^{\frac{1}{2}}$ and $2.8 = a \times 200^{\frac{1}{2}}$ show both giving $a = 0.197(0.2)$ OR substitute $b = \frac{1}{2}$ in one equation to find <i>a</i> and then substitute $a = 0.197(0.2)$ into other equation to get $b = \frac{1}{2}$ OR Find $a = 0.2$ in (b)(ii) OR incorrect use of correct model in (b)(ii) giving a = 0.04 or better then substitute twice with $L = 50$ and L = 200		M1substitution M1elimination M1substitution M1 showing both <i>a</i> equal M1 finding <i>a</i> by substitution M1 substitution of <i>a</i> M2 substitution				
		(ii) 0.2	2FT	M1 complete method – substitution of any correct point B1 for correct to 1 dp			M1FT <i>their</i> model using $b = \frac{1}{2}$ and values given B1FT $a = 0$	

	Page	e 5	Mark Scheme				Syllabus		Paper
			IGCSE – October/Novemb	oer 201	2		0607		06
		(iii) $T = 0.197(0.2)L^{0.5}$ $T = 0.197(0.2) \times 250^{0.5}$ T = 3.1 or = 3.2		1FT 1	M1 mo <i>the</i> M1	odel <i>ir a</i> I foi	T for <i>their</i> written with and $b = \frac{1}{2}$ substitution 3.1 (3.2)	use	FT for incorrect of aL^b with <i>their a</i>
	(c)	(i) (<i>L</i> =)) 400	1FT	mo	del	<i>ir a</i> in <i>their</i> dependent on [1 in 2(b)(iii)		for incorrect use of aL^b with <i>their a</i>
		(ii) T = ((T) =	$0.2 \times 100^{1/2}$	1	sub 0.2 lead	ostit /0.1 ding	o see ution of 98/0.197 g to 98/1.97		
3	(a)	Time (seconds)	Length (m)			1	From (0, 0) to approx. (10, 6.4) with this shape C opportunity for smooth curve matching function	(0, Wa plo	thin 2 mm from 0) ttch for joining tted points that vers
	(b)	OR	÷100) ×100)	1					
		OR	$= 0.2L^{0.5} = \frac{\pi}{5}\sqrt{\frac{L}{9.8}}$ $= 0.2$ $\sqrt{L} = L^{\frac{1}{2}} \text{ o.e. soi}$ B substitutions in each model ag close values	2	coe M1	effic	mparison of ients mparison of n	gra cor De	M1 sketching phs correctly with rect scales pendent M1 for nparison of graphs
				1	C1				mmunication seen in e of 1(c)(i) or 3(a)
			Total	20					
			Final total	40					