www. tremepaders.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2008 question paper

0625 PHYSICS

0625/06

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Pag	je 2	Mark Scheme	Syllabus	Paper				
			IGCSE – May/June 2008	0625	06				
1	(a)	(i) cm,	cm, g		[1]				
	,	'::\ 40.0	0 (40 7) 40 50 (40 5) 50 05 (50 0)		F41				
	(6 (or 49.7), 49.50 (or 49.5), 50.05 (or 50.0) sistent significant figures (3 or 4)		[1] [1]				
		00110			1.1				
	(b) (clear exr	olanation/diagram		[1]				
	(2)	olodi oxp	nation, alagram		[.1				
	(c) (correct n	nethod		[1]				
		value 49	.7 (ignore a fourth significant figure)						
		and	allow ecf from (ii)		[1]				
	(d) (d = 1 8 (i	cm), <i>t</i> = 1.2 (cm)		[1]				
	,	V = 3.05	(cm ³) (ecf)		[1]				
	1	ρ = 16.3	unit g/cm³, 2/3 significant figures (ecf)		[1]				
					[Total: 9]				
2	Table:								
	(a) Units V, A, Ω (symbol/word)								
	R values 1.11, 2.19, 5.05, 9.55								
	,	Consiste	nt 2 or consistent 3 sig fig for R		[1]				
	(b)		(if within 10%) No (if not)		[M1]				
		Circ	uit 1 and circuit 2 compared		[A1]				
	(current (so temperature not increased)						
			switch off between readings check for zero error						
		OR	Repeats						
			Parallax error explained Tapping meter		[1]				
		OIC	rapping meter		ניו				
					[Total: 6]				
3	Gran	h.							
J	Graph: Temperature axis labelled <i>θ</i> /°C								
	Suita		[1]						
	Plots Lines	[2] [1]							
	Lines	[1]							
	(b)								
	l ,		[1]						
		Justificat Correct r	eference to gradients of lines or readings		[1]				
					[Total: 8]				
					[. 5 34.1. 0]				

Mark Scheme

Syllabus

Paper

Page 2

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0625	06
	IGCSE – May/June 2008	0625	06

4 Trace:

(a)		ines present, thin, neat and in correct area	[1]
	normal at 90° (by eye) and EF at 30° to normal (by eye) line KJ to at least beyond P ₄		
(b)	(i)	a = 12–13 (mm) no ecf	[1]
	(ii)	b = 40 (mm) no ecfa and b both with appropriate unit	[1] [1]
(c)	(i)	& (ii) c recorded and d = 44 (mm)	[1]
((iii)	correct calculation of <i>n</i> , value 1.43 (ecf) 2/3 significant figures with no unit	[1] [1]
			[Total: 9]
5 (a)	(i) (ii)	triangle method used (whether or not shown on graph) Triangle using more than half line and position indicated on graph Expect G = 4.00–4.35 (but allow correct working from points read from beyond 1.0 on x axis) Expect g = 9.07–9.87 (ecf from G) greater accuracy/average value	[1] [1] [1] [1]
(b)	(i)	amplitude length (other possible correct responses shape/size of bob and number of swings)	[1] [1]
	(ii)	does not affect time	[1]
			[Total: 8]