MARK SCHEME for the October/November 2011 question paper

for the guidance of teachers

0625 PHYSICS

0625/33

Paper 3 (Extended Theory), maximum raw mark 80

MMM. Hiremepapers.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0625	33

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

- M marks are method marks upon which further marks depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored.
- B marks: are independent marks, which do not depend on other marks. For a B mark to scored, the point to which it refers must be seen specifically in the candidate's answers.
- A marks In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded.

It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.

C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it.** For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

- <u>underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.
- OR / or indicates alternative answers, any one of which is satisfactory for scoring the marks.
- e.e.o.o. means "each error or omission".
- o.w.t.t.e. means "or words to that effect".
- Spelling Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
- Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.
- Ignore Indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper	
	IGCSE – October/November 2011	0625	33	
ecf	meaning "error carried forward" is mainly applicable in particular circumstances be applied in non-nume This indicates that if a candidate has made an ea incorrect value forward to subsequent stages of may be awarded, provided the subsequent workin earlier mistake. This prevents a candidate being particular mistake, but only applies to marks annota	e to numerical que rical questions. arlier mistake and working, marks i ig is correct, bea penalised more ated ecf.	estions, but may I has carried an ndicated by ecf ring in mind the than once for a	
Sig. figs.	Answers are normally acceptable to any number exceptions to this general rule will be specified in accept numerical answers, which, if reduced to the right.	r of significant fi n the mark sche wo significant fig	gures ≥ 2. Any me. In general, jures, would be	
Units	Deduct one mark for each incorrect or missing u otherwise gain all the marks available for t question. No deduction is incurred if the unit is mi shown correctly in the working.	nit from an answ hat answer: main answer fin ans wer fin answer	wer that would aximum 1 per al answer but is	
Arithmetic errors	Deduct one mark if the only error in arriving at a fir one.	al answer is clea	rly an arithmetic	
Transcription errors	Deduct one mark if the only error in arriving at a previously calculated data has clearly been misread	final answer is be d but used correct	ecause given or ly.	
Fractions	These are only acceptable where specified.			

	Page 4		Mark Scheme: Teachers' version	Syllabus	Paper 33		
1	(a)	<i>mg</i> in a 650 N	any form	0023	C1 A1]	
	(b)	gravitati	onal / attractive <u>and</u> the Earth		B1		
	(c)	(i) 65 l	g		B1		
		(ii) 104	OR 100 N ecf (i)		B1	[5]	
2	(a)	(i) dov initi	vnward <u>curve</u> ally horizontal at top <u>and</u> not vertical at bottom		B1 B1		
		(ii) forc	e shown vertically down (accept leaning back a <u>sma</u>	<u>ll</u> amount)	B1		
	(b)	any two same (ti OR	from: mes) / air resistance negligible / same acceleration		B2		
		times di one has	fferent (more) air resistance		B1 B1		
	(c)	(time =) 2.5 (s) (v =) at 25 m/s	800/320 OR 10 × candidate's <i>t</i> value		C1 C1 C1 A1	[9]	
3	(a)	(i) vec	tor has direction OR scalar has no direction/only h	nas size	B1		
		(ii) any	appropriate example		B1		
	(b)	NOTE: triangle length ½ 100, 20 value in	accept diagram in any orientation; or rectangle with hypotenuse/diagonal of ½ that of one side 0 and <i>T</i> all correctly labelled range 165 N – 180 N inclusive		B1 B1 B1	[5]	
4	(a)	(i) (P=	=) <i>F/A</i> words or symbols		B1		
		(ii) 228	500 Pa		B1		
	(b)	less pre less sin	ssure king		B1 B1		
	(c)	any sug e.g. sno	gestion which involves increasing the area in contac w shoes / skis	t with the ice	B1	[5]	

Page 5			5	Mark Scheme: Tea IGCSE – October/ľ	Paper 33			
5	(a)	(i)	mgh 96 J	in any form OR 2.0 × 10	× 4.8		C1 A1	
		(ii)	$GPE \rightarrow h$ -1 e	\rightarrow KE (+ heat and/or soun at and/or sound e.o.o.	d)		B2	
	(b)	(i)	force 312	× distance/time OR 520 V	× 3/5		C1 A1	
		(ii)	2600	W ecf (i)			B1	[7]
6	(a)	(i)	elec lagg liquid heat heat voltr there	rical method ed container + lid (allow) water er in liquid er connected to electrical su neter and ammeter appropr nometer	upply (seen or stated) iately connected (seen)	}	5 points 3 4 points 2 3 points 1 B3	
			OR					
			mixt lagg liquid hot s mea mea ther	<u>ires method</u> ≱d container ∣ olid/hot liquid ℩s of heating hot solid / liqu ℩s of weighing hot solid / liqu nometer	id (seen or stated) id / use of known mass (s	seen or stated)	5 points 3 4 points 2 3 points 1 B3	
		(ii)	<u>elec</u> initia voltr amn heat mas	rical method & final temps of liquid OF eter reading (however ex eter reading (however ex ng time s of liquid	R temp rise pressed) pressed) -1 e.e.c	0.0.	В3	
			OR					
			<u>mixt</u> initia initia mas SHC	<u>ires method</u> and final temps of liquid and final temps of added s of added solid / liquid of liquid of added solid / liquid	OR temp rise solid / liquid OR temp	drop -1 e.e.o	.o. B3	
	(b)	(i)	Q = 100. 0.8 ³ 276	<i>ncθ</i> in any form δ – 12 OR 88.6 3900 × 88.6 432 J			B1 C1 C1 A1	
		(ii)	Q = 445.	<i>Wt</i> OR (<i>t</i> =) candidate's (358 s ecf (i)	i)/620		C1 A1	[12]

© University of Cambridge International Examinations 2011

	Page 6			Mark Scheme: Teachers' version	Syllabus	Paper		
				IGCSE – October/November 2011	0625	33		
7	(a)	(i)	4V			B1		
		(ii)	12 V			B1		
	(b)	(i)	6Ω			B1		
		(ii)	1/R	= 1/3 + 1/6 OR (3 × 6)/(3 + 6)		C1		
			232					
	(c)	V/R 6 A	OR ecf	12/candidate's (ii)		C1 A1		
	(d)	(i)	stay	s same		B1		
		(ii)	decr	eases		B1	[9]	
8	(a)	(i)	curre	ent clockwise when viewed from top		B1		
		(ii)	antic OR (clockwise (however expressed) allow ecf from (a)(i down on left and/or up on right)	B1		
	(b)	(i)	faste	er		B1		
		(ii)	faste	er OR the same		B1		
		(iii)	faste	er		B1		
	(c)	(inc	reasi	ng) back / opposing e.m.f. allow an opposing (indu	iced) current	B1	[6]	
9	(a)	sinę	gle fre	equency / wavelength IGNORE single colour / chi	romatic	B1		
	(b)	sin 1.6	i/sin r 13	OR sin45/sin26 IGNORE sin r/sin i		C1 A1		
	(c)	45°				B1		
	(d)	less moi	s / slo re / fa	wer / smaller ster / greater		B1 B1	[6]	
10	(a)	(i)	ΝΟΤ	-		B1		
-	(-)	(!!)	 ۸ ۱۰۳					
		(11)		BI				

	Page 7			Ма	rk Schem	e: Teache	ers' versior	1	Syllabus		Paper	
				IG	CSE – Oct	ober/Nov	ember 2011		0625		33	
	(b)	(i)	low / low /	′ 0 / off ′ 0 / off							B1 B1	
		(ii)	high high	/ 1 / on / 1 / on							B1 B1	
	(c)	Вса	annot	: provide ei	nough pow	/er/voltage	current to l	ight lamp	(IGNORE st	rength)	B1	
	(d)	security lamp OR intruder alarm OR burglar alarm with explanation OR beach lighting OR air freezer at indoor ski slope OR fridge alarm i.e. something that switches on when hot and dark (in a practical situation)							B1	[8]		
11	(a)	idea of absorption by paper e.g. put between source and detector α is absorbed, β is not idea of deflection in magnetic field e.g. magnet near source β is deflected much more/opposite direction						M1 A1 M1 A1				
	(b)	(i) 6 14								B1 B1		
		(ii) 3 half-lives 17 190 / 17 200 / 17 000 / 1.7 × 10 ⁴ years							C1 A1	[8]		