

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/02

Paper 2 (Core)

October/November 2006

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use a soft pencil for any diagrams, graphs, tables or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
Total	

This document consists of **14** printed pages and **2** blank pages.



- 1 (a) (i) Complete the diagram in Fig. 1.1 for **ethanol**, $\text{C}_2\text{H}_6\text{O}$.




Fig. 1.1

[1]

- (ii) Calculate the relative molecular mass, M_r , of **ethanol**, $\text{C}_2\text{H}_6\text{O}$.

Show your working.

$$M_r = \dots\dots\dots [2]$$

- (iii) Complete the diagram in Fig.1.2 for **ethanoic acid**, $\text{C}_2\text{H}_4\text{O}_2$.




Fig. 1.2

[2]

- (b) Ethanol, $\text{C}_2\text{H}_6\text{O}$, can be used as a fuel.

- (i) Balance the following chemical equation for the products of the complete combustion of ethanol.



[1]

- (ii) Describe a chemical test for the carbon dioxide produced.

test

result [2]

- (iii) Describe a chemical test for the water produced.

test

result [2]

- (c) A student adds dilute aqueous sodium hydroxide in **excess** to an aqueous solution of ethanoic acid in a beaker.

Suggest how the pH number of the liquid in the beaker changes.

.....

.....

..... [2]

- 2 (a) Look at the Periodic Table on page 16.

State the number of electrons in the **outer shell** of an atom of

(i) the alkali metal caesium, Cs, [1]

(ii) the halogen astatine, At. [1]

- (b) Describe the formation of each of the ions in caesium astatide, CsAt, from the atoms of caesium and of astatine.

[2]

- (c) A molecule of chlorine, Cl_2 , has a single covalent bond between the two atoms. A molecule of astatine, At_2 , has similar bonding.

Draw a diagram to show the bonding in a molecule of astatine, At_2 .

Show only the **outer** electrons.

[2]

- 3 Fig. 3. 1 shows part of a gas thermostat used in an oven.




Fig. 3.1

- (a) Explain why less gas enters the burner as the temperature in the oven gets higher.

.....

.....

..... [2]

- (b) Fig. 3.2 shows a loaf of bread cooking in the oven.




Fig. 3.2

Thermal energy is transferred from the burning gas to the bread by conduction, convection and radiation.

Explain, with reference to this example, what is meant by

- (i) *conduction*,
-
- (ii) *convection*,
-
- (iii) *radiation*.
- [4]

- 4 A meteorite is a piece of rock which comes from the outer part of the solar system and enters the Earth's atmosphere.

Fig. 4.1 shows the speed of the meteorite as it approaches and finally strikes the Earth.




Fig. 4.1

- (a) As the meteorite approaches the Earth it is travelling at a high speed and accelerates further.

(i) Name the type of energy it has due to its motion. [1]

(ii) Suggest why it accelerates as it approaches the Earth.

.....

 [2]

- (b) When the meteorite enters the Earth's atmosphere it slows down rapidly.

(i) Mark, with an **X**, the point on the graph at which the meteorite enters the Earth's atmosphere. [1]

(ii) Using scientific terms explain why the meteorite slows down.

.....

 [2]

(iii) State into what form the energy is converted.

..... [1]

- 5 A boy holds a long rope at one end and moves it sharply up and down to send waves along the rope. Fig. 5.1 shows the waves moving along the rope.




Fig. 5.1

- (a)** Mark on the diagram

- (i) the wavelength of the wave and label it λ ,
- (ii) the amplitude of the wave and label it **A**.

[2]

- (b)** Explain how the boy changes the movement of his hand to

- (i) increase the amplitude of the wave,

.....

.....

- (ii) increase the frequency of the wave.

.....

.....

[3]

- (c)** When a guitar string is plucked a sound is heard.

Explain how the sound is produced.

.....

.....

.....

[2]

- 6 (a) Balloons are used to lift radio equipment high in the atmosphere to measure pressure, temperature and ozone levels.

Explain why helium, **not** hydrogen, is used to fill these balloons.

.....

.....

..... [2]

- (b) Filament lamps have a thin wire of tungsten that glows white hot when connected to the electrical supply.

Explain why argon, **not** air, is used to fill these lamps.

.....

.....

..... [2]

- (c) An atom of helium has the notation ${}^4_2\text{He}$.

An atom of argon has the notation ${}^{40}_{18}\text{Ar}$.

Complete Fig. 6.1 for these atoms.

notation of atom	${}^4_2\text{He}$	${}^{40}_{18}\text{Ar}$
number of protons in nucleus	2	
number of neutrons in nucleus		22
arrangement of electrons in shells in the atom	2	

Fig. 6.1

[3]

- 7 Fig. 7.1 shows a circuit. The e.m.f. of the battery is 12V.




Fig. 7.1

- (a) What is the total resistance in the circuit when the ammeter reads 2A?

Show your working and state the unit.

resistance = [3]

- (b) Two soft iron nails are attracted to the core as shown in Fig. 7.2.




Fig. 7.2

- (i) Complete Fig. 7.2 to show the poles induced on the nails. [2]

- (ii) Explain what happens to the nails when the current is gradually reduced to zero.

.....

 [3]

- 8 (a) Iron, Fe, is described as a *transition* element.

State two properties of iron that are common to transition elements.

1.
2. [2]

- (b) Iron reacts with dilute hydrochloric acid.



State two ways of increasing the speed of this reaction.

1.
2. [2]

- (c) Iron goes rusty in damp air.

State two ways to prevent iron from rusting.

1.
2. [2]

- (d) Rust is a form of iron oxide. When this is heated in carbon monoxide, iron and carbon dioxide are formed.

Explain this reaction in terms of *oxidation* and *reduction*.

oxidation

.....

reduction

..... [2]

- 9 An experiment is done to measure the half-life of an isotope of neon. The results are shown in Fig. 9.1

count rate/Bq	180	150	125	104	85	70	60	51	42
time/s	0	10	20	30	40	50	60	70	80

Fig. 9.1

- (a) The first four points are already plotted on the grid in Fig. 9.2.

- (i) Plot the remaining points.
(ii) Draw a smooth curve through the points.





Fig. 9.2

[3]

- (b) Use the graph to find the half-life of the isotope.

half-life = s [2]

- (c) The isotope decays by emission of a beta-particle (β -particle). Complete the equation to show the decay.



[2]

- 10 (a) Energy is needed to convert a boiling liquid, at constant temperature, into a gas.
Use the kinetic particle theory of matter to explain this fact.

.....

 [2]

- (b) Explain why evaporation from the surface of a liquid causes the temperature of the remaining liquid to cool.

.....

 [2]

- (c) (i) Fig. 10.1 shows two liquids being boiled for several minutes.




Fig. 10.1

Liquid **P** continues to boil at a **constant** temperature.

Liquid **Q** continues to boil at a temperature that **increases** with time.

Explain these observations.

.....

 [2]

- (ii) Name **one** example of a liquid that behaves like liquid **Q**.

..... [1]

- 11 (a) Describe how a polythene rod can be charged.

.....
 [1]

- (b) Fig. 11.1 shows a negatively charged polythene rod suspended by an insulating thread.




Fig. 11.1

State what happens when

- (i) a negatively charged rod is brought up to end **A**,

.....

- (ii) a positively charged acetate rod is brought up to end **A**,

.....

- (iii) a positively charged acetate rod is brought up to end **B**,

.....

- (iv) an uncharged glass rod is brought up to end **A**.

.....

[4]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET

a	a = relative atomic mass
X	X = atomic symbol
b	b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).