



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

PHYSICAL SCIENCE

0652/02

Paper 2 (Core)

October/November 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
Total	

This document consists of **16** printed pages.



- 1 (a) Name the type of bonding in a hydrogen molecule, H_2 .

..... [1]

- (b) Draw a dot and cross diagram to show the arrangement of the outer electrons in a molecule of hydrogen chloride gas, HCl .

[1]

- (c) Give two characteristic properties of ionic compounds.

1.

2. [2]

For
Examiner's
Use

- 2 Fig. 2.1 shows a circuit diagram, with a battery of e.m.f. 6.0 V and three identical resistors R_1 , R_2 and R_3 .

For
Examiner's
Use




Fig. 2.1

- (a) The current through R_3 is 2.4 A. Calculate the resistance of R_3 .

resistance = Ω [2]

- (b) Calculate the combined resistance of R_1 , and R_2 .

resistance = Ω [1]

- (c) Use your answer to (b) to calculate the current through R_1 , and R_2 .

current = A [2]

3 (a) State what is meant by the term *fuel*.

..... [1]

(b) (i) Suggest two reasons why hydrogen makes a good fuel.

1.

2. [2]

(ii) Suggest **one** reason why hydrogen is **not** widely used as a fuel.

..... [1]

(c) Ethanol is a useful fuel which can be made from sugar.

(i) Name the process used to make ethanol from sugar.

..... [1]

(ii) Describe how you could show that carbon dioxide is produced in this reaction.

.....

.....

..... [2]

(iii) Name the process used to separate ethanol from the resulting mixture from **c(i)**.

..... [1]

- 4 A microphone is connected to a cathode ray oscilloscope. Fig. 4.1 shows the pattern produced on the cathode ray oscilloscope when a guitar string is plucked.

For
Examiner's
Use




Fig. 4.1

- (a) (i) State how the trace changes if a louder note, of the same pitch, is played.

..... [1]

- (ii) State how the trace changes if a higher pitched note is played.

..... [1]

- (b) Bats navigate by emitting short high pitched sounds, above the threshold of human hearing.

- (i) State the maximum frequency that the human ear can detect.

..... Hz [1]

- (ii) Sound travels at 320 m/s in air.

A bat emits a pulse of sound and hears the echo from a wall 0.075 s later.

Calculate the distance from the bat to the wall.

Show your working.

distance = m [3]

- 5 (a) A fisherman is steering his boat using a single oar as shown in Fig. 5.1a. Fig. 5.1b shows the same boat viewed from above. To keep the oar stationary the fisherman applies a force of 250 N to the end of the oar.



Fig. 5.1a




Fig. 5.1b

- (i) Calculate the moment produced by the fisherman about the pivot.

Show your working.

moment = Nm [2]

- (ii) Use your answer from (a)(i) to calculate the force the oar produces on the water.

Show your working.

force = N [2]

- (b) The boat moves through the water at a steady speed of 2.5 m/s for 12 s. It then decelerates to rest at a uniform rate in a further 8.0 s.

(i) On Fig. 5.2 draw a speed-time graph to show this motion.




Fig. 5.2

[2]

(ii) Calculate the total distance travelled by the boat.

Show your working.

distance travelled = m [3]

6 Bronze, an alloy containing copper and tin, is used to make statues.

(a) State what is meant by the term *alloy*.

..... [1]

(b) Name another alloy of copper and give a use for it.

alloy

use [2]

(c) Car bodies can be made from mild steel.

(i) State how car manufacturers try to prevent car bodies from rusting.

..... [1]

(ii) Suggest a reason why copper is not suitable for use in making car bodies.

..... [1]

For
Examiner's
Use

- 7 A solar power station is designed for use in desert countries.
Fig. 7.1 shows the steps involved in the production of electricity.




Fig. 7.1

- (a) A solar furnace consists of many mirrors. These mirrors are arranged so that sunlight is reflected onto a large container of water, as shown in Fig. 7.2.




Fig. 7.2

- (i) Name the process by which the Sun's energy is transmitted to Earth.

.....

[1]

- (ii) Fig. 7.3 shows a ray of sunlight incident on a mirror.

Complete the diagram to show the ray after it is reflected from the mirror.




Fig. 7.3

[1]

- (iii) On Fig. 7.3, mark and label the angle of incidence and the angle of reflection.

[1]

- (iv) State the relationship between the angle of incidence and the angle of reflection.

..... [1]

- (b) (i) Name the process by which the energy is passed through the wall of the water container.

..... [1]

- (ii) Explain why the water at the top of the water container is hotter than the water at the bottom of the container.

.....

.....

..... [2]

- (c) (i) At the desalination plant the thermal energy from the turbine is used to recover pure water from sea water.

Name the process by which pure water is recovered from sea water in this desalination plant.

..... [1]

- (ii) Explain the advantage of combining the desalination plant with the power station.

.....

..... [1]

- 8 Test-tubes **A**, **B** and **C** contain dilute hydrochloric acid.
A different substance is added to each tube as shown in Fig. 8.1.

For
Examiner's
Use




Fig. 8.1

- (a) Complete Table 8.1 to show what you would observe in each test-tube and name any gases produced.
If no gas is produced write 'no gas' in the table.

Table 8.1

test-tube	observation	gas
A		
B		
C		

[6]

- (b) State any difference if sulfuric acid is used instead of hydrochloric acid.
Explain your answer.

.....

 [2]

- 9 (a) The isotope uranium-236 is unstable and undergoes fission.

Explain what is meant by the term fission.

.....

.....

..... [2]

- (b) State one advantage and one disadvantage of using nuclear energy to generate electricity.

advantage

.....

disadvantage

..... [2]

- 10 Ammonium sulfate, $(\text{NH}_4)_2\text{SO}_4$, and ammonium nitrate NH_4NO_3 are important fertilizers.

- (a) In the first column of Table 10.1 complete the list of elements in ammonium sulfate, $(\text{NH}_4)_2\text{SO}_4$.
In the second column write the number of atoms of each element.

Table 10.1

name of element	number of atoms
nitrogen	

[4]

- (b) Calculate the mass of nitrogen in one mole of ammonium nitrate, NH_4NO_3 .

mass =g [2]

- 11 Fig. 11.1 shows the apparatus used to measure the half-life of the isotope, phosphorus - 34, which decays by emitting a β -particle.

For
Examiner's
Use




Fig. 11.1

- (a) Explain how the apparatus would need to be altered if the isotope decayed by emitting an α -particle.

.....
..... [2]

- (b) Fig. 11.2 shows part of the table of readings taken in the experiment.

time/s	number of counts per second	corrected counts per second
0	1396	1368
5	1072	1044
10	814	786
15	636	608

Fig. 11.2

- (i) Explain why a corrected count rate is included.

.....
..... [2]

- (ii) The readings are plotted on Fig. 11.3.
Complete the graph by drawing the best fit curve.

For
Examiner's
Use




Fig. 11.3

[1]

- (iii) Use the graph to find the half-life of the isotope.

Show your working.

half life =

[2]

12 Many modern cars have a catalytic converter in the exhaust system.

- (a)** State the effect the catalyst has on the reactions taking place between the gases in the catalytic converter.

..... [1]

- (b)** The catalyst is spread very thinly on the surface of a ceramic material.

- (i)** State why a ceramic material is used.

..... [1]

- (ii)** State why the catalyst is spread very thinly.

..... [1]

- (c)** State why the catalyst lasts for a long time.

..... [1]

- (d)** Carbon monoxide, CO, and nitrogen monoxide, NO, react together in catalytic converters to form carbon dioxide, CO₂, and nitrogen, N₂.

Write a balanced equation for this reaction.

..... [1]

13 (a) Complete Table 13.1 which is about sub-atomic particles.

Table 13.1

particle	relative mass	relative charge
electron
neutron	1
.....	+ 1

[3]

(b) What is meant by the *proton number* of an element?

..... [1]

For
Examiner's
Use

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II	III										IV	V	VI	VII	0		
		<div>1 H Hydrogen</div>															<div>4 He Helium</div> <div>2</div>	
<div>7 Li Lithium</div> <div>3</div>	<div>9 Be Beryllium</div> <div>4</div>												<div>12 C Carbon</div> <div>6</div>	<div>14 N Nitrogen</div> <div>7</div>	<div>16 O Oxygen</div> <div>8</div>	<div>19 F Fluorine</div> <div>9</div>	<div>20 Ne Neon</div> <div>10</div>	
<div>23 Na Sodium</div> <div>11</div>	<div>24 Mg Magnesium</div> <div>12</div>												<div>27 Al Aluminium</div> <div>13</div>	<div>28 Si Silicon</div> <div>14</div>	<div>31 P Phosphorus</div> <div>15</div>	<div>32 S Sulfur</div> <div>16</div>	<div>35.5 Cl Chlorine</div> <div>17</div>	<div>40 Ar Argon</div> <div>18</div>
<div>39 K Potassium</div> <div>19</div>	<div>40 Ca Calcium</div> <div>20</div>	<div>48 Ti Titanium</div> <div>22</div>	<div>45 Sc Scandium</div> <div>21</div>	<div>51 V Vanadium</div> <div>23</div>	<div>52 Cr Chromium</div> <div>24</div>	<div>55 Mn Manganese</div> <div>25</div>	<div>56 Fe Iron</div> <div>26</div>	<div>59 Co Cobalt</div> <div>27</div>	<div>59 Ni Nickel</div> <div>28</div>	<div>64 Cu Copper</div> <div>29</div>	<div>65 Zn Zinc</div> <div>30</div>	<div>70 Ga Gallium</div> <div>31</div>	<div>73 Ge Germanium</div> <div>32</div>	<div>75 As Arsenic</div> <div>33</div>	<div>79 Se Selenium</div> <div>34</div>	<div>80 Br Bromine</div> <div>35</div>	<div>84 Kr Krypton</div> <div>36</div>	
<div>85 Rb Rubidium</div> <div>37</div>	<div>88 Sr Strontium</div> <div>38</div>	<div>91 Zr Zirconium</div> <div>40</div>	<div>89 Y Yttrium</div> <div>39</div>	<div>93 Nb Niobium</div> <div>41</div>	<div>96 Mo Molybdenum</div> <div>42</div>	<div>101 Ru Ruthenium</div> <div>44</div>	<div>106 Pd Palladium</div> <div>46</div>	<div>103 Rh Rhodium</div> <div>45</div>	<div>108 Ag Silver</div> <div>47</div>	<div>112 Cd Cadmium</div> <div>48</div>	<div>115 In Indium</div> <div>49</div>	<div>119 Sn Tin</div> <div>50</div>	<div>122 Sb Antimony</div> <div>51</div>	<div>127 Te Tellurium</div> <div>52</div>	<div>127 I Iodine</div> <div>53</div>	<div>131 Xe Xenon</div> <div>54</div>	<div>131 Xe Xenon</div> <div>54</div>	
<div>133 Cs Caesium</div> <div>55</div>	<div>137 Ba Barium</div> <div>56</div>	<div>178 Hf Hafnium</div> <div>72</div>	<div>139 La Lanthanum</div> <div>57</div>	<div>181 Ta Tantalum</div> <div>73</div>	<div>184 W Tungsten</div> <div>74</div>	<div>186 Re Rhenium</div> <div>75</div>	<div>190 Os Osmium</div> <div>76</div>	<div>192 Ir Iridium</div> <div>77</div>	<div>195 Pt Platinum</div> <div>78</div>	<div>197 Au Gold</div> <div>79</div>	<div>201 Hg Mercury</div> <div>80</div>	<div>204 Tl Thallium</div> <div>81</div>	<div>207 Pb Lead</div> <div>82</div>	<div>209 Bi Bismuth</div> <div>83</div>	<div>209 Po Polonium</div> <div>84</div>	<div>209 At Astatine</div> <div>85</div>	<div>209 Rn Radon</div> <div>86</div>	
<div>226 Fr Francium</div> <div>87</div>	<div>226 Ra Radium</div> <div>88</div>												<div>227 Ac Actinium</div> <div>89</div>					

*58-71 Lanthanoid series
†90-103 Actinoid series

a

X

b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

<div>140 Ce Cerium</div> <div>58</div>	<div>141 Pr Praseodymium</div> <div>59</div>	<div>144 Nd Neodymium</div> <div>60</div>	<div>150 Sm Samarium</div> <div>62</div>	<div>152 Eu Europium</div> <div>63</div>	<div>157 Gd Gadolinium</div> <div>64</div>	<div>159 Tb Terbium</div> <div>65</div>	<div>162 Dy Dysprosium</div> <div>66</div>	<div>165 Ho Holmium</div> <div>67</div>	<div>167 Er Erbium</div> <div>68</div>	<div>169 Tm Thulium</div> <div>69</div>	<div>173 Yb Ytterbium</div> <div>70</div>	<div>175 Lu Lutetium</div> <div>71</div>	
<div>232 Th Thorium</div> <div>90</div>	<div>232 Pa Protactinium</div> <div>91</div>	<div>238 U Uranium</div> <div>92</div>	<div>238 Np Neptunium</div> <div>93</div>	<div>238 Pu Plutonium</div> <div>94</div>	<div>238 Am Americium</div> <div>95</div>	<div>238 Cm Curium</div> <div>96</div>	<div>238 Bk Berkelium</div> <div>97</div>	<div>238 Cf Californium</div> <div>98</div>	<div>238 Es Einsteinium</div> <div>99</div>	<div>238 Fm Fermium</div> <div>100</div>	<div>238 Md Mendelevium</div> <div>101</div>	<div>238 No Nobelium</div> <div>102</div>	<div>238 Lr Lawrencium</div> <div>103</div>

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.