

	UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMI International General Certificate of Secondary Education	
CANDIDATE NAME		
CENTRE NUMBER	CAND	BER
	CIENCE	0653/33
Paper 3 (Exten	ded)	May/June 2010

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

1 hour 15 minutes

This document consists of 20 printed pages.



1	(a)	Fig. 1.1	I shows four fru	its.					For Examiner's
Ę			3						Use
	I	Ρ		Q	Fig. 1.1	R		S	
		(i) Giv	ve the letters of	<b>two</b> fruits v	vhich are adar	oted for wind di	spersal.		
		.,	and					[1]	
	(i	i) N	ame the part of	a flowor fro	m which the f	ruit dovolons			
	U,							[1]	
	(i	ii) Ex	plain the import	ance of frui	ts in the life cy	/cle of a plant.			
								[2]	
			trees produce inside the pods				h the fruits de	velop. The	
	(	cultivat cacao	acao trees gro ed by humans, trees grow bes t the use of ferti	such as rut t underneat	bber trees or o h other rainfo	oil palms, grow	best on cleare	d land, but	
		• •	ggest how the swer.	flowers of t	he cacao tree	are pollinated	, giving a reas	on for your	
								[1]	

(ii) Explain why cultivating cacao trees may cause less damage to rainforests than cultivating other trees.

3

For Examiner's Use

[3]

2 (a) A teacher placed a small piece of potassium into a container filled with chlorine gas.

Fig. 2.1 shows what the class observed.




Fig. 2.1

- (i) Suggest the name of the white solid formed when potassium and chlorine react.
  - [1]

For Examiner's Use

(ii) Fig. 2.2 shows a potassium atom and a chlorine atom.




Fig. 2.2

© UCLES 2010

4

For Examiner's Use

[4]
e. In
uring
[1]
with
[2]

the space below if it helps you to answer the question.

- 6
- **3 (a)** Fig. 3.1 shows an astronaut on a space walk. His space suit is designed to stop dangerous electromagnetic radiation from the Sun reaching the astronaut's body.

For Examiner's Use





	(i)	Name <b>two</b> types of electromagnetic radiation that can harm the body.	
		1 2 [	1]
	(ii)	State <b>one</b> way in which electromagnetic radiation can harm the body.	
		[	1]
(	iii)	All electromagnetic waves travel at the same speed. What is the value of this speed?	İS
		[	1]
(b)		e astronaut has a mass of 96 kg. The gravitational field strength on the Moon i out one sixth of that on the Earth.	is
	Sta	te the difference, if any, between	
	(i)	the mass of the astronaut on the Earth and on the Moon,	
		[	1]
	(ii)	the weight of the astronaut on the Earth and on the Moon.	
		[	1]

(c) The astronaut stands on the surface of the Moon and drops a ball. The graph in Fig. 3.2 shows the speed of the ball over a period of 1.6 seconds. Examiner's

7




Fig. 3.2

- (i) On the same graph, sketch a line to show the speed of the same ball if it was dropped on Earth. [1]
- (ii) Explain your answer to (c)(i).

[1] ..... . . . .

For

Use

(d)	A ro	ock on the Moon weighs 6 N. The astronaut lifts it up by 2 metres.		For Examiner's
	(i)	Calculate the work done on the rock.		Use
		State the formula that you use and show your working.		
		formula		
		working		
			[2]	
	(ii)	If the rock was lifted in 2 seconds, calculate the power used.		
		State the formula that you use and show your working.		
		formula		
		working		
			[2]	

Fig. 4.1 shows a section through a human heart, seen from the front. 4




Fig. 4.1

(a) (i)	Name the type of tissue found in the walls of the heart, as shown in the shaded parts in Fig. 4.1.
	[1]
(ii)	Describe how this tissue is supplied with oxygen.
	[2]
(iii)	Give the letters of the <b>two</b> labelled blood vessels that contain oxygenated blood.
	and[1]
	nts also have transport systems in which liquids flow through vessels. However, y do not have a pump like the heart.
(i)	Explain what makes water flow up through the xylem vessels in a plant.
	[2]
(ii)	Describe how sugars, made in a plant's leaves, are transported to its roots.
	[2]

- (a) Some fuels are listed below. 5 For Examiner's Use animal dung coal wood State **one** reason why coal is an example of a fossil fuel whereas the other two are not. [1] (b) Fig. 5.1 shows a simplified diagram of fractional distillation and catalytic cracking which are both carried out at an oil refinery. Compounds leaving the fractional distillation column at **M** move into the catalytic cracker. catalytic fractional cracker distillation column Ν M 5 strong heat Fig. 5.1 (i) Name the raw material which enters at L. [1] ,....
  - (ii) Describe briefly two ways, other than colour and odour, in which the mixture of compounds at M differs from the mixture of compounds at L.

[2]
(iii) Describe briefly two ways in which the mixture of compounds at N differs from the mixture of compounds at M.

(iv) Some of the compounds in the mixture at N can be used in addition For polymerisation. Examiner's Use Explain why addition polymers can be made from molecules in the mixture at N but not from molecules in the mixture at M. You may draw a diagram if it helps you to answer this question. ..... [2] (c) A student investigated the combustion products of the liquid fuel ethanol. He observed that a gas and a colourless liquid were produced. (i) The student applied a chemical test to the colourless liquid and found that it was water. Describe a suitable chemical test for water and its result. ..... [2] ..... (ii) Complete the equation below for the combustion of ethanol.

 $\rightarrow$  2CO<sub>2</sub> + 3H<sub>2</sub>O


.....

© UCLES 2010

 $C_2H_6O +$ 

[2]

6 Fig. 6.1 shows a cube.





(a) The mass of the cube is 21.6 g.

Calculate the density of the cube.


State the formula that you use and show your working.

formula

working

[3]

(b) The solid cube is made up of very small particles. Fig. 6.2 shows their arrangement.





(i) Complete the diagrams below to show the arrangement of particles in a liquid and in a gas. Examiner's

liquid gas [2] (ii) Explain your answer to (b)(i) in terms of forces between particles. ..... [2] (c) Explain, in terms of particles, why a solid expands when heated. ......[1] (d) Describe one problem caused by a solid metal expanding when it gets hot. ..... [2]

For

Use

**7** (a) A student peeled a layer of cells from the inside of an onion bulb. He placed them in a drop of water on a microscope slide and covered them with a coverslip.

Fig. 7.1 shows what he saw when viewing the cells through a microscope.



(i) The cells in Fig. 7.1 are similar to each other.

Give the name for a group of similar cells.

.....

(ii) State two ways in which the cells in Fig. 7.1 differ from animal cells.

(b) The student replaced the water on the slide with a drop of concentrated sugar solution. He waited for five minutes and then looked at the cells through the microscope again.

Fig. 7.2 shows what he saw.




Fig. 7.2

For Examiner's Use

[1]

	(i)	On Fig. 7.2, label a partially permeable membrane.	[1]	For Examiner's
	(ii)	Using your knowledge of osmosis, explain what has happened to the cells Fig. 7.2.	in	Use
		[	[3]	
(c)		on cells often contain stores of starch. When a person eats an onion, the starch ested.	is	
	Des	scribe how starch is digested in the human alimentary canal.		
	•••••	[	[3]	

(a) A student used the apparatus in Fig. 8.1 to investigate the rate of a reaction. 8




Fig. 8.1

The student dropped the magnesium into the acid contained in the side-arm test-tube and put in the bung. A stopwatch was used to time how long it took for 50 cm<sup>3</sup> of gas to collect in the syringe.

The student carried out four experiments A, B, C and D, and the results are shown in Table 8.1. Table 8.1

experiment	time for 50 cm <sup>3</sup> of gas to collect in the gas syringe/seconds
A	36
В	18
С	144
D	72

(i) Explain how the results show that experiment **B** had a higher rate of reaction than experiment A.

..... ......[1]

(ii) The only variable (factor) which was different between the four experiments A, B, **C** and **D** was the concentration of the dilute hydrochloric acid.

Using the letters A, B, C and D, list the experiments in order of decreasing acid concentration.

 (highest concentration)
 (lowest concentration)

For Examiner's Use

(iii) Fig. 8.2 shows a piece of magnesium in a beaker of dilute hydrochloric acid. The hydrogen ions, present in all aqueous acids, are shown by the symbol • .

For Examiner's Use




Fig. 8.2

Explain, in terms of ions, why the rate of reaction will change when the concentration of the acid is changed.

[3]

(b) Magnesium reacts with hydrochloric acid to form magnesium chloride and hydrogen gas.

The chemical formula for magnesium chloride is  $MgCl_2$ . Use the Periodic Table on page 20 to calculate the relative formula mass of magnesium chloride.

Show your working.

[2]

**9** (a) Fig. 9.1 shows a teacher with a torch (flash light). He switches the torch on and points it at the mirror.

18

[2]





Fig. 9.1

A ray of light from the torch reflects off the mirror.

Use a ruler to draw a ray of light

- (i) from the torch to the mirror,
- (ii) reflecting off the mirror.
- (b) A torch contains two cells providing a total voltage of 3.0 V across the lamp. When the torch is lit, the current flowing through the lamp is 0.3 A.
  - (i) Calculate the resistance of the lamp.

State the formula that you use and show your working.

formula

working

[2]

(ii) To measure the current through the lamp and the voltage across the lamp, the student set up the circuit in Fig. 9.2.

For Examiner's Use





Fig. 9.2

The student sketched a graph of current against voltage for the lamp. This is shown in Fig. 9.3.



	0	4	Heium Helium	2	20	Ne	Neon 10	40	Ar	Argon 18	84	Kr	Krypton 36	131	Xe	Xenon 54		Rn	Radon 86			-	175		7			Lawrencium 103
	۲I				19	ш	Fluorine 9	35.5	CI	Chlorine 17	80	Br	Bromine 35	127	Ι	lodine 53		At	Astatine 85				173	Y b Ytterbium	20	:	° N	102
	⋝	_			16	0	Oxygen 8	32	S	Sulfur 16	62	Se	Selenium 34	128	Te	Tellurium 52		Ро	Polonium 84				169	Thulium <b>B</b>	69		Md	Mendelevium 101
	>				14	z	Nitrogen 7	31	₽.	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	<u>.</u>	Bismuth 83				167	Erbium Erbium	68	1	Ш	Fermium 100
	≥				12	ပ	Carbon 6	28	Si	Silicon 14	73	Ge	Germanium 32	119	Sn	50 Tin	207	Ъb	Lead 82				165	Holmium	67	[	Es	Einsteinium aa
	≡	_			11	8	Boron 5	27	٩١	Aluminium 13	70	Ga	Gallium 31	115	In	Indium 49	204	11	Thallium 81				162	Dysprosium	66	2	ັບ	Californium
												Zn	Zinc 30	112	B	Cadmium 48	201	Hg	Mercury 80				159	Terbium	65	ī		Berkelium a7
											64	Cu	Copper 29	108	Ag	Silver 47	197	Au	Gold 79				157	Gd Gadolinium	64	(	C	Curium
Group											59	ïZ	Nickel 28	106	Pd	Palladium 46	195	Ę	Platinum 78				152	Europium	63		Am	Americium
											59	ပိ	Cobalt 27	103	Rh	Rhodium 45	192	Ir	Iridium 77				150	<b>Samarium</b>	62	1		Plutonium 0.1
	<b>⊤ I</b>	Hydrogen	1							56	Fe	Iron 26	101	Ru	Ruthenium 44	190	0s	Osmium 76				ſ	PB methium		:	dN	Neptunium	
											55	Mn	Manganese 25		ЦС	Technetium 43	186	Re	Rhenium 75				144	Neodymium		238		Uranium
											52	ບັ	Chromium 24	96	Мо	Molybdenum 42	184	8	Tungsten 74				141	Pr Praseodymium	59	1	Ра	Protactinium
											51	>	Vanadium 23	93	qN	Niobium 41	181	Та	Tantalum 73				140	Cerium Cerium	58	232	۲ ۲	Thorium
											48	F	Titanium 22	91	Zr	Zirconium 40	178	Ŧ	Hafnium 72							nic mass	pol	iic) number
													N						· *			+				5	Ę	UO.
		_						1			45	Sc	Scandium 21	88	≻	Yttrium 39	139	La	Lanthanum 57	227	Actinium	89	lseries	eries		= relative ato	= atomic sy	= proton (at
	=	-			6	Be	Beryllium 4	24	Mg	Magnesium 12			candium			Strontium Yttrium 38 39			Barium Lanthanun 56 57		Ra Actinium Radium	80	*58-71 Lanthanoid series	190-103 Actinoid series			X = atomic symbol	b = proton (atomic) number

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.