



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

COMBINED SCIENCE

0653/31

Paper 3 (Extended)

May/June 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 23 printed pages and 1 blank page.



1 Sugar cane is a food crop grown in Australia. It is harvested and then transported on small trains to the processing plant.

For Examiner's Use

Fig. 1.1 shows one of the trains carrying sugar cane.




Fig. 1.1

(a) The mass of the engine and empty trucks is 20 000 kg and the mass of the sugar cane transported is 10 000 kg.

The train travels at a speed of 0.5 m/s.

(i) Calculate the kinetic energy of the loaded train.

State the formula that you use and show your working.

formula used

working

[2]

(ii) To travel at this speed, a driving force of 1000000 N is needed.

Calculate the work done by the engine of the train when it travels 1 km.

State the formula that you use and show your working.

formula used

working

[2]

(iii)	It takes the train 5 minutes to travel 1 km. Calculate the power output of the engine.
	State the formula that you use and show your working.
	formula used
	working
	[2]

(b) The track for the train is composed of short lengths of steel rail with small gaps left between them as shown in Fig. 1.2.




Fig. 1.2

Suggest a reason for leaving these small gaps.	
	[2]

2

	ment is a substance that is made of atoms which have the same proton number. coms contain protons, neutrons and electrons.
(a) Na	me the element whose atoms do not usually contain any neutrons.
	[1]
	e electronic structures (configurations) of atoms of three elements, P , Q and R are own below.
	P 2,8,1 Q 2,8 R 2,7
(i)	Use the electronic structures to state and explain the group numbers in the Periodic Table that contain elements ${\bf P},{\bf Q}$ and ${\bf R}.$
	P Group
	Q Group
	R Group
	explanation
	[2]
(ii)	State and explain which of the elements, P , Q or R , is the least reactive.
	element
	explanation
	[1]
(iii)	State and explain which ${\bf one}$ of the elements, ${\bf P},{\bf Q}$ or ${\bf R},$ is a good conductor of electricity.
	element
	explanation
	[1]

(c) Most metallic elements occur combined with non-metals in the Earth's crust. For thousands of years, humans have carried out chemical reactions to extract metals from their ores.

For Examiner's Use

Fig. 2.1 shows a cross-section through a shaft furnace which was a simple reaction vessel used by ancient civilisations to extract iron.




Fig. 2.1

In this shaft furnace the mixture of raw materials consisted of charcoal and iron ore. Charcoal contains mainly carbon, and iron ore contains iron oxide.

(i) Name another raw material, which is added to a modern blast furnace but which is

Nowadays iron is extracted from iron ore in a blast furnace.

	not present in the shaft furnace in Fig. 2.1.
	Explain briefly why this material is used.
	name of material
	reason this material is used
	[2]
(ii)	Iron is extracted from iron ore when a gaseous oxide of carbon reacts with iron oxide.
	Write a word chemical equation for this reaction.

(d)	(i)	Suggest, in terms of relative reactivity, why a mixture of aluminium oxide and carbon does not produce any metallic aluminium in a blast furnace.	For Examiner's Use
		[2]	
	(ii)	Name the process that is used to extract aluminium from aluminium oxide.	
		[1]	

3 Marmots are herbivorous mammals. Fig. 3.1 shows a marmot.






Fig. 3.1

A study has been carried out into the marmots living in Colorado, USA.

The winters in this part of Colorado are so cold that the marmots would not be able to find enough food to eat. Instead, they allow their body temperature to drop much lower than normal and stay inactive for many months. This is called hibernation. They do not eat while they are hibernating. They emerge from hibernation in spring.

(a)	Before they hibernate, marmots build up large fat stores beneath their skin.	
	Suggest and explain what marmots must do in order to build up large fat stores in the bodies.	neir
		[2]

(b) Fig. 3.2 shows the percentage of marmots with different body masses that survive through the winter.

For Examiner's Use




Fig. 3.2

	(i)	Describe the relationship between a marmot's body mass and its chance of surviving the winter.
		[2]
	(ii)	Suggest how a layer of fat beneath the skin can reduce heat transfer from a hibernating marmot's body to its surroundings.
		[1]
(c)		he last twenty years, spring has been arriving earlier in the year in Colorado. This is esult of global warming.
		plain how human activities, other than the combustion of fossil fuels, are thought to tribute to global warming.
		[3]

(d) Fig. 3.3 shows the mean body mass of the marmots on the first day of August (during summer) between 1976 and 2006.

For Examiner's Use




Fig. 3.3

(i) Describe the general trend shown in Fig. 3.3.

[1]

(ii) Suggest how the earlier arrival of spring could be responsible for this trend.

4 Fig. 4.1 shows the apparatus a student used to investigate the effect of changing the acid concentration on the rate of reaction between excess dilute hydrochloric acid and magnesium. At the start of the experiment the measuring cylinder contained no gas and was full of water.

For Examiner's Use




Fig. 4.1

To carry out his investigation the student used the following method.

- He dropped the magnesium into the dilute acid.
- He immediately placed the bung into the side-arm test-tube and started a stopclock.
- He measured the volume of gas in the measuring cylinder every half minute, for eight minutes.

He carried out two experiments, $\bf A$ and $\bf B$, in which the only variable that he changed was the concentration of the hydrochloric acid.

6	and B .			
	1	 	 	

[1]

(a) State two other variables that the student needed to keep the same in experiments A

(b) Fig. 4.2 shows the results the student obtained for experiments **A** and **B**.

For Examiner's Use




Fig. 4.2

higher concentration?
Explain your answer.
experiment
explanation
[1]

(i) In which experiment, ${\bf A}$ or ${\bf B}$, did the student use hydrochloric acid which had the

(ii	The student was told that he could calculate the average rate of reaction using:
	average rate of reaction $=\frac{\text{maximum volume of gas collected}}{\text{minimum time taken to collect maximum volume}}$
	Use the information in Fig. 4.2 to calculate the average rate of reaction for experiment ${\bf A}$.
	Show your working and state the units.
	[2]
	[3]
	ne balanced symbolic equation for the reaction between hydrochloric acid and agnesium is shown below.
	Mg (s) + $2HCl$ (aq) \longrightarrow MgC l_2 (aq) + H_2 (g)
(i	What is meant by the state symbol (aq) in this equation?
	[1]
(ii	Suggest why the reaction in both experiments A and B above produced the same volume of gas.

BLANK PAGE

Please turn over for Question 5.

5	(a)	A ba	at produces a sound wave with a frequency of 212 kHz and a wavelength of 0.0016 m.
		(i)	This sound is outside the audible frequency range for humans.
			State the approximate audible frequency range for humans.
			[1]
		(ii)	State the meaning of the terms <i>frequency</i> and <i>wavelength</i> , when describing a wave. You may use a diagram if it helps your explanation.
			frequency
			wavelength
			[2]
		(iii)	Calculate the speed of the sound wave produced by the bat.
	,	(,	State the formula that you use and show your working.
			formula used
			working
			[2]

© UCLES 2012 0653/31/M/J/12

For Examiner's Use

(iv)	Sound travels through the air by a series of compressions and rarefactions.
	Describe what this means in terms of air particles.
	[2]
(b) A g	irl shouts and waves to another girl in the school playground as shown in Fig. 5.1.
	Fig. 5.1
	e sound energy and the light energy both travel from one girl to the other by wave tion.
(i)	State whether sound waves and light waves are transverse or longitudinal.
	Sound waves are
	Light waves are [2]
(ii)	The girls could have communicated with each other using their mobile phones (cell phones).
	Name the type of electromagnetic wave used to communicate between mobile phones.
	[1]

6 Fig. 6.1 shows part of a section across a root from a radish plant, photographed through a microscope.

For Examiner's Use




Fig. 6.1

(a) On Fig. 6.1, use a label line to label a root hair cell. [1]
(b) Root hair cells absorb water from the soil.
(i) State one other function of root hair cells. [1]
(ii) Explain how root hair cells are adapted for their functions.

(c)	solu	omplete radish plant was placed with the lower part of the root standing in water. A uble red dye was added to the water. After a while, the veins in the leaves of the sh plant became red.
	(i)	Name the tissue in the radish plant through which the coloured water was transported from the roots to the leaves.
		[1]
	(ii)	On Fig. 6.1, write the letter A to show the position of this tissue in the root. [1]
	(iii)	Water was drawn up through the radish plant because water vapour was constantly escaping from its leaves. A plastic bag was placed over the leaves of the radish plant, and the water vapour formed colourless droplets of liquid water on the bag as it condensed.
		Explain why these water droplets were not red.
		[2]

7	(a)	(i)	Draw a circuit diagram that a student could use to investigate how the change in potential difference across a lamp affects the current flowing through it.	For Examiner's Use
			[3]	
		(ii)	During his investigations, the student measured the voltage across the lamp as 3.0 V and the current passing through the lamp as 0.3 A.	
			Calculate the resistance of the lamp.	
			State the formula that you use and show your working.	
			formula used	
			working	
			[2]	

(b) Table 7.1 shows some information about six pieces of wire, all at room temperature (20 °C).

For Examiner's Use

Table 7.1

wire	metal composition	length/cm	cross-sectional area/mm²
Α	copper	10	0.5
В	nichrome	10	0.5
С	copper	20	0.5
D	nichrome	20	0.5
E	copper	10	1.0
F	copper	20	1.0


		-	30pp3.			
	(i)	Which	wire, B or D , will have the	greater resistand	ce?	
		Explain	your answer.			
		wire				
						[1]
	(ii)	Which	wire, A or E , will have the	greater resistand	ce?	
		Explain	your answer.			
		wire				
						[1]
(c)	Αp	lastic ro	d is rubbed with a cloth.			
	The	e rod bed	comes charged.			
	The	ere are tv	wo types of electric charge) .		
	(i)	State th	ne names of these charges	S.		
		1				
		2				[1]
	(ii)	Charge	d particles are transferred	between the roo	l and cloth.	
		Name t	he charged particles trans	ferred.		[1]

8 Hydrocarbons are compounds that contain carbon and hydrogen only.


For Examiner's Use

The hydrocarbon that contains the simplest molecules is methane.

(a) (i) The diagrams below show an atom of carbon and an atom of hydrogen.



Complete the covalent bonding diagram of a molecule of methane to show how the bonding electrons are arranged.



[2]

(ii) Complete the molecular structure diagrams below to show molecules of the hydrocarbons ethane and ethene.

ethane	H—C
ethene	O—I

[2]

(b) In many countries, ethanol, C_2H_6O , is add	led to hydrocarbon fuels such as gasoline.	For Examiner's
The products of complete combustion hydrocarbons such as methane.	of ethanol are the same as those	1
Suggest the word chemical equation for t	ne complete combustion of ethanol.	
	I	[2]

9	(a)	Define the term hormone.
		[3]
	(b)	Adrenaline is sometimes called the 'fright, flight or fight' hormone. It is produced when a person is frightened.
		One effect of adrenaline is to increase a person's pulse rate.
		Explain how this could help a person to run away from the thing that has frightened them.
		[2]
	(c)	Plants also produce hormones. One plant hormone is auxin. Auxin helps plant shoots to respond to light coming from only one direction.
		(i) State the correct term for the growth response of a plant to light coming from only one direction.
		[1]

(ii)	Explain how auxin helps a plant shoot respond to light coming from only one direction. You may use a diagram as part of your explanation.	For Examiner's Use
	[3]	

Copyright Acknowledgements:

Question 6 Photograph

© B23WP8 cross section of a radish root;

Biodisc/Visuals Unlimited/Alamy.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012

DATA SHEET
The Periodic Table of the Elements

								Ğ	Group								
_	=											=	2	>	5	II/	0
							T Hydrogen										4 He Heium
7 Lithium	9 Beryllium						-					Boron 2	12 Carbon	14 N itrogen	16 Oxygen	19 Fluorine	20 Neon 10
23 Na Sodium	24 Mg Magnesium											27 A1 Aluminium 13	28 Silicon	31 Phosphorus	32 Sulfur 16	35.5 C1 Chlorine	40 Ar Argon
39 K Potassium	40 Ca Calcium	Scandium	48 Ti Titanium	51 V Vanadium 23	52 Cr Chromium 24	Mn Manganese 25	56 Fe Iron	59 Co Cobalt	59 Nickel	64 Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	AS Arsenic	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
Rb Rubidium 37	Strontium	89 Y Yttrium	2r Zirconium 40	93 Nb Niobium	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	Rh Rhodium	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 n Indium 49	Sn Tin	122 Sb Antimony 51	128 Te Tellurium 52	127 	131 Xe Xenon Xenon 54
Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 F	195 Pt Platinum 78	197 Au Gold	201 Hg Mercury 80	204 T 1 Thallium	207 Pb Lead	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
Francium 87	226 Ra Radium 88	227 Ac Actinium 89															
*58-71 190-103	*58-71 Lanthanoid series 190-103 Actinoid series	id series series		140 Ce Cerium 58	141 Pr Praseodymium 59	Neodymium 60	Pm Promethium 61	Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium	173 Yb Ytterbium 70	175 Lu Lutetium 71
Key	« ×	 a = relative atomic mass X = atomic symbol b = proton (atomic) number 	ic mass ool ic) number	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Neptunium	Pu Plutonium 94	Am Americium 95	Cm Curium	Bk Berkelium 97	Californium	Es Einsteinium 99	Fm Fermium	Md Mendelevium 101	Nobelium	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).