



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

\* 6 0 1 6 2 3 5 3 0 4 \*

**COMBINED SCIENCE**

**0653/21**

Paper 2 (Core)

**May/June 2013**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **23** printed pages and **1** blank page.



- 1 (a) Table 1.1 shows the numbers of protons, neutrons and electrons in four atoms, **A**, **B**, **C** and **D**.

For  
Examiner's  
Use

**Table 1.1**

atom	protons	neutrons	electrons
<b>A</b>	1	0	1
<b>B</b>	8	8	8
<b>C</b>	1	1	1
<b>D</b>	15	16	15

- (i) Name the central part of an atom that contains protons and neutrons.

..... [1]

- (ii) Explain which one of the atoms, **A**, **B**, **C** or **D**, has a nucleon number (mass number) of 16.

atom .....

explanation .....

..... [2]


- (iii) Use the information in Table 1.1 to explain why atoms do **not** have an overall electrical charge.

.....

.....

..... [2]

(b) Fig. 1.1 shows containers of hydrogen and helium.



**Fig. 1.1**

(i) Hydrogen is usually described as a non-metal.

Name the type of chemical bond joining the atoms in a hydrogen molecule.


..... [1]

(ii) Suggest why helium exists as uncombined atoms.

.....  
 ..... [1]

(c) Hydrogen is often included in the reactivity series of metals.

Use the idea of reactivity to explain the observations shown in Fig. 1.2.



**Fig. 1.2**

.....  
 .....  
 .....  
 ..... [2]

2 (a) A fishing boat is floating on the sea.

A fisherman drops a heavy anchor from the boat. The anchor accelerates as it falls through the water.

(i) Name the downward force which makes the anchor accelerate.

..... [1]

(ii) Complete the sentence below to describe the main energy change that happens to the anchor during its fall.

..... energy is changed into .....

energy. [2]

(b) Fig. 2.1 shows a diagram of a water wave.




Fig. 2.1


Which measurement **A**, **B**, **C**, **D** or **E** is

(i) the wavelength of the wave? ..... [1]

(ii) the amplitude of the wave? ..... [1]

(c) Water waves are a renewable energy resource.

Fig. 2.2 shows how water waves can be used to produce electricity.



**Fig. 2.2**

Complete the sentences below to describe how the kinetic energy of the waves is changed into electrical energy.

The kinetic energy of the waves is transferred into the gravitational potential energy of the water.

This causes the air to move and make the ..... spin.

Electrical energy is produced in the ..... [2]

For  
Examiner's  
Use

3 Fig. 3.1 shows some organisms that live in and around a pond.

For  
Examiner's  
Use




Fig. 3.1

(a) Herons eat fish. Water snails eat water plants, such as yellow water lilies.

Tick **all** the boxes that correctly describe each organism.

	producer	consumer	carnivore	herbivore
heron				
water snail				
yellow water lily				

[3]

(b) The addition of a harmful substance to the environment is called pollution. Two examples of pollution caused by human activities are

- untreated sewage entering a pond,
- the release of methane into the atmosphere.

(i) Explain why untreated sewage entering a pond may cause fish to die.

.....

.....

.....

..... [2]

- (ii) Methane is produced by bacteria and other decomposers breaking down organic waste material in rubbish dumps.

*For  
Examiner's  
Use*

Describe how air pollution by methane can harm the environment.

.....

.....


.....

..... [2]

4 Petroleum (crude oil) and rock salt occur naturally in the Earth's crust.

(a) Petroleum is a mixture that contains thousands of different compounds. Many of these compounds are alkanes.

(i) Complete the diagram of the alkane molecule that contains two carbon atoms.



[2]

(ii) Fig. 4.1 shows a simple pie chart of the composition of natural gas.




Fig. 4.1

Name gas X. .... [1]



- (b) When petroleum is refined, it is separated into fractions.

Fig. 4.2 shows a simplified diagram of apparatus that is used to refine petroleum.




Fig. 4.2

- (i) State the full name of the process shown in Fig. 4.2.

..... [1]

- (ii) Refinery gas and diesel oil are used as fuels.

Name the **two** compounds that are formed when alkanes in these fuels undergo complete combustion.


..... and ..... [2]

- (c) Rock salt contains mainly sodium chloride which is a compound of the alkali metal, sodium, and the halogen, chlorine.

- (i) Explain why the uncombined elements sodium and chlorine are **not** found in the Earth's crust.

.....  
 ..... [1]

(ii) Fig. 4.3 shows diagrams of a sodium atom and a chlorine atom.



**Fig. 4.3**

When sodium reacts with chlorine, the atoms shown in Fig. 4.3 first change into electrically charged atoms known as ions.

Describe briefly what happens when sodium atoms and chlorine atoms are changed into ions.

.....

.....

..... [2]

For  
Examiner's  
Use

5 Milk is a liquid produced by cows and other mammals, on which they feed their young.

For  
Examiner's  
Use

Table 5.1 shows the mass of some of the substances in 100g samples of milk from two mammals.

**Table 5.1**

substance	cow's milk	water-buffalo's milk
protein/g	3.2	4.5
fat/g	3.9	8.0
carbohydrate/g	4.8	4.9
calcium/mg	120	195

(a) Which substance shown in Table 5.1 is present in the samples of milk in the smallest quantity?

..... [1]

(b) Suggest which substance, **not** shown in Table 5.1, is present in the samples of milk in the largest quantity.

..... [1]

(c) Explain why both cow's milk and water-buffalo's milk produce a violet colour when tested with biuret solution.

..... [1]

(d) Predict the colour you would see if you added iodine solution to cow's milk.

Explain your answer.

colour .....

explanation ..... [2]

(e) List the components of milk, shown in Table 5.1, that provide energy.

..... [1]

(f) Explain **one** way in which drinking water-buffalo's milk might be better for a person's health than drinking cow's milk.

.....  
..... [2]

- 6 (a) In a store, two workers are lifting 5 kg bags of flour onto the shelves. There are five shelves, 0.5 m apart. The lowest shelf is 0.5 m from the floor.

For  
Examiner's  
Use

Fig. 6.1 shows the two workers.




Fig. 6.1

- (i) Worker X lifts a bag of flour onto shelf 2. Worker Y lifts a bag of flour onto shelf 4.

Which worker has done more work?

Explain your answer.

worker ..... because ..... [1]

- (ii) State the unit in which work and energy are measured. .... [1]

- (iii) State the mass of each 5 kg bag of flour in grams. .... g [1]

- (iv) Each 5 kg bag of flour has a volume of  $5500 \text{ cm}^3$ .

Calculate the average density of the bag of flour. State your answer in  $\text{g/cm}^3$ .

State the formula that you use and show your working.

formula

working


.....  $\text{g/cm}^3$  [2]

(b) Three boys, **A**, **B** and **C**, walk together from their school to a store. They stay at the store for a few minutes and then return to school.

When they leave the store,

- one boy walks back to school at a steady pace,
- one boy walks back to school at a slower steady pace,
- one boy slows down gradually as he walks back to school.

The graph in Fig. 6.2 shows how their speeds vary with time during the whole journey to the store and back again.



**Fig. 6.2**

(i) Calculate the distance of the store from the school.

Show your working.

..... m [2]

(ii) For how many seconds do the boys stay in the store?

..... s [1]

(iii) Which boy slowed down on his way back to school?

State a reason for your answer.

boy ..... because .....

..... [2]

- 7 (a) Sodium hydrogencarbonate,  $\text{NaHCO}_3$ , is a white solid compound.

State the number of different elements that are shown combined in the formula,  $\text{NaHCO}_3$ .

..... [1]

- (b) Fig. 7.1 shows apparatus a student used to investigate the reaction between sodium hydrogencarbonate and dilute hydrochloric acid.




Fig. 7.1

The student observed that the indicator changed colour from green to orange.

Explain this observation.

.....  
 .....  
 ..... [2]

- (c) The student investigated the temperature change when sodium hydrogencarbonate was added to excess dilute hydrochloric acid.

For  
Examiner's  
Use

Fig. 7.2 shows the apparatus she used.




Fig. 7.2

Table 7.1 shows the temperature measurements the student made.

Table 7.1

temperature of the acid before the reaction / °C	19.0
temperature of the reaction mixture after reaction / °C	12.0

- (i) Calculate the temperature change that occurred during the reaction.

..... °C [2]

- (ii) State the term that is used to describe chemical reactions that cause this **type** of temperature change.

..... [1]

- (d) A soluble calcium compound can be made by reacting lemon juice with finely powdered egg shells, which are made mainly of calcium carbonate.

Lemon juice contains a relatively low concentration of acid.

State the effect on the rate of reaction of

using a relatively low acid concentration,

.....

using egg shells in the form of a fine powder.

..... [2]

8 Fig. 8.1 shows the human gas exchange system.

For  
Examiner's  
Use




Fig. 8.1

(a) Name structures **A** and **B**.

**A** .....

**B** ..... [2]

(b) Table 8.1 shows the differences in the composition of inspired and expired air.

Table 8.1

gas	percentage in inspired air	percentage in expired air
nitrogen	78	
oxygen	21	17
carbon dioxide	0.04	4
noble gases	1	

(i) Complete Table 8.1. [1]

(ii) Name **one** noble gas that is present in air.

..... [1]



- (iii) Explain why the air that we breathe out (expired air) contains less oxygen and more carbon dioxide than the air we breathe in.

.....  
.....  
.....  
..... [2]

- (iv) Describe how you could show that expired air contains more carbon dioxide than inspired air. You can use a diagram if it helps your answer.

.....  
.....  
.....  
..... [3]

For  
Examiner's  
Use

- (c) An athlete exercised on a treadmill. The treadmill measured her power output, in watts. The faster she ran, the greater her power output.

For  
Examiner's  
Use



- (i) Explain why the athlete's power output was greater when she ran faster.

.....


.....

.....

..... [2]

- (ii) The athlete was connected to a machine that measured the rate and depth of her breathing.

Fig. 8.2 shows how her depth of breathing changed when she ran with different power outputs.



**Fig. 8.2**

Describe how the athlete's depth of breathing changed when she ran with a greater power output.

.....

.....

.....

..... [2]

- (iii) State **one** other way in which her breathing would change when she ran with a greater power output.

..... [1]

9 (a) Complete the following sentences choosing from the terms below.

Each term may be used once, more than once or not at all.

**current**      **parallel**      **potential difference**  
**resistance**      **series**      **watt**

A flow of electric charge is called a .....


An ammeter is used to measure .....

[2]

*For  
Examiner's  
Use*

- (b) A student investigated how a change in potential difference across a lamp affected the current flowing through the lamp.

She used wires to connect the components shown in Fig. 9.1 to make a circuit.




**Fig. 9.1**

Using the correct circuit symbols, draw a diagram to show the circuit she used.

[4]

- (c) Electricity is often transmitted through overhead power cables hung from pylons. If these cables are put up on a hot summer day, they are hung loosely from the pylons as shown in Fig. 9.2.

*For  
Examiner's  
Use*



**Fig. 9.2**

Suggest why the cables are hung loosely.

.....

.....

..... [2]



**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																																																																																																																																											
		I	II	III	IV	V	VI	VII	VIII	IX	X																																																																																																																																		
		1 <b>H</b> Hydrogen 1																																																																																																																																											
7	9	<b>Li</b> Lithium 3	<b>Be</b> Beryllium 4																																																																																																																																										
23	24	<b>Na</b> Sodium 11	<b>Mg</b> Magnesium 12																																																																																																																																										
39	40	<b>K</b> Potassium 19	<b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36																																																																																																																										
85	88	<b>Rb</b> Rubidium 37	<b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	101 <b>Ru</b> Ruthenium 44	101 <b>Rh</b> Rhodium 45	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54																																																																																																																										
133	137	<b>Cs</b> Caesium 55	<b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	210 <b>Rn</b> Radon 86																																																																																																																											
	226	<b>Fr</b> Francium 87	<b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89																																																																																																																																									
		*58-71 Lanthanoid series										†90-103 Actinoid series																																																																																																																																	
		<table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 2px;">a</td> <td style="padding: 2px;"><b>X</b></td> </tr> <tr> <td style="padding: 2px;">b</td> <td style="padding: 2px;"></td> </tr> </table>										a	<b>X</b>	b		a = relative atomic mass X = atomic symbol b = proton (atomic) number																																																																																																																													
a	<b>X</b>																																																																																																																																												
b																																																																																																																																													
		140 <b>Ce</b> Cerium 58										141 <b>Pr</b> Praseodymium 59										144 <b>Nd</b> Neodymium 60										150 <b>Sm</b> Samarium 62										152 <b>Eu</b> Europium 63										157 <b>Gd</b> Gadolinium 64										162 <b>Dy</b> Dysprosium 66										165 <b>Ho</b> Holmium 67										167 <b>Er</b> Erbium 68										169 <b>Tm</b> Thulium 69										173 <b>Yb</b> Ytterbium 70										175 <b>Lu</b> Lutetium 71																													
		232 <b>Th</b> Thorium 90										238 <b>U</b> Uranium 92										238 <b>Pa</b> Protactinium 91										238 <b>Np</b> Neptunium 93										238 <b>Pu</b> Plutonium 94										238 <b>Am</b> Americium 95										238 <b>Cm</b> Curium 96										238 <b>Bk</b> Berkelium 97										238 <b>Cf</b> Californium 98										238 <b>Es</b> Einsteinium 99										238 <b>Fm</b> Fermium 100										238 <b>Md</b> Mendelevium 101										238 <b>No</b> Nobelium 102										238 <b>Lr</b> Lawrencium 103									

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.