

Centre Number

Candidate Number

Name

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

COMBINED SCIENCE**0653/03**

Paper 3

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a soft pencil for any diagrams, graphs, tables or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.

The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is printed on page 20.

For Examiner's Use

1

2

3

4

5

6

7

8

9

Total

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

This document consists of **19** printed pages and **1** blank page.



1 (a) Blood contains red cells, white cells and platelets.

(i) Describe how you can recognise red blood cells, apart from their colour, if you are looking at a blood sample using a microscope.

.....
[1]

(ii) What is the function of platelets?

.....[1]

(b) White blood cells can destroy harmful micro-organisms. Fig. 1.1 shows how two different types of white blood cells work together to destroy bacteria in a person's body.




Fig. 1.1

(i) Name

cell A,

cell B,

the molecules secreted by cell A.

[3]

- (ii) The first time that a person is infected by a particular kind of bacterium he may become ill. However, if these bacteria get into the body a second time, the person will probably be immune to this illness.

Explain how the person becomes immune.

.....
.....
.....
.....[2]

- (iii) Cell **B** secretes enzymes into the vacuole containing the bacteria. These include proteases.

Suggest how proteases can help to destroy the bacteria.

.....
.....
.....[2]

- 2 Fig. 2.1 shows apparatus that a student used to study the rate of reaction when hydrogen peroxide decomposes.

The equation for this reaction is shown below.





Fig. 2.1

The student added 5.0 g of the insoluble solid manganese dioxide which acted as a catalyst.

- (a) Describe how the student could test the gas produced in this reaction to show that it is oxygen.

.....
.....[2]

- (b) When the reaction was complete, the student separated the substances which were left in the boiling tube. Fig. 2.2 shows the result of the separation.




Fig. 2.2

- (i) Name the method of separation shown in Fig. 2.2.
[1]
- (ii) Name liquid Q.
[1]
- (iii) Predict the mass of dry manganese dioxide which the student obtained and explain your answer.
 mass
 explanation
[2]

- (c) Fig. 2.3 shows the results of three experiments, **A**, **B** and **C**, which the student obtained using the apparatus in Fig. 2.1. In each experiment the mass of manganese dioxide and the volume and concentration of hydrogen peroxide solution were kept constant.




Fig. 2.3

- (i) Explain how the results shown in Fig. 2.3 show that the rate of reaction was the lowest for experiment **C**.

.....
[1]

- (ii) Explain which experiment, **A**, **B** or **C**, used manganese dioxide which had the highest surface area.

.....

[2]

- 3 (a) Fig. 3.1 shows a soft iron ring. Two coils, X and Y, each of 200 turns are wound around the ring. Coil X is connected to a power supply and coil Y is connected to a 12 V lamp.




Fig. 3.1

Describe and explain what happens to the lamp when

- (i) the power supply is 12 V a.c.

.....

- (ii) the power supply is 12 V d.c.

.....
[3]

- (b) Electricity is transmitted at a very high voltage and relatively low current. This is because it is cheaper than sending it at a lower voltage and higher current. Explain why it is cheaper.

.....

[1]

(c) Fig. 3.2 shows a bicycle with lights and reflectors.



Fig. 3.2

Fig. 3.3 shows a circuit used to power the two lamps on the bicycle from one battery.




Fig. 3.3

(i) What is the name given to this method of connecting two lamps together?

.....[1]

(ii) If the filament in the back lamp breaks, current can no longer flow through the lamp. Will the front lamp stay alight or go out? Explain your answer.

.....
[1]

- (iii) The resistance of each lamp in this circuit is 4 ohms. Calculate the combined resistance of the two lamps. Show your working and state the formula that you use.

formula used

working

.....[2]

- (d) Another method of connecting the lamps is shown in Fig. 3.4.




Fig. 3.4

- (i) In this circuit, what happens to the front lamp if the filament in the back lamp breaks?

Explain your answer.

.....[1]

- (ii) State the combined resistance of the two lamps in this circuit.

.....[1]

- (e) The reflectors on bicycles are made of clear red plastic and use the idea of total internal reflection.

Fig. 3.5 shows light hitting part of a reflector.




Fig. 3.5

Complete the diagram above to show how light leaves the reflector.

[2]

- 4 Fig. 4.1 shows an insect-pollinated flower.




Fig. 4.1

- (a) Give the **letter** of the part of the flower which attracts insects to the flower;
contains the female gametes.

[2]

- (b) Describe how this flower could be pollinated.

.....

.....

.....

.....

[3]

(c) (i) Describe how the stamens of a wind-pollinated flower would differ from the stamens of the flower in Fig. 4.1.

.....
.....[1]

(ii) Wind-pollinated flowers tend to produce much larger quantities of pollen than insect-pollinated flowers.

Suggest a reason for this difference.

.....
.....
.....[2]

(d) The type of reproduction which involves flowers is sexual reproduction.

Explain **one** advantage to a plant of sexual reproduction, as compared to asexual reproduction.

.....
.....
.....[2]

5 Malachite is a compound of copper found in the Earth's crust. The chemical formula of malachite is $\text{Cu}_2\text{CO}_3(\text{OH})_2$.

(a) (i) State the number of different elements shown in the formula of malachite.

.....[1]

(ii) State the total number of atoms shown in the formula of malachite.

.....[1]

(b) (i) The formulae of four substances are shown below. Underline the formula of the substance that does **not** react with dilute hydrochloric acid to form copper chloride solution.

CuO Cu CuCO_3 $\text{Cu}(\text{OH})_2$ [1]

(ii) Copper chloride solution contains copper ions, Cu^{2+} , and chloride ions, Cl^- .

Explain why the formula of copper chloride is CuCl_2 .

.....
.....[1]

(c) Table 5.1 shows the results obtained by a student who added small pieces of different metals to copper chloride solution.

Table 5.1

metal added	observations
magnesium	<ul style="list-style-type: none"> • magnesium dissolves • brown insoluble solid produced
silver	no reaction
zinc	<ul style="list-style-type: none"> • zinc dissolves • brown insoluble solid produced

Explain why magnesium and zinc reacted but silver did not.

.....
.....[1]

- (d) Fig. 5.1 shows the electrolysis of copper chloride solution. In this process copper forms on one of the electrodes and chlorine is produced at the other.




Fig. 5.1

- (i) Show the electrical charges of the electrodes by writing the symbols $+$ and $-$ in the circles and explain your answer.

.....

[2]

- (ii) In this process copper ions, Cu^{2+} , are changed into copper atoms, Cu . Explain the difference, in terms of electrons, between a copper ion and a copper atom.

.....

[2]

- 6 Penguins can swim underwater. When swimming, they can accelerate from 0 m/s to 6 m/s in 1.0 s.

Seals can accelerate from 0 m/s to their maximum speed of 2 m/s in 0.6 s.


- (a) The acceleration of a penguin is 6 m/s^2 . Calculate the acceleration of a seal. Show your working and state the formula that you use.

formula used

working

.....[2]

- (b) Fig. 6.1 shows the speed-time graph for a penguin starting from rest. On the same axes draw a speed-time graph for a seal starting from rest.



[2]

Fig. 6.1

- (c) A seal starts to chase a penguin. The penguin immediately swims away.

The seal and the penguin are both at rest before the chase starts.

Use your graph to determine how much further the penguin will travel than the seal in the first four seconds of the chase. Show your working.

.....[3]

7 Fig trees grow in tropical rainforests. Fig trees provide food for monkeys and birds such as toucans. These animals may be eaten by eagles.

(a) Construct a food web showing the feeding relationships between these four organisms.

[2]

(b) Fig trees are the producers in this food web.

Describe how plants such as fig trees transfer energy from sunlight into chemical energy.

.....
.....
.....
.....[3]

(c) Food chains rarely have more than four or five links in them.

Explain why this is so.

.....
.....
.....[2]

(d) Tropical rainforests in many parts of the world are being destroyed by logging. Give **two** reasons why the conservation of tropical rainforests is important.

.....
.....
.....
.....[2]

8 The metallic element potassium and the non-metallic element chlorine react together to form the compound potassium chloride.

(a) Complete Table 8.1 by writing names of substances in the left-hand column, chosen from the list below.

potassium chlorine potassium chloride

Table 8.1

substance	description
	used to kill harmful micro-organisms in water
	reacts with water to form an alkali
	dissolves in water to form an electrolyte

[2]

(b) Fig. 8.1 shows a diagram of a chlorine atom.




Fig. 8.1

(i) State the number of **complete** electron energy levels shown in the atom in Fig. 8.1.

.....[1]

(ii) Explain why this atom is electrically neutral.

.....
.....[1]

(c) Chlorine joins with hydrogen to make the covalent compound, hydrogen chloride.

(i) Write the balanced symbolic equation for the reaction.

.....[2]

(ii) Draw a diagram of a hydrogen chloride molecule showing how the outer electrons are arranged.

[2]

Question 9 is found on page 18

9 Explain each of the following.

(a) Alpha and beta radiations are affected by electric fields but gamma radiation is not.

.....
.....
.....[1]

(b) Used aerosol cans may explode if they are thrown into a fire.

.....
.....
.....[1]

(c) The heater element in a kettle is placed at the bottom of the kettle but all the water reaches boiling point.

.....
.....
.....
.....
.....[2]

(d) A satellite is able to orbit the Earth without falling to its surface.

.....
.....
.....
.....
.....[3]

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																																																																													
I	II	III	IV	V	VI	VII	O					O																																																																																																																																			
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 N Nitrogen 7	15 O Oxygen 8	16 F Fluorine 9	17 Ne Neon 10	18 Ar Argon 18	19 K Potassium 19	20 Ca Calcium 20	21 Sc Scandium 21	22 Ti Titanium 22	23 V Vanadium 23	24 Cr Chromium 24	25 Mn Manganese 25	26 Fe Iron 26	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36	37 Rb Rubidium 37	38 Sr Strontium 38	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54	55 Cs Caesium 55	56 Ba Barium 56	57 La Lanthanum 57	58 Ce Cerium 58	59 Pr Praseodymium 59	60 Nd Neodymium 60	61 Pm Promethium 61	62 Sm Samarium 62	63 Eu Europium 63	64 Gd Gadolinium 64	65 Tb Terbium 65	66 Dy Dysprosium 66	67 Ho Holmium 67	68 Er Erbium 68	69 Tm Thulium 69	70 Yb Ytterbium 70	71 Lu Lutetium 71	72 Hf Hafnium 72	73 Ta Tantalum 73	74 W Tungsten 74	75 Re Rhenium 75	76 Os Osmium 76	77 Ir Iridium 77	78 Pt Platinum 78	79 Au Gold 79	80 Hg Mercury 80	81 Tl Thallium 81	82 Pb Lead 82	83 Bi Bismuth 83	84 Po Polonium 84	85 At Astatine 85	86 Rn Radon 86	87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103	104 Rf Rutherfordium 104	105 Db Dubnium 105	106 Sg Seaborgium 106	107 Bh Bohrium 107	108 Hs Hassium 108	109 Mt Meitnerium 109	110 Ds Darmstadtium 110	111 Rg Roentgenium 111	112 Cn Copernicium 112	113 Nh Nihonium 113	114 Fl Flerovium 114	115 Mc Moscovium 115	116 Lv Livermorium 116	117 Ts Tennessine 117	118 Og Oganesson 118																																	
												119 Uu Ununennium 119	120 Uu Unbinilium 120	121 Uu Untrium 121	122 Uu Unquadrium 122	123 Uu Unquadium 123	124 Uu Unpentium 124	125 Uu Unsextium 125	126 Uu Unseptium 126	127 Uu Unoctium 127	128 Uu Unnonium 128	129 Uu Undecium 129	130 Uu Undecium 130	131 Uu Untrium 131	132 Uu Unquadrium 132	133 Uu Unquadium 133	134 Uu Unpentium 134	135 Uu Unsextium 135	136 Uu Unseptium 136	137 Uu Unoctium 137	138 Uu Unnonium 138	139 Uu Undecium 139	140 Uu Undecium 140	141 Uu Untrium 141	142 Uu Unquadrium 142	143 Uu Unquadium 143	144 Uu Unpentium 144	145 Uu Unsextium 145	146 Uu Unseptium 146	147 Uu Unoctium 147	148 Uu Unnonium 148	149 Uu Undecium 149	150 Uu Undecium 150	151 Uu Untrium 151	152 Uu Unquadrium 152	153 Uu Unquadium 153	154 Uu Unpentium 154	155 Uu Unsextium 155	156 Uu Unseptium 156	157 Uu Unoctium 157	158 Uu Unnonium 158	159 Uu Undecium 159	160 Uu Undecium 160	161 Uu Untrium 161	162 Uu Unquadrium 162	163 Uu Unquadium 163	164 Uu Unpentium 164	165 Uu Unsextium 165	166 Uu Unseptium 166	167 Uu Unoctium 167	168 Uu Unnonium 168	169 Uu Undecium 169	170 Uu Undecium 170	171 Uu Untrium 171	172 Uu Unquadrium 172	173 Uu Unquadium 173	174 Uu Unpentium 174	175 Uu Unsextium 175	176 Uu Unseptium 176	177 Uu Unoctium 177	178 Uu Unnonium 178	179 Uu Undecium 179	180 Uu Undecium 180	181 Uu Untrium 181	182 Uu Unquadrium 182	183 Uu Unquadium 183	184 Uu Unpentium 184	185 Uu Unsextium 185	186 Uu Unseptium 186	187 Uu Unoctium 187	188 Uu Unnonium 188	189 Uu Undecium 189	190 Uu Undecium 190	191 Uu Untrium 191	192 Uu Unquadrium 192	193 Uu Unquadium 193	194 Uu Unpentium 194	195 Uu Unsextium 195	196 Uu Unseptium 196	197 Uu Unoctium 197	198 Uu Unnonium 198	199 Uu Undecium 199	200 Uu Undecium 200	201 Uu Untrium 201	202 Uu Unquadrium 202	203 Uu Unquadium 203	204 Uu Unpentium 204	205 Uu Unsextium 205	206 Uu Unseptium 206	207 Uu Unoctium 207	208 Uu Unnonium 208	209 Uu Undecium 209	210 Uu Undecium 210	211 Uu Untrium 211	212 Uu Unquadrium 212	213 Uu Unquadium 213	214 Uu Unpentium 214	215 Uu Unsextium 215	216 Uu Unseptium 216	217 Uu Unoctium 217	218 Uu Unnonium 218	219 Uu Undecium 219	220 Uu Undecium 220	221 Uu Untrium 221	222 Uu Unquadrium 222	223 Uu Unquadium 223	224 Uu Unpentium 224	225 Uu Unsextium 225	226 Uu Unseptium 226	227 Uu Unoctium 227	228 Uu Unnonium 228	229 Uu Undecium 229	230 Uu Undecium 230	231 Uu Untrium 231	232 Uu Unquadrium 232	233 Uu Unquadium 233	234 Uu Unpentium 234	235 Uu Unsextium 235	236 Uu Unseptium 236	237 Uu Unoctium 237	238 Uu Unnonium 238	239 Uu Undecium 239	240 Uu Undecium 240	241 Uu Untrium 241	242 Uu Unquadrium 242	243 Uu Unquadium 243	244 Uu Unpentium 244	245 Uu Unsextium 245	246 Uu Unseptium 246	247 Uu Unoctium 247	248 Uu Unnonium 248	249 Uu Undecium 249	250 Uu Undecium 250

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a	X
b	

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).