MNN. Firemed abers com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2013 series

0653 COMBINED SCIENCE

0653/32

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



1 (a)	P Q R (m (m	[3]	
(b)) (i)	chlorine ;	[1]
	(ii)	copper is / copper atoms are forming / copper ions are being copper ions are gaining electrons; copper ions are being discharged / (gaining) two (electrons)	
(c)		sodium and chloride ions have opposite (electrical) charge; reference to force of attraction (between opposite charges);	
2 (a)) (i)	reflection ; total internal ; when angle (of incidence) is greater than critical angle ;	[3]

Syllabus

0653

Paper

32

Mark Scheme

IGCSE – October/November 2013

(b) sound waves need a medium;

(ii) time = distance/speed;

(iii) distance is less (for optical fibre);

0.03s;

Page 2

as the air is sucked out there is less of a medium to convey the sound wave; no air means sound waves cannot pass through;

[max 2]

[2]

[1]

[Total: 8]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2013	0653	32

3 (a) (i) increased / numerical example; [1]

(ii) colour change (blue) to red; effervescence / (gas) bubbles produced; [2]

(b) (i) colour change of cobalt chloride paper shows water and limewater reaction shows carbon dioxide;

(test results are not required) [1]

- (ii) $2NaHCO_3 \rightarrow Na_2CO_3 + CO_2 + H_2O$;; [2] (LHS RHS; and balanced;)
- (iii) sodium hydrogencarbonate provides barrier between paper and and air/oxygen; (if paper does burn) sodium hydrogencarbonate decomposes / releases carbon dioxide / water; carbon dioxide / water inhibits burning / owtte; [max 2]
- (iv) (endothermic)

heat energy supplied (to keep the reaction going);

heat is transferred to chemical energy;

heat is used to decompose (the reactant) /to break bonds in the reactant; [max 2]

[Total: 10]

4 (a) (i) more root hairs;

shorter root hairs; [2]

- (ii) increase in number in both types is, the same / 0.44 more root hairs per unit area / percentage increase is different; decrease in length is much greater in type **B** plants; [2]
- (iii) reduced surface area;

less able to take up water;

so less water available for photosynthesis;

less able to take up, mineral ions / named ion;

less able to take up nitrates to form proteins;

plant may wilt;

because water loss greater than water uptake;

[max 3]

(b) ref. to eutrophication;

nitrate leached into waterways;

causes algal growth to increase;

reduces photosynthesis / light available for submerged plants;

submerged plants / algae die;

bacteria feed on dead plants / algae;

bacteria use oxygen (for respiration);

which causes animals to die because of lack of oxygen;

[max 4]

[Total: 11]

5	(a)	parallel;	[1]
	(b) (i)	1/R1 + 1/R2 = 1/R; correct substitution; $R = 10/3 = 3.3 \Omega$;	[3]
	(ii)	I = V/R; 9/10 = 0.9 A;	[2]
	(c)	density = mass/volume; = 9000/3000 = 3.0 g/cm ³ ;	[2]
			[Total: 8]
6	B t	o placenta ; o amniotic fluid ; o cervix ;	[3]
	ref. ref. <u>diff</u>	rgen comes from mother('s blood); red blood cells; haemoglobin; usion across placenta; od (vessels) in umbilical cord carry oxygen to foetus;	[max 3]
			[Total: 6]
7	refe	seous / a gas ; erence to smaller / lighter molecules ; erence to low attraction between molecules ;	[max 2]
	(b) (i)	covalent; non-metallic elements joined / it is a molecule;	[2]
	(ii)	7;	[1]
	(iii)	8; each halogen atom shares an electron (pair) with carbon; reference to the completion of the outer shell of the halogen;	[max 2] [Total: 7]

Mark Scheme

IGCSE – October/November 2013

Syllabus

0653

Paper

32

Page 4

Page 5		5	Mark Scheme	Syllabus	Paper
			IGCSE – October/November 2013	0653	32
8	(a) (i)	drivi	ng force forwards and friction forces backwards;		[1]
	(ii)	equa	al and opposite ;		[1]
	(iii)	cons	stant speed ;		[1]
	(iv)	drivi	ng force is greater than friction force ;		[1]
	(b) (i)	work = 10	c done = F × D ; 1000 × 1000 = 10000000 J ;		[2]
	(ii)		er = work/time ; 00000/100 = 100000 ;		[2]
	(c) (i)	infra	-red;		[1]
	(ii)	(con	per is a good conductor of heat ; vection off) large surface area ; pipes means shorter distance for conduction ;		[2]
					[Total: 11]
9	(a) (i)		arbon dioxide ; kygen ;		[2]
	(ii)	movement of molecules; from region of high concentration to low concentration / down a concentration gradient reference to random movement (of molecules); [max 1 if implication that a membrane is required)			tion gradient ; [2]
	(iii)		/ only one cell thick ; ices diffusion distance ;		[2]

(b) (i) carbon monoxide

tar

particulates / smoke particles

nicotine;;

(any two for one mark)

(ii) mucus not swept upwards / away from lungs / details of the normal functioning of cilia and the fact that this is impaired;

mucus accumulates in, lungs / alveoli;

bacteria breed / accumulate in mucus;

[max 2]

[2]

[Total: 10]