MNN. Aremedabers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2009 question paper for the guidance of teachers

0654 CO-ORDINATED SCIENCES

0654/05

Paper 5 (Practical), maximum raw mark 45

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



(a) readings reasonable (clearly in mm) and entered correctly in column for tissue A; readings reasonable and entered correctly in column for tissue B; value for 5 mins in A must not be greater than 80 mm [2] **(b)** points plotted accurately for tissue **A**; allow 1 error smooth curve drawn through points; points plotted accurately for tissue B; allow one error smooth curve drawn through points; [4] (c) (i) liver/tissue C; fastest rate of production of oxygen; OWTTE [2] (ii) animals liver has many chemical reactions/produce more hydrogen peroxide; therefore it is removed more rapidly/it is removed before poison build up; [2] (d) (i) 82 mm; (ii) 8 mm; [2] (e) hydrogen peroxide is running out/has been converted/concentration is falling; [1] (f) leave detergent out of reaction tube (1); collect gas in a measuring cylinder over water or syringe (1); [2] [Total: 15] (a), (b) (i) (ii) Table 5 sets for h and V; h clearly in mm 1st value of **h** is between 20–40 mm; last value of **h** is between 100–140 mm; [3] (c) 100 - V is correct; do not award if V is incorrect [1] (d) axes correctly labeled; scale; plotting; allow one error line; ignore use of origin [4] (e) show how found; allow if both figures are written down and correct correct evaluation on candidate's figures; [2]

2

	(f)		rectly evaluated to at least 1 dp but no more than 2 dp; curacy on V _w corrected if necessary; value between 20–23	[2]
	(g)	wind string around tube & measure; winding several times; circumference to diameter;		[3] [Total: 15]
3	(a)	red	, brown or similar ; allow black if recognizes some brown particles	[1]
	(b)	(i)	black residue; if (a) is black then allow black or no change	[1]
		(ii)	dissolves; green solution; turns blue;	[3]
	(c)	(i)	red brown ; filtrate is blue ;	[2]
		(ii)	khaki colour (colour similar to khaki) accept yellow/green etc; white or grey ppt.; milky is allowed	[2]
		(iii)	brown/black solid; colour fades to colourless or lighter blue, allow 'fizzing';	[2]
	(d)	diss	wn fumes or notes brown solid ; solves ; e solution ;	[3]
	(e)	сор	oper (do not allow 2 ⁺ oxidation state) do not allow any copper compound ;	[1]

Mark Scheme: Teachers' version IGCSE – May/June 2009

Syllabus

0654

Paper

05

[Total: 15]

Page 3