CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0654 CO-ORDINATED SCIENCES

0654/63 Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | | Mark Scheme | Syllabus | Paper |
|--------|--------------------------------|---|--------------------|--------------------|
| | | IGCSE – October/November 2012 | 0654 | 63 |
| (a) | to give | time for the plant to settle/adjust to the conditions; | | [1] |
| (b) | 2; 10; | | | [2] |
| (c) | moving | distances – 4, 2; air distances – 6, 8 (or ecf); es – 3, 7 (or ecf); | | [3] |
| (d) | air mov | ements increase the rate of transpiration ; | | [1] |
| (e) | tempera | ature/light (intensity)/humidity/the plant/pressure/t | ime ; | [1] |
| (f) | | or anomalous results ; o improve reliability) | | [1] |
| (g) | | used in photosynthesis/produced in respiration ng turgidity of cells ; | /used in growth/ | [1] [Total: 10] |
| (a) | (good) (strong; | moulded or worked into shape i.e. malleable ; | | [max 2] |
| (b) | | nduct electricity/puts the foil in an electrical circuit oduces gas which <u>pops with lighted splint</u> ; | t/when reacts with | [1] |
| (c) | cyli cor | agram shows test-tube) and delivery tube and i inder; rect relationship with the water level in trough; not airtight 1 mark max) | nverted measuring | [2] |
| | (ii) 90 44 | | | [2] |
| (d) | 0.27 mr 0.13 mr correctl | | | [3] |
| | | | | [Total: 10] |

1

2

| Page 3 | Mark Scheme | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
| | IGCSE – October/November 2012 | 0654 | 63 |

3 (a) aluminium, or a named plastic such as polyethene, polyvinyl chloride, nylon, polystyrene; [1]

(b) 1.7, 2.3;

(c) (i) correct labelling of axes/sensible scales; points correctly plotted (half square tolerance); curve drawn;

[3]

(ii) the falling mass will take time to travel (1 metre even if the trolley weighs nothing)/impossible to travel a distance in 0 secs;

[1]

(d) curve drawn correctly below/to the right of the first curve;

[1]

(e) (i) (acceleration of) gravity/tension (in the string);

[1]

(ii) **EITHER** gravity:

acts on the weight, **w**; which pulls the trolley;

OR tension:

gravity acts on the weight; (causing tension in the string) which pulls the trolley; (answers to (i) and (ii) must match)

[max 2]

[Total: 10]

4 (a) 10 mm;

[1]

(b) (i) answers as in table; answers given in millimetres;

| pH of enzyme | d ₁(diameter of clear area) / mm |
|--------------|--|
| 6.5 | 10 |
| 7.0 | 12 |
| 7.5 | 13 |
| 8.0 | 14 |
| 8.5 | 16 |
| 9.0 | 13 |

[2]

(ii) vertical axis and sensible scale; points plotted (within half square tolerance); curve;

[3]

| | Page 4 | | | Mark Scheme | Syllabus | Paper |
|---|---|---------------------|---|---|----------|-------------|
| | | | | IGCSE – October/November 2012 | 0654 | 63 |
| | (iv) | | corre | ect estimation of optimum from graph ; | | [1] |
| | | | repeat experiment with a narrower range of pH for enzyme; between pH 8 and 9; | | | |
| | | | ever | ything else/named condition the same; | | [max 2] |
| | (c) | sma | all inte | ntestine; | | [1] |
| | | | | | | [Total: 10] |
| 5 | (a) | | | us) turns red ; | | |
| | 1b | | (litm | us) turns blue ; | | [2] |
| | (b) | | | e precipitate ; recipitate ; | | [2] |
| | | | | ,, p , | | [-] |
| | (c) | (c) silver nitrate; | | | | [1] |
| | (d) | | | precipitate; | ion : | [0] |
| | | 40 | Diue | solution/blue precipitate dissolves giving blue solut | ion , | [2] |
| | (e) take equal volumes of the hydrochloric and nitric acids; and add litmus; | | | | | |
| | add sodium hydroxide or ammonia solution and measure the volume needed (to turn the litmus blue); | | | [3] | | |
| | | | | | | [Total: 10] |
| 6 | (a) | (i) | 12; | | | [1] |
| | ` , | (ii) | | 12 = 8.33 cm ; | | |
| | | (, | | 0833 metres ; | | [2] |
| | | (iii) | 12 ti | cks; | | [1] |
| | | (iv) | 6 s ; | | | [1] |
| | | (v) | 1/6 = | = 0.16 <u>7</u> m/sec ; | | [1] |
| | (| (vi) | frequ | uency = 12/6 = 2Hz; | | [1] |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
| | IGCSE – October/November 2012 | 0654 | 63 |

(b) waves drawn parallel to tank sides;correct length of reflected parts of waves (must be to left of barrier);[2]

(c) transverse; [1]

[Total: 10]