



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME						
CENTRE NUMBER				ANDIDATE JMBER		

CO-ORDINATED SCIENCES

0654/21

Paper 2 (Core)

October/November 2012

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of 28 printed.



1 (a) Complete Table 1.1 by choosing one of the words from the list to match each statement.

For Examiner's Use


ammeter	ampere	electron	insulator
ohm	volt	voltmeter	watt

Table 1.1

statement	word
a particle with a negative electrical charge	
an instrument that measures electrical current	
the unit of potential difference	
a material that does not conduct electricity	

[4]

(b) The diagram shows two circuits **A** and **B**. All the lamps and both cells are the same.






Fig. 1.1

(i) One lamp is unscrewed from circuit A.

State what happens to the other lamp.

Explain your answer.

[2]

(ii)	Explain why lights in a house are connected as in circuit B and not as in circuit A .
	[2]
(iii)	The resistance of each lamp is 1.2Ω .
	Calculate the combined resistance of the two lamps in circuit A .
	State the formula that you use and show your working.
	formula used
	working
	Ω [2]

2 (a) Fig. 2.1 shows part of the carbon cycle.

For Examiner's Use




Fig. 2.1


(i)	State the letter or letters, A, B, C, D, E or F, that represent	
	photosynthesis,	
	respiration.	[2]
(ii)	Name one carbon-containing compound in plants.	
		[1]
iii)	State the approximate percentage of carbon dioxide in the air.	
		[1]
	thworms play an important part in the carbon cycle. They eat dead leaves, ast material containing plant nutrients into the soil.	and
Exp	plain the meaning of the term <i>egest</i> .	

© UCLES 2012 0654/21/O/N/12

(b)

(c) In Florida, USA, some people collect earthworms by vibrating the soil. Earthworms respond to vibrations in the ground by crawling out of their burrows onto the soil surface.

For Examiner's Use



A student investigated the effect of different frequencies of vibrations on the numbers of earthworms that emerged from the soil. Fig. 2.2 shows his results.




Fig. 2.2

(i)	Describe the effect of different frequencies of vibrations on the numbers of earthworms emerging.)f
		••
	[2	<u>']</u>

(ii)	Fishermen catch large numbers of earthworms to use as bait.			
	There are concerns that too many worms are being collected in some parts of Florida, USA.			
	Suggest why it is important to conserve earthworms.			
	[2]			
(iii)	Moles are predators that live underground and eat earthworms. When moles burrow through the ground, they produce vibrations of around 500 Hz.			
	Explain why the genes of earthworms that respond to vibrations of this frequency have a strong chance of being passed on to the next generation.			
	[2]			

For Examiner's Use

3 (a) Fig. 3.1 shows how a digital pH meter is used to measure the pH of some liquids.

For Examiner's Use




Fig. 3.1

(i) Complete Table 3.1 by suggesting suitable pH values for the different liquids.

Table 3.1

liquid	рН
pure water	
sodium hydroxide solution	
dilute sulfuric acid	

เวเ	
121	

(ii)	Suggest one advantage of using a digital pH meter rather than a piece of litmus
	paper to compare the acidity of two different acid solutions.

[1]

(iii) Dilute acids are aqueous solutions that contain dissolved ions.

For Examiner's Use

Table 3.2 shows the names of the ions in two common acids.

Table 3.2

name of dilute acid	names of dissolved ions
nitric acid	hydrogen ions and nitrate ions
sulfuric acid	hydrogen ions and sulfate ions

nitric acid or dilute sulfuric acid.

Describe how the student could use a solution of acidified barium chloride to find out which acid the beaker contains.

[2]

A student is given an unlabelled beaker which is known to contain either dilute

For

Examiner's Use

(i) Name one reactive metal that must not be added to a dilute acid.

Explain why this metal should not be added to acid.

metal

explanation

[2]

(ii) Fig. 3.2 shows how a student tested the gas given off when magnesium was added to dilute hydrochloric acid.

Fig. 3.2

magnesium

dilute

acid

hydrochloric

State and explain what the student observed when he carried out this test.

observation explanation [2]

(iii) Unreactive metals do not react in dilute acid.

Examiner's Use

For

A student is given a mixture of powdered magnesium and powdered copper.

Describe and explain how the student could use dilute hydrochloric acid and usual laboratory apparatus to obtain a sample of copper from this mixture.





Fig. 3.3

•••••
•••••
[3]
 ریا

4 An athlete competes in the high jump.





(,	afte	r the high jump.
		[3]
(b)	As	the athlete moves upwards she decelerates.
	Nar	me the force causing this deceleration and state its source.
	forc	e
	sou	rce [2]
(c)	Afte	er jumping, the athlete is sweating.
	(i)	Describe, in terms of particles, how evaporation occurs from the surface of a liquid.
		[2]
	(ii)	Explain how this process will cool down the athlete.
		[1]

5	See	eds r	need oxyg	gen for respiration whe	n they are germinatir	ng.
	(a)	(i)	Write the	e word equation for ae	erobic respiration.	
						[2]
		(ii)		environmental condit or germination.	ions, other than a s	upply of oxygen, that all seeds
			1			
			2			[2]
	(b)	(b) An investigation was carried out to find the effect of temperature on the rate of respiration of germinating seeds.Four experiments, A, B, C and D, were set up. Each experiment used either				
		Ū	J	or dead seeds.		
		In∈	e results a	are shown in Table 5.1	Table 5.1	
	Γ					
		exp	eriment	seeds	temperature/°C	relative rate of respiration
			Α	germinating seeds	0	1
			В	germinating seeds	10	2
	_		С	germinating seeds	20	4
			D	dead seeds	20	0
		(i)	Explain	why it was important to	o include set D in the	experiment.
						[1]
		(ii)			describe the effect	of temperature on the rate of
						[2]

© UCLES 2012 0654/21/O/N/12

(iii)	Respiration is controlled by enzymes.	For Examiner's
	Predict and explain the rate of respiration of germinating seeds at a temperature of 60 °C.	Use
	predicted results	
	explanation	
	[2]	

Some types of firework are made by filling a cardboard tube with firework mixture. Firework mixture is made from several solid substances which have been powdered and mixed together.

For Examiner's Use

Fig. 6.1 shows a typical firework.




Fig. 6.1

When the paper fuse is lit, exothermic chemical reactions occur inside the firework.

(a)	(i)	State two forms of energy that are released when the firework mixture reacts.
		and [1]
	(ii)	State the effect on the rate of reaction of using firework mixture in the form of a powder.
		[1]

(b) Some firework mixtures contain aluminium which is oxidised when the firework is lit.

Table 6.1 shows the numbers of protons and electrons in four particles, A, B, C and D, which are involved in the oxidation of aluminium.

Table 6.1

particle	number of protons	number of electrons
Α	8	10
В	13	13
С	8	8
D	13	10

	(i)	State and explain which particle, A , B , C or D , in Table 6.1 is an atom of aluminium.
		particle
		explanation
		[3]
	(ii)	State and explain which two particles in Table 6.1 could be found bonded together in aluminium oxide.
		particles and
		explanation
		[3]
(c)	Fire	ework mixtures contain the compound potassium perchlorate, KC <i>l</i> O ₄ .
		en potassium perchlorate is heated, a colourless gas is given off which re-lights a wing splint.
	(i)	State the name of this gas. [1]
	(ii)	Suggest how potassium perchlorate in the firework mixture helps the mixture to burn.
		[0]
		[2]

7 (a) Choose phrases from the list to complete the sentences.


For
Examiner's
Use

		gamma radiation	infra-red radiation	visible light
	n	nicrowave radiation	radio radiation	ultraviolet radiation
				·
			can be felt as heat.	
	The	water in food strongly a	bsorbs	. [3]
(b)		a nuclear power station cess of nuclear fission.	n, nuclear fuel such as ura	anium releases energy by the
	(i)	State what happens to t	the uranium atoms.	
				[1]
	(ii)	At a nuclear power stati	on, technicians work close to	o radioactive sources.
		State one way in which radioactive sources.	these workers could be ha	rmed by radiation emitted from
				[1]
	(iii)	State two ways in which	n these workers could be pro	otected from the radiation.
		1		
		2		
				[2]

Please turn over for Question 8.

8 Fig. 8.1 shows the male reproductive system.

For Examiner's Use



(a) ((i)	Name	parts	C	and	D.
14	, ,	.,	INGILIO	parto	•	ana	┏.

		c	
		D	[2]
(ii)	State the functions of parts A and B .	
		A	
		В	[2]
(i	ii)	On Fig. 8.1, use a label line and the letter ${\bf S}$ to indicate where male gametes made.	are [1]
b) ⁻	The	e sex of a baby is determined by the X and Y chromosomes.	
((i)	Name the part of a cell in which the X and Y chromosomes are found.	
			[1]
(ii)	Describe how the sex of a human baby is inherited.	

(C)	The numan immunodeficiency virus (HIV) can be transmitted during sexual intercourse.
	Outline two other ways in which HIV can be transmitted.
	1
	2
	[2]

9

Chlorin	e is released when hydrochloric acid reacts with the compound manganese dioxide.
(a) (i)	Explain why chlorine is an example of an element and not a compound.
	[2]
(ii)	Describe a safe test for chlorine gas.
	[2]
	lorine is found in Group 7 of the Periodic Table. Two of the other elements in oup 7 are bromine and iodine.
(i)	Chlorine is a gas at room temperature.
	What are the physical states of bromine and iodine at room temperature?
	bromine
	iodine [2]
(ii)	Explain briefly why a solution of sodium bromide turns orange when chlorine is bubbled through it.
	[2]

10 (a) On the grid below, draw a wave with an amplitude of 2 cm and a wavelength of 4 cm.On your diagram, clearly label the amplitude and the wavelength.

For Examiner's Use

ПП	Т	П	Т	П	Т	П	Т	Т	П	Т	Т	П	Т	Т	П	П	Т	Т	П	Т	Т	Т	Т	П	Т	Т	Т	П	Т	Т	Т	П	Т	Т	Т	П	Т	Т	П	Т	Т	П	Т	Т	Т	П	П	Т	Т	П	Т	\top	П	т	Т	П
		П				П					\top		\top	T	П			T	П		\top	\top		П	\neg	\top	T	П	7			П	\top	\top			\top	\top	П		\top	П	\top		Т		П	\top	\top	П	\top	\top	П		\top	\Box
											\top		\top	\top	П			\top	П		\top		\top		\neg	\top		П	\top			П	\top	\top			\top	\top	П		\top	П	\top				П	\top	\top	П	\top	\top	\Box		\top	\top
		П	\top	\Box					\Box		\top	П	\top	\top	П	\Box	\top	\top	П		\top	\top	†	П	\neg	\top		П	\top			П	\top	\top		П	\top	\top	П		\top	П	\top	\top	Т	П	П	\top	\top	П	\top	\top	П		\top	\top
	\top	\Box	\top	П	\top	П		Т	\Box	\top	\top	П	\top		т	\Box	\top	\top	П		†	\top	$^{+}$	П	\neg	\top	\top	П	†	\top	т	П	\top	\top		П	\neg	$^{+}$	П	\neg	\top	П	\neg		т	П	П	\top	$^{+}$	Н	\top	\pm	\Box	\neg	+	\Box
\vdash	\top	Ħ	\top	Н	$^{-}$	Н	\top	т	H	$^{-}$	$^{+}$	Н	+	$^{+}$	Н	П	$^{+}$	$^{+}$	Н	_	\top	$^{+}$	$^{+}$	Н	\dashv	†	t	Н	$^{+}$	$^{+}$	$^{+}$	Н	†	$^{+}$	+	Н	$^{+}$	$^{+}$	Н	+	$^{+}$	Н	$^{+}$	$^{+}$	т	П	П	$^{+}$	$^{+}$	Н	\top	+	Н	\neg	+	Н
\Box	$^{+}$	П	\top	П	$^{+}$	П	T	т	П	$^{+}$	$^{+}$	Н	$^{+}$	$^{+}$	Н	П	$^{+}$	$^{+}$	Н	\dashv	$^{+}$	$^{+}$	t	П	\dashv	$^{+}$	T	П	+	$^{+}$	$^{+}$	Н	\top	$^{+}$	т	Н	†	$^{+}$	Н	\top	$^{+}$	Н	\top	$^{+}$	t	П	П	$^{+}$	$^{+}$	Н	\top	$^{+}$	Ħ	\top	\pm	\forall
	1	П	\top	П	\top	П			П	\neg	Τ	П	\top	T	П	П	\top	Т	П		\top	\top	T	П	╛	\top	T	П	ヿ	\top	Т	П	╅	\top	\top	П	1	Т	П	\neg	T	П	\top	T	Т	П	П	\top	\top	П	\top	\top	П	т	\top	П
		П		П					П		\top	П	1	T	П		\top		П		1	\top		П	\neg			П	7			П	T	T		П	T	T	П		T	П	\neg		Г			\top	\top	П	\neg	T	П	T	\top	Ħ
		П				П			П		Т	П	Т	T	П	П	T	Т	П		Т	Т	Т	П	T	Т	T	П	T		Т	П	T	T	Т	П	Т	Т	П		T	П	T	Т	Т	П	П	\top	Т	П	T	Т	П	П	Т	П
		П	$\neg \vdash$	П	Т	П			П		Т	П	T	Т	П		\top	Т	П		T	Т	Т	П	\neg	Т		П	T	Т	Т	П	T	Т		П	T	Т			Т	П	\neg	Т	Г	П			Т	П	\neg	Т	П	П	Т	\Box
		П	$\neg \vdash$	П	Т	П			П		Т	П	T	Т	П		\top	Т	П		T	Т	Т	П	T	Т		П	T	Т	Т	П	T	Т	Т	П	T	Т	П		Т	П	\neg	Т	Г	П	П	\top	Т	П	\neg	Т	П	П	Т	\Box
	Т	П	\top	П	Т	П		Т	П	Т	Т	П	Т	Т	П	П	Т	Т	П	П	Т	Т	Т	П	Т	Т	П	П	Т	Т	Т	П	Т	Т	Т	П	Т	Т	П	Т	Т	П	Т	Т	Г	П	П	Т	Т	П	Т	Т	П	П	Т	\Box
								П			Т		Т	Т	П			Ι			Т		Γ				Τ		T		Τ			Т	Г		Τ	Ι			Т			Т	Γ				Т	П		I		I	I	T
													\perp								\perp								\perp				\Box																			\perp				
		П				П					Т		Т	Т			Т	Т			Т	Т	П		П	Т	П	П	Т	Т	Г		Т	Т			Т	Т	П		Т	П	Т	Т	Г			Т	Т	П	Т	\top	П	П	Т	\Box
					Т	П				Т	Т	П	Т			П		Т			Т	Т	П		П	Т		П	Т	Т	Т	П	Т	Т			Т	Т			Т	П	П	Т	Г			Т	Т	П	Т	Т	П	П	Т	П
			Т	П	Т	П				Т	Т	П	Т			П	Т	Т			Т	Т	П	П	П	Т		П	Т	Т	Т	П	П	Т		П	Т	Т			Т	П	П	Т	Г			Т	Т	П	П	Т	П	П	Т	П
		П	Т	П	Т	П				Т	Т	П	Т	Т	П	П	Т	Т	П		Т	Т	Т	П	П	Т	П	П	Т	Т	Т	П	П	Т	Т	П	Т	Т	П		Т	П	Т	Т	Г			Т	Т	П	Т	Т	П	П	Т	П
		П		П	Т	П			П	П	Т	П	Т	Т	П	П	Т	Т	П		Т	Т	Т	П	П	Т	П	П	Т	Т	Т	П	Т	Т	Т	П	Т	Т	П		Т	П	Т	Т	Г	П		Т	Т	П	П	Т	П	П	Т	\Box
													\perp								\perp								\perp				\Box																			\perp				
													\perp								\perp					\perp			\perp				\Box																							
													\perp								\perp					\perp			\perp				\Box																							
													Т	Т							Т					Т			Т				\Box	Т							Т															
													Ι								\perp					\perp			\Box				\Box								Т											\perp			\perp	
																					\perp								\perp																							\perp		ш		
																					\perp								\perp																							Ш		ш	\perp	
																													\perp																							\perp		ш		
		П				П							\perp						Ш		\perp				_			П	\perp				1	\perp		Ш	\perp		Ш				\perp					\perp		П	\perp	\perp	Ш	Ц	\perp	
	\perp	П				П							\perp								\perp							П	\perp								\perp		Ш				\perp	\perp				\perp		П	\perp	┸	Ш	Ш		
	\perp	Ш	\perp	\Box	\perp	П			\Box			Ш	\perp						Ш		\perp	Г			\perp	\perp		Ш	\perp			Ш	\perp	Т		Ш	\perp		Ш				\perp	П	L		Ш	\perp	ഥ	П	\perp	┸	П	П		
	\perp	Ш	$\perp \Gamma$	\Box	\perp	П							\perp							\perp	\perp				\perp			Ш	\perp			Ш	\perp	ഥ			\perp		Ш	\perp			\perp	ഥ	L		Ш		ഥ	П	\perp	\perp	Ш	J	\perp	
Ш		Ш		\Box		Ш			Ш			\sqcup	_[\Box				Ш						\perp			Ш	_[Ш	_[1		Ш	_[\sqcup	[\Box	_[\Box	Ц			\sqcup	_[\perp	Ш	Ц		\perp
\Box		Ш	\perp										_	\perp	\perp		\perp		Ш		\perp	\perp				\perp		Ш	_	\perp			\perp	\perp		Ш	\perp	\perp			\perp	Ш	\perp		L			\perp	\perp	Ш	\perp	\perp	Ш	Ш	\perp	\perp
	\perp	Ш		Ш	\perp	Ш		\perp	Ш	\perp	\perp		_	\perp	Ш	Ш	\perp	\perp	Ш		_	\perp	\perp	Ш			\perp	Ш		\perp	\perp	Ш	\perp	\perp	┸	Ш	丄	\perp	Ш		丄	Ш		\perp	上	\Box	Ш	\perp	\perp	Ш		丄	Ш	Щ	\perp	Ш

[3]

(b)	(i)	Two sound waves, ${\bf A}$ and ${\bf B},$ have the same frequency but ${\bf A}$ has a greater amplitude than ${\bf B}.$
		What difference would you hear?
		[1]
	(ii)	Two sound waves, \boldsymbol{X} and $\boldsymbol{Y},$ have the same amplitude but \boldsymbol{X} has a greater frequency than $\boldsymbol{Y}.$
		What difference would you hear?
		[1]
(c)	Ene	ergy travels to the Earth from the Sun.
	Sta	te whether this transfer of energy is by conduction, convection or radiation.
	Exp	olain your answer.
		rol

(d) Fig. 10.1 shows parallel rays of light passing through a piece of glass acting as a lens and being focused on the ground.

For Examiner's Use




Fig. 10.1

(i)	On Fig. 10.1, use the letter P to label the principal focus of the piece of glass.	[1]
(ii)	Measure the focal length of the piece of glass in Fig. 10.1.	
	mm	[1]
(iii)	The glass acting as a lens produces a real image of the Sun.	
	Explain what is meant by the term real image.	
		[1]

(e) The mass of the piece of glass is $10 \, \mathrm{g}$ and the volume is $4 \, \mathrm{cm}^3$.

Calculate the density of the glass.

State the formula that you use and show your working.

formula used

working

g/cm³ [2]

(f) Light is able to travel down optical fibres by total internal reflection.

Complete the diagram to show how the ray of light passes down the optical fibre.

For Examiner's Use



[2]

11 Table 11.1 shows some of the nutrients contained in 100 g of five foods.

For Examiner's Use

Table 11.1

		nutri	ients	
food	sugar/g	starch/g	protein/g	fat/g
Α	0	0	13	10
В	14	6	7	0
С	0	0	14	6
D	6	8	12	14
E	9	14	3	0

(a)	(i)	Which two nutrients listed in Table 11.1 are carbohydrates?	
		andand	[1]
	(ii)	Which nutrient listed in Table 11.1 contains nitrogen atoms in its molecules?	
			[1]
	(iii)	State the letters of two foods in Table 11.1 that could have come from animals.	
		and	[1]
	(iv)	State the letter of one food that would appear orange-brown when tested wide iodine solution, and give a purple colour when tested with biuret reagent.	vith
			[1]
(b)	Tal	ole 11.1 does not contain information about vitamins or minerals.	
	Ou	tline the symptoms that a person may develop if their diet is deficient in	
	(i)	vitamin D,	
			[1]
	(ii)	iron.	
			[1]

(c)	Explain why eating a lot of foods containing sugar can increase the risk of tooth decay.
	[3]

12 (a) Draw four straight lines to connect each term in the left hand column with its meaning in the right hand column.

For Examiner's Use

term meaning raw material for fuels petroleum and other chemicals catalytic compound containing only the cracking elements hydrogen and carbon fractional reaction that produces distillation alkenes process that simplifies a hydrocarbon complex mixture

[3]

- (b) Ethanol, C₂H₆O, is a colourless liquid which can be made from ethene, C₂H₄.
 - (i) An incomplete diagram of the structure of one molecule of ethanol is shown below.Complete the diagram.



[1]

(ii) Write a **word** chemical equation for the reaction in which ethanol is made from ethene.



[1]

(c) Fig. 12.1 shows apparatus that a student uses to investigate what happens when ethanol vapour is heated in the presence of a catalyst.

For Examiner's Use

Ethanol molecules react on the surface of the catalyst. The products of the reaction pass into the bromine solution.




Fig. 12.1

The student observes that the bromine solution rapidly changes colour from orange to colourless.

(i)	State the	e type	of hy	/drocarboı	n pro	oduce	ed from et	hanc	ol in th	nis reactio	on.		
													[1]
(ii)	compour	nds.		products							-		
	When ethene is heated and pressurised in the presence of a catalyst, it is converted nto a white compound which becomes solid when it cools.												
Naı	me the wh	nite so	olid co	ompound a	and '	the ty	pe of che	mica	al read	ction which	ch has	s occurre	ed.
nar	ne of white	e solid	b										
				n									[2]

© UCLES 2012 0654/21/O/N/12

(d)

DATA SHEET
The Periodic Table of the Elements

	0	Heilum	20 Ne on	40 Ar Argon	84 X	36	£ >	Xenon 54		Radon 86		175 Lu Lutetium 71	Lr Lawrencium
	II/		19 Fluorine	35.5 C1 Chlorine	80 Br		127	_		Astatine 85		173 Yb Ytterbium 70	
			16 Oxygen	32 S Sulfur 16	79 Se Selenium	\dashv	128 -	E		Po Polonium 84		169 Tm Thulium	Mendelevium
	>		Nitrogen 8	31 Phosphorus	75 As Arsenic		122 C.		209	Bismuth 83		167 Er Erbium 68	Fm Fermium
	2		12 Carbon	28 Si Silicon			119		207			165 Ho Holmium 67	Einsteinium
	=		11 Boron 6	27 A1 Auminium 13	70 Ga Gallium		115		204			Dy Dysprosium 66	
					65 Zn Zinc		112		201	Hg Mercury 80		159 Tb Terbium 65	BK Berkelium
					Copper			Silver 47		Au Good		Gd Gadolinium 64	Curium
dn					Si Kickel	28	106	Palladium 46	195	Pt Platinum 78		152 Eu Europium 63	Am Americium
Group					59 Cobatt	27	103 7	Rhodium 45	192	Ir Iridium 77		Sm Samarium 62	Pu Plutonium
		T Hydrogen			56 F.e.	26	101	Ruthenium 44	190	Osmium Osmium 76		Pm Promethium 61	Neptunium
					55 Mn Manganese	25	Ę	E	186	Re Rhenium 75		Neodymium 60	238 U
					52 Cr Chromium	24	96 2	Ę	184	Tungsten 74		Pr Praseodymium 59	Pa Protactinium
					51 V	23	93	Niobium 41	181	Ta Tantalum 73		140 Ce Cerium	232 Th
					48 T	22	91	Zirconium 40	178	72			nic mass bol
					Scandium	21	% >	Yttrium 39	139	Lanthanum 57 *	227 Ac Actinium 89	series eries	 a = relative atomic mass X = atomic symbol b = protein (atomic) number
	=		Be Beryllium	24 Mg Magnesium 12	Calcium	20	88 0	Strontium 38	137	Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	« ×
	_		7 Li Lithium	23 Na Sodium	39 K Potassium	19	85	Rubidium 37	133	Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.