

### **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

0620/13 **CHEMISTRY** 

October/November 2019 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate. This document consists of **14** printed pages and **2** blank pages.



1 The diagram shows a cup of hot tea.



Which row describes the water particles in the air above the cup compared with the water particles in the cup?

	moving faster	closer together
A 🗸		x
В	✓	✓
С	x	×
D	x	✓

**2** A student is asked to measure the time taken for 0.4g of magnesium carbonate to react completely with 25.0 cm<sup>3</sup> of dilute hydrochloric acid.

Which pieces of apparatus does the student need?

- A balance, stop-clock, pipette
- **B** balance, stop-clock, thermometer
- **C** balance, pipette, thermometer
- **D** stop-clock, pipette, thermometer
- 3 Which method is used to separate a mixture of the following liquids?

liquid	boiling point/°C
methanol	64.5
ethanol	78.5
propan-1-ol	97.2
butan-1-ol	117.0

- **A** crystallisation
- **B** evaporation
- **C** filtration
- **D** fractional distillation

A sample of wax is heated. It begins to melt at 45 °C and finishes melting at 49 °C.

A sample of liquid is heated. It begins to boil at 141 °C and remains at 141 °C while it boils.

Which conclusion can be made from these results?

- Both substances are impure.
- **B** Both substances are pure.
- The wax is not a pure substance and the liquid is a pure substance.
- **D** The wax is a pure substance and the liquid is not a pure substance.
- 5 In which molecule are all the outer shell electrons involved in covalent bonding?
  - A  $Cl_2$
- **B** CH₄
- C HCl
- D NΗ<sub>3</sub>
- 6 The numbers of protons, neutrons and electrons present in the atoms P, Q, R and S are shown.

atom	number of protons	number of neutrons	number of electrons
Р	4	5	4
Q	5	6	5
R	6	6	6
S	6	7	6

Which atoms are isotopes of the same element?

- P and Q only
- **B** Q and R only **C** R and S only **D** P and S only

- 7 What is an alloy?
  - A a compound of two metallic elements
  - **B** a compound of metallic and non-metallic elements
  - **C** a mixture of a metal and at least one other element
  - **D** a pure metal element
- 8 Graphite is a form of carbon.

Why can graphite be used as a lubricant?

- A Graphite contains unbonded electrons which move through the structure.
- Graphite contains weak covalent bonds so the atoms move easily. В
- Graphite has a low melting point so it easily turns into a liquid. C
- Graphite has weak attractive forces between layers so they can move.


**9** The thermal decomposition of 12.5 g of limestone (impure calcium carbonate) produces 5 g of calcium oxide.

Which mass of calcium oxide is produced by the thermal decomposition of 30 g of limestone?

- **A** 6g
- **B** 12g
- **C** 15 g
- **D** 24 g
- **10** Dilute sulfuric acid and lead( $\Pi$ ) bromide are separately electrolysed.

Which statements are correct?

- 1 Colourless gases are evolved when dilute sulfuric acid is electrolysed.
- 2 Lead(II) bromide can be electrolysed when molten.
- 3 Lead is formed at the positive electrode when lead(II) bromide is electrolysed.
- 4 Sulfate ions are produced at the negative electrode when dilute sulfuric acid is electrolysed.
- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 3 and 4 only
- **11** An energy level diagram for a reaction is shown.



Which statement and explanation about this reaction are correct?

	statement	explanation
Α	the reaction is endothermic	the products have more energy than the reactants
В	the reaction is endothermic	the products have less energy than the reactants
С	the reaction is exothermic	the products have more energy than the reactants
D	the reaction is exothermic	the products have less energy than the reactants

**12** Hydrated cobalt(II) chloride decomposes when heated.


$$CoCl_2 \cdot 6H_2O \longrightarrow CoCl_2 + 6H_2O$$

Which statements about this reaction are correct?

- 1  $CoCl_2$  is anhydrous cobalt(II) chloride.
- 2 Heat is released when water is added to  $CoCl_2$ .
- $CoCl_2$ •6H<sub>2</sub>O is blue.
- The reaction is not reversible.
- 1 and 2
- **B** 1 and 3 **C** 2 and 4
- **D** 3 and 4
- 13 In experiment 1, small lumps of limestone are added to dilute hydrochloric acid at 40 °C.

The volume of carbon dioxide released is measured at regular time intervals.

The results are shown.



Which changes give the results shown in experiment 2?

	limestone	temperature /°C
Α	large lumps	40
В	powder	40
С	powder	60
D	small lumps	60

**14** A sequence of changes involving sulfur is shown.

$$S(s) \xrightarrow{change 1} S(I) \xrightarrow{change 2} SO_2(g)$$

Which row describes the changes?

	change 1	change 2	
A chemical		chemical	
В	chemical	physical	
С	physical	chemical	
D	physical	physical	

**15** In which equation is the iron oxidised?

A C + FeO 
$$\rightarrow$$
 CO + Fe

$$\textbf{B} \quad 3\text{CO} \, + \, \text{Fe}_2\text{O}_3 \, \rightarrow \, 3\text{CO}_2 \, + \, 2\text{Fe}$$

$$\textbf{C} \quad \text{Fe}_2\text{O}_3 \, + \, \text{H}_2 \, \rightarrow \, 2\text{FeO} \, + \, \text{H}_2\text{O}$$

**D** PbO + Fe 
$$\rightarrow$$
 Pb + FeO

- 16 Which statements about dilute sulfuric acid are correct?
  - 1 It turns red litmus paper blue.
  - 2 It reacts with magnesium(II) oxide to form magnesium(II) sulfate and water.
  - 3 It reacts with magnesium to form magnesium(II) sulfate and carbon dioxide.
  - 4 Its pH is below pH 7.
  - A 1 and 2 only B 1 and 3 only C 2 and 4 only D 3 and 4 only

© UCLES 2019

- 17 X is a white powder. The following tests are done on X.
  - No precipitate is seen when a few drops of aqueous sodium hydroxide are added to a solution of X.
  - No gas is formed when X is heated with aqueous sodium hydroxide.
  - X gives a lilac colour when put into a flame.
  - When acidified aqueous silver nitrate is added to a solution of X a yellow precipitate is seen.

#### What is X?

- A ammonium bromide
- B ammonium iodide
- **C** potassium bromide
- D potassium iodide
- 18 Which three oxides are all acidic?
  - A CaO, NO<sub>2</sub>, SO<sub>2</sub>
  - B CaO, CO<sub>2</sub>, Na<sub>2</sub>O
  - C CO<sub>2</sub>, NO<sub>2</sub>, SO<sub>2</sub>
  - D CO<sub>2</sub>, Na<sub>2</sub>O, SO<sub>2</sub>
- **19** A method used to make copper(II) sulfate crystals is shown.
  - 1 Place dilute sulfuric acid in a beaker.
  - 2 Warm the acid.
  - 3 Add copper(II) oxide until it is in excess.
  - 4 Filter the mixture.
  - 5 Evaporate the filtrate until crystals start to form.
  - 6 Leave the filtrate to cool.

## What are the purposes of step 3 and step 4?

	step 3	step 4	
Α	to ensure all of the acid has reacted	to obtain solid copper(II) sulfate	
В	to ensure all of the acid has reacted	to remove the excess of copper(II) oxide	
С	to speed up the reaction	to obtain solid copper(II) sulfate	
D	to speed up the reaction	to remove the excess of copper(II) oxide	

		Ç
20	Wh	ich element from Period 3 of the Periodic Table has the most metallic character?
	Α	aluminium
	В	magnesium
	С	silicon
	D	sodium
21	Wh	ich pair of elements reacts together most violently?
	Α	chlorine and lithium
	В	chlorine and potassium
	С	iodine and lithium
	D	iodine and potassium
22	Wh	ich statement does <b>not</b> describe a transition element?
	A	It is used as a catalyst in industrial reactions.
	В	It has white compounds and gives a yellow flame test.
	С	It produces a black oxide and a blue sulfate.
	D	It forms green, violet and orange compounds.
23	Wh	ich statement describes a gas which is in Group VIII of the Periodic Table?
	A	A colourless gas that helps substances burn.
	В	A pollutant gas present in car exhausts.
	С	A gas that is less dense than air and makes a 'pop' sound with a lighted splint.
	D	A gas that is used in lamps.
24	Sor	me properties of substance X are listed.
		It conducts electricity when molten.
		It has a high melting point.
		• It burns in oxygen and the oxide dissolves in water to give a solution with pH 11.
	Wh	at is X?
	A	a covalent compound
	В	a macromolecule

© UCLES 2019 0620/13/O/N/19

**C** a metal

**D** an ionic compound

**25** A metal reacts vigorously with water.

Which statement about the metal is correct?

- **A** It is above hydrogen in the reactivity series.
- **B** It is below magnesium in the reactivity series.
- **C** Its oxide can be reduced with carbon.
- **D** It does not react with dilute acids.
- **26** Iron is extracted from its ore in the blast furnace.

Which raw material is **not** used in this process?

- A bauxite
- B coke
- C hematite
- **D** limestone
- 27 Which statement about metals and their uses is correct?
  - A Aluminium is used in the manufacture of aircraft because it has a high density.
  - **B** Copper is used to make cooking utensils because it is a poor conductor of heat.
  - **C** Mild steel is used to make car bodies because it is brittle and breaks easily.
  - **D** Stainless steel is used to make cutlery because it is resistant to corrosion.
- **28** River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.

Which statement is correct?


- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.

**29** Clean, dry air contains nitrogen, oxygen and small amounts of other gases. The noble gases have been left out of the table.


Which row shows the composition of clean, dry air?

	nitrogen/%	oxygen/%	other gases
Α	21	78	small amount of carbon dioxide
В	21	78	small amount of carbon monoxide
С	78	21	small amount of carbon dioxide
D	78	21	small amount of carbon monoxide

**30** The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?



**31** Farmers add calcium oxide (lime) and ammonium salts to their fields.

The compounds are not added at the same time because they react with each other.

Which gas is produced in this reaction?


- A ammonia
- B carbon dioxide
- C hydrogen
- **D** nitrogen

### 32 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	✓	X	key
В	greenhouse gas	✓	✓	✓= true
С	present in unpolluted air	x	x	x = false
D	produced during respiration	X	✓	

- **33** What are uses of sulfur dioxide?
  - 1 as a bleach in the manufacture of wood pulp
  - 2 as a food preservative
  - 3 in the conversion of iron to steel
  - 4 in water treatment
  - A 1 and 2 only B 1 and 3 only C 2 and 3 only D 2 and 4 only
- **34** Which type of reaction occurs when lime is manufactured from limestone?
  - A combustion
  - **B** neutralisation
  - C redox
  - **D** thermal decomposition
- **35** Which statement is correct?
  - A Bitumen is used as a fuel for ships.
  - **B** Coal, natural gas and oxygen are all fuels.
  - **C** Hydrogen is the main constituent of natural gas.
  - **D** Petroleum is separated into useful substances by fractional distillation.

**36** The structures of four organic compounds, W, X, Y and Z, are shown.



Which compounds are members of the same homologous series?

- A W and X
- **B** W and Z
- C X and Y
- **D** Y and Z

37 How many different types of bonds are present in ethanoic acid, CH<sub>3</sub>COOH?


	type of bond			
	C-H C-C C=O			
Α	<b>A</b> 3 1 1		1	
В	3 0 2			
С	4	0	2	
D	4	1	2	

**38** Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
Α	✓	✓	✓
В	✓	✓	X
С	✓	X	✓
D	X	✓	✓

- 39 Which statement about aqueous ethanoic acid is correct?
  - **A** It reacts with magnesium to form oxygen gas.
  - **B** It reacts with sodium carbonate to form carbon dioxide gas.
  - **C** It turns red litmus paper blue.
  - **D** It turns methyl orange yellow.

**40** The diagram shows the structure of a monomer and of the polymer made from it.



What are the monomer and polymer?

	monomer	polymer					
Α	ethane	poly(ethane)					
В	ethane	poly(ethene)					
С	ethene	poly(ethane)					
D	ethene	poly(ethene)					

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	<b> </b>	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	牊	radon			
	<b>=</b>			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Ą	astatine -			
	>			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ъ	polonium –	116	^	livermorium —
	>			7	Z	nitrogen 14	15	Ф	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	lΗ	flerovium -
	≡			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> 1	thallium 204			
										30	Zu	zinc 65	48	පි	cadmium 112	80	Нg	mercury 201	112	ű	copemicium -
2										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group	<u> </u>									28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
				1						27	ပိ	cobalt 59	45	몺	rhodium 103	77	ŗ	iridium 192	109	Ĭ	meitnerium -
2		- エ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium –
							,			25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Б	tantalum 181	105	g D	dubnium -
					atc					22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium -
										21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_			3	:=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -

7.1	Γn	lutetium	1/3	103	۲	lawrencium	I
	Υp						
69	Щ	thulium	601	101	Md	mendelevium	I
89	Ē	erbium	101	100	Fm	ferminm	ı
29	웃	holmium	COL	66	Es	einsteinium	-
99	ρ	dysprosium	103	86	ర	califomium	Ι
65	Д	terbium	159	26	ă	berkelium	-
64	Вd	gadolinium	/61	96	Cm	curium	I
63	Ш	europium	761	98	Am	americium	I
62	Sm	samarium	150	94	Pn	plutonium	_
61	Pm	promethium	ı	93	N	neptunium	_
09	PΝ	neodymium	144	95	$\cap$	uranium	238
59	Ą	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	Ļ	thorium	232
22	Га	lanthanum	138	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).