

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

0620/23 **CHEMISTRY**

October/November 2019 Paper 2 Multiple Choice (Extended)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of **14** printed pages and **2** blank pages.



© UCLES 2019






- 1 Which two gases will diffuse at the same rate, at the same temperature?
 - A carbon monoxide and carbon dioxide
 - B carbon monoxide and nitrogen
 - C chlorine and fluorine
 - D nitrogen and oxygen
- **2** A student is asked to measure the time taken for 0.4g of magnesium carbonate to react completely with 25.0 cm³ of dilute hydrochloric acid.

Which pieces of apparatus does the student need?

- A balance, stop-clock, pipette
- **B** balance, stop-clock, thermometer
- C balance, pipette, thermometer
- **D** stop-clock, pipette, thermometer
- **3** A substance is separated using chromatography.

The chromatogram is shown.



Which statement is **not** correct?

- **A** P has a higher R_f value than Q.
- **B** P, Q and R are all soluble in the solvent.
- **C** R is the most soluble substance.
- **D** The R_f value of P is less than 1.
- **4** Which statement about an ionic compound is **not** correct?
 - **A** It conducts electricity when dissolved in water.
 - **B** It has a high melting point due to strong attractive forces between ions.
 - **C** It has a regular lattice of oppositely charged ions in a 'sea of electrons'.
 - **D** The ionic bonds are formed between metallic and non-metallic elements.

5 The numbers of protons, neutrons and electrons present in the atoms P, Q, R and S are shown.

atom	number of protons	number of neutrons	number of electrons
Р	4	5	4
Q	5	6	5
R	6	6	6
S	6	7	6

Which atoms are isotopes of the same element?

- A P and Q only B Q and R only C R and S only D P and S only
- **6** Carbon has three isotopes, ¹²C, ¹³C and ¹⁴C.

Why do all three isotopes have the same chemical properties?

- **A** They all have the same atomic mass.
- **B** They all have the same number of electrons in their outer shell.
- **C** They all have the same number of electron shells.
- **D** They all have the same number of nucleons.
- **7** Silicon(IV) oxide is a covalently bonded compound.

Which statements are correct?

- 1 Silicon atoms form four single bonds in silicon(IV) oxide.
- 2 Oxygen atoms form two double bonds in silicon(IV) oxide.
- 3 Silicon(IV) oxide has a high melting point.
- 4 Silicon(IV) oxide contains one silicon atom and four oxygen atoms.
- A 1 and 2 only B 1 and 3 only C 2 and 3 only D 3 and 4 only
- **8** Which statement describes the structure of copper?
 - **A** It has a lattice of negative ions in a 'sea of electrons'.
 - **B** It has a lattice of negative ions in a 'sea of protons'.
 - **C** It has a lattice of positive ions in a 'sea of electrons'.
 - **D** It has a lattice of positive ions in a 'sea of protons'.

9 Magnesium carbonate decomposes on heating to form magnesium oxide and carbon dioxide as shown.

$$MgCO_3 \rightarrow MgO + CO_2$$

How much magnesium carbonate is needed to make 5.0 g of magnesium oxide?

- **A** 3.5 g
- **B** 4.0 g
- **C** 6.5 g
- **D** 10.5 g

10 90 g of glucose is dissolved in water.

The glucose solution is fermented.

$$C_6H_{12}O_6 \rightarrow 2CO_2 + 2C_2H_5OH$$


glucose, $M_r = 180$ ethanol, $M_r = 46$

After the fermentation finishes, 6.8 g of ethanol is obtained from the solution.

What is the percentage yield of ethanol?

- **A** 7.4
- **B** 7.6
- **C** 14.8
- **D** 29.6

11 The diagram shows a simple cell.




Which metal P produces the smallest voltage?

- A calcium
- **B** iron
- **C** magnesium
- **D** zinc

12 What are the ionic half-equations for the electrode reactions during the electrolysis of concentrated aqueous sodium chloride?

	anode	cathode
Α	$Cl_2 + 2e^- \rightarrow 2Cl^-$	$H_2 \rightarrow 2H^+ + 2e^-$
В	$2Cl^- \rightarrow Cl_2 + 2e^-$	$2H^{+} + 2e^{-} \rightarrow H_{2}$
С	$H_2 \rightarrow 2H^+ + 2e^-$	$Cl_2 + 2e^- \rightarrow 2Cl^-$
D	$2H^{^{+}} + 2e^{^{-}} \rightarrow H_2$	$2Cl^- \rightarrow Cl_2 + 2e^-$

13 An energy level diagram for a reaction is shown.



Which statement and explanation about this reaction are correct?

	statement	explanation
Α	the reaction is endothermic	the products have more energy than the reactants
В	the reaction is endothermic	the products have less energy than the reactants
С	the reaction is exothermic	the products have more energy than the reactants
D	the reaction is exothermic	the products have less energy than the reactants

- 14 Which gases are used to generate electricity in a fuel cell?
 - A carbon dioxide and oxygen
 - B hydrogen and methane
 - C hydrogen and oxygen
 - **D** methane and carbon dioxide

15 A sequence of changes involving sulfur is shown.

$$S(s) \xrightarrow{change 1} S(I) \xrightarrow{change 2} SO_2(g)$$

Which row describes the changes?

	change 1	change 2
Α	chemical	chemical
В	chemical	physical
С	physical	chemical
D	physical	physical

16 Magnesium reacts with dilute hydrochloric acid.

Which statement about the particles in the reaction is correct?

- A Increasing the concentration of dilute hydrochloric acid increases the collision rate but has no effect on the activation energy.
- **B** Increasing the concentration of dilute hydrochloric acid increases the collision rate and the activation energy.
- **C** Increasing the temperature of the reaction increases the activation energy.
- **D** Increasing the temperature of the reaction causes all collisions to lead to a reaction.
- 17 Two molecules of nitrogen dioxide combine in a reversible reaction to form dinitrogen tetroxide.

The forward reaction is exothermic.

$$2NO_2(g) \rightleftharpoons N_2O_4(g)$$

Which changes in reaction conditions would **both** increase the amount of dinitrogen tetroxide at equilibrium?

- A decreasing the temperature and decreasing the pressure
- **B** decreasing the temperature and increasing the pressure
- **C** increasing the temperature and decreasing the pressure
- **D** increasing the temperature and increasing the pressure

18 Chlorine displaces bromine from aqueous potassium bromide.

The ionic equation for the reaction is shown.

$$Cl_2 + 2Br^- \rightarrow 2Cl^- + Br_2$$

Which statement about this reaction is correct?

- **A** Bromide ions act as an oxidising agent.
- **B** Bromide ions are oxidised when electrons are lost.
- **C** Chlorine acts as a reducing agent.
- **D** Chlorine is reduced when electrons are lost.
- **19** Which substance is a neutral oxide?
 - A aluminium oxide
 - B carbon monoxide
 - C sulfur dioxide
 - D zinc oxide
- 20 Which statements about dilute sulfuric acid are correct?
 - 1 It turns red litmus paper blue.
 - 2 It reacts with magnesium(II) oxide to form magnesium(II) sulfate and water.
 - 3 It reacts with magnesium to form magnesium(II) sulfate and carbon dioxide.
 - 4 Its pH is below pH 7.
 - A 1 and 2 only B 1 and 3 only C 2 and 4 only D 3 and 4 only

- **21** A method used to make copper(II) sulfate crystals is shown.
 - 1 Place dilute sulfuric acid in a beaker.
 - 2 Warm the acid.
 - 3 Add copper(II) oxide until it is in excess.
 - 4 Filter the mixture.
 - 5 Evaporate the filtrate until crystals start to form.
 - 6 Leave the filtrate to cool.

What are the purposes of step 3 and step 4?

	step 3	step 4
Α	to ensure all of the acid has reacted	to obtain solid copper(II) sulfate
В	to ensure all of the acid has reacted	to remove the excess of copper(II) oxide
С	to speed up the reaction	to obtain solid copper(II) sulfate
D	to speed up the reaction	to remove the excess of copper(II) oxide

22 Lead(II) iodide is formed as a precipitate in the reaction shown.

$$Pb(NO_3)_2(aq) + 2NaI(aq) \rightarrow PbI_2(s) + 2NaNO_3(aq)$$

Which method is used to separate the lead(II) iodide from the mixture?

- **A** crystallisation
- **B** distillation
- C evaporation
- **D** filtration
- 23 Which statement describes a gas which is in Group VIII of the Periodic Table?
 - **A** A colourless gas that helps substances burn.
 - **B** A pollutant gas present in car exhausts.
 - **C** A gas that is less dense than air and makes a 'pop' sound with a lighted splint.
 - **D** A gas that is used in lamps.

- 24 Which pair of elements reacts together most violently?
 - A chlorine and lithium
 - B chlorine and potassium
 - C iodine and lithium
 - **D** iodine and potassium
- 25 Iron reacts with dilute hydrochloric acid to form iron(II) chloride, $FeCl_2$. Iron reacts with chlorine to form iron(III) chloride, $FeCl_3$.

Which property of transition elements is shown by this information?

- A Transition elements have high melting points.
- **B** Transition elements can act as catalysts.
- **C** Transition elements have variable oxidation states.
- **D** Transition elements have coloured compounds.
- **26** Some properties of substance X are listed.
 - It conducts electricity when molten.
 - It has a high melting point.
 - It burns in oxygen and the oxide dissolves in water to give a solution with pH 11.

What is X?

- A a covalent compound
- B a macromolecule
- C a metal
- D an ionic compound
- 27 Which statement about metals and their uses is correct?
 - A Aluminium is used in the manufacture of aircraft because it has a high density.
 - **B** Copper is used to make cooking utensils because it is a poor conductor of heat.
 - **C** Mild steel is used to make car bodies because it is brittle and breaks easily.
 - **D** Stainless steel is used to make cutlery because it is resistant to corrosion.


- **28** Which word equation represents a reaction which occurs?
 - A sodium oxide + carbon → sodium + carbon dioxide
 - **B** sodium oxide + iron \rightarrow sodium + iron(II) oxide
 - \mathbf{C} iron(II) oxide + copper \rightarrow iron + copper(II) oxide
 - **D** iron(III) oxide + carbon \rightarrow iron + carbon dioxide
- 29 Why is cryolite used in the extraction of aluminium by electrolysis?
 - A It changes bauxite to aluminium oxide.
 - **B** It decreases the melting point of the aluminium.
 - C It dissolves the aluminium oxide.
 - **D** It protects the anodes from corrosion.
- **30** River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.


Which statement is correct?

- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.
- 31 How are oxygen and nitrogen separated from air?
 - A chromatography
 - **B** condensation and filtration
 - **C** crystallisation
 - D fractional distillation

32 The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?



- **33** The following processes are part of the carbon cycle.
 - 1 photosynthesis
 - 2 combustion
 - 3 respiration

Which processes decrease the amount of carbon dioxide in the atmosphere?

- A 1 only
- **B** 1 and 2 only
- C 1 and 3 only
 - **D** 2 and 3 only

34 Ammonium sulfate is used as a fertiliser.

It is made from ammonia and sulfuric acid.

Which words complete gaps 1, 2 and 3?

The1..... is made by the2..... process in which3..... is used as a catalyst.

	1	2	3		
Α	ammonia	Contact	iron		
В	ammonia	Haber	vanadium(V) oxide		
С	sulfuric acid	Contact	vanadium(V) oxide		
D	sulfuric acid	Haber	iron		

35 Which type of reaction occurs when lime is manufactured from limestone?


- **A** combustion
- **B** neutralisation
- **C** redox
- **D** thermal decomposition
- **36** Which statement is correct?
 - A Bitumen is used as a fuel for ships.
 - **B** Coal, natural gas and oxygen are all fuels.
 - **C** Hydrogen is the main constituent of natural gas.
 - **D** Petroleum is separated into useful substances by fractional distillation.
- **37** Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
Α	✓	✓	✓
В	✓	✓	x
С	✓	X	✓
D	X	✓	✓

38 Ethanol is made by fermentation of sugars and by the catalytic addition of steam to ethene.

What are two advantages of making ethanol by the catalytic addition of steam to ethene rather than by fermentation of sugars?

- A faster reaction and renewable raw materials
- **B** purer product and faster reaction
- **C** renewable raw materials and continuous process
- D uses more energy and forms a purer product
- **39** The diagram shows the structure of a monomer and of the polymer made from it.



What are the monomer and polymer?

	monomer	polymer
Α	ethane	poly(ethane)
В	ethane	poly(ethene)
С	ethene	poly(ethane)
D	ethene	poly(ethene)

40 Proteins and starch are both natural polymers.

Both proteins and starch are hydrolysed by dilute acids.

What are the products of hydrolysis of proteins and of starch?

	products of hydrolysis of proteins	products of hydrolysis of starch
Α	amines and carboxylic acids	simple sugars
В	amines and carboxylic acids	alcohols and carboxylic acids
С	amino acids	simple sugars
D	amino acids	alcohols and carboxylic acids

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=>	2	Ε	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Ą	astatine _			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ъ	polonium –	116	_	livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>.</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ű	copemicium –
											29	CG	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
dn										28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -	
Group											27	ပိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		-	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
					,						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	ISS				24	ပ်	chromium 52			molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41		niobium 93		<u>a</u>	tantalum 181	105	Ср	dubnium -
						ato	rela				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿉	rutherfordium -
								-			21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				8	=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	μ̈	francium -

7.1	Pn	lutetium 175	103	۲	lawrencium	I
70	Υp	ytterbium 173	102	%	nobelium	I
69	Tu	thulium 169	101	Md	mendelevium	ı
89	Щ	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	Ç	californium	ı
65	Д	terbium 159	97	益	berkelium	ı
64	P G	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium -	93	ď	neptunium	I
09	ρN	neodymium 144	92	\supset	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Ч	thorium	232
22	Га	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).