

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education (9–1)

MATHEMATICS
Paper 2
MARK SCHEME
Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This syllabus is regulated for use in England as a Cambridge International Level 1/Level 2 (9–1) Certificate.



Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
 is given for valid answers which go beyond the scope of the syllabus and mark scheme,
 referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these
 features are specifically assessed by the question as indicated by the mark scheme. The
 meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2019 Page 2 of 5

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

Question	Answer	Marks	Partial Marks
1	5	2	M1 for $16 + x = 3 \times 7$ oe
2	5000000 or 5×10 ⁶	1	
3	45	2	B1 for answer 3, 5, 9 or 15 or for $[315 =] 3 \times 3 \times 5 \times 7$ or for $[225 =] 3 \times 3 \times 5 \times 5$
4	[0].55	3	M1 for conversion between hours and seconds soi M1 for use of speed × time soi
5	15	3	B1 for 24 M1 for $\frac{365}{24k}$ soi by e.g. 15.2 If 0 scored SC2 for final answer of 16
6(a)	7n - 5 oe final answer	2	B1 for $7n + c$ or $kn - 5$ $k \neq 0$
6(b)(i)	125	1	

© UCLES 2019 Page 3 of 5

Question	Answer	Marks	Partial Marks
6(b)(ii)	35	1	
7	$2x^5y^6$ final answer	2	B1 for kx^5y^6 or $2x^ky^6$ or $2x^5y^k$
8	$\left[BC^2 = \right]11^2 + 9^2$	M1	
	$AC^2 = 23^2 - theirBC^2$	M2	M1 for $23^2 = AC^2 + theirBC^2$
	AC = 18.08	A1	
9(a)	2x	1	
9(b)	360 - 4x	2	FT their 9(a) B1 for obtuse angle $BAC = 2 \times their 2x$
10	24.54	3	B1 for one of 1677.5 or 1676.5 and one of 68.35 or 68.45 seen M1 for $[UB =] \frac{1677.5}{68.35}$ or for $\frac{x}{y}$ where 1677 < x < 1678 and 68.3 < y < 68.4
11	Opposite angles of a cyclic quadrilateral sum to 180°	1	
	72°	3	M1 for $3 + 7$ parts is 180 soi M1 for x is 4 parts soi or for [angle $B =]6 \times their18$ or for $16 \times their18$
12(a)	A complete sample space or 15 correct combinations seen	M1	
	$\frac{15}{36}$ seen	A1	
12(b)	25	1	
12(c)	Cassie 215 Ben 85	3	FT their 25 M1 for 3×25 and $4 \times (60 - 25)$ seen M1 for $\pm (3 \times 25 - 4 \times (60 - 25))$ soi by ± 65 counters
13	a = -2, b = 16	3	M1 for $-16 + a = -18$ soi by $a = -2$ M1 for $12 - 2a = b$

Question	Answer	Marks	Partial Marks
14(a)	$(x-3)^2-5$	3	B1 for $(x-3)^2$ seen M1 for $(x-3)^2 - (\pm 3)^2 + 4$
			OR B2 for $a = -3$ and $b = -5$ or B1 for $a = -3$ or $b = -5$
14(b)	(3, -5)	2FT	FT their 14(a) B1 for each co-ordinate correct
15(a)	$x^2 + \left(2x + 10\right)^2 = 20$	M1	Correct substitution
	$(2x+10)^2 = 4x^2 + 20x + 20x + 100$	M1	Expansion of bracket Allow one error in expansion
	$5x^2 + 40x + 80 = 0$	M1	Rearranging to a 3 term quadratic Allow one further error in collecting terms
	(kx+4k)(x+4)	M1	Correct factorisation or solution
	x = -4, y = 2	A1	
15(b)	Line is a tangent to the curve oe	1	Strict FT their 15(a)
16(a)(i)	$-\mathbf{a} + \frac{1}{2}\mathbf{b}$	1	
16(a)(ii)	$\frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$ or $\frac{1}{2}(\mathbf{a} + \mathbf{b})$	2	M1 for a correct route e.g. $\overrightarrow{OM} = \overrightarrow{OB} + \frac{1}{BA}$
			e.g. $\mathbf{b} + \frac{1}{2}(-\mathbf{b} + \mathbf{a})$
16(a)(iii)	$-\frac{5}{8}\mathbf{a} + \frac{3}{8}\mathbf{b} \text{ or } \frac{1}{8}(-5\mathbf{a} + 3\mathbf{b})$	2	M1 for a correct route e.g. $\overrightarrow{AN} = \overrightarrow{AO} + \frac{3}{4}(\overrightarrow{OB} + \frac{1}{2}\overrightarrow{BA})$
			or $\overrightarrow{AN} = \overrightarrow{AO} + \frac{3}{4}\overrightarrow{OM}$
			or $\overrightarrow{AN} = -\mathbf{a} + \frac{3}{4} \left(\mathbf{b} + \frac{1}{2} \left(-\mathbf{b} + \mathbf{a} \right) \right)$
			or FT $\overrightarrow{AN} = -\mathbf{a} + \frac{3}{4} (their \mathbf{16(a)(ii)})$
16(b)	No, \overrightarrow{AC} is not a multiple of \overrightarrow{AN}	1FT	FT their 16(a)(i) and their 16(a)(iii)
17(a)	$(0, -4\frac{1}{3})$	1	
17(b)	x = 3 $y = -4$	2	B1 for each