



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDA ⁻ NUMBER	ГЕ	

BIOLOGY

0610/61

Paper 6 Alternative to Practical

May/June 2012

1 hour

Candidates answer on the Question Paper

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.


DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	





1 Some students investigated the effect of different conditions on onion leaves.

For Examiner's Use

Fig.1.1 is a photograph of growing onion plants. They have tubular leaves that are hollow inside.



Fig. 1.1

In an experiment an onion leaf was cut into three pieces each 2 cm long.

Four cuts were made in each piece as shown in Fig. 1.2.




Fig. 1.2

The first piece was put into water.

The second piece was put into salt solution.

The third piece was put on dry filter paper.

The three pieces were left in their different conditions for 10 minutes after which the students made their observations.

Table 1.1 shows the shape of the pieces and how they felt when the students held them between their fingers.

For Examiner's Use

Table 1.1

in water	in salt solution	in air
springy, firm	soft, slimy	soft, limp

(a)	(i)	Explain the reasons for any differences that were observed.	
			••
			••
			••
			3]
	(ii)		
		[2	[2

(b) Fig. 1.3 is a photomicrograph of a section through a tubular onion leaf.






Fig. 1.3

- (i) On Fig. 1.3, use lines and the letters **A**, **B** and **C** to label,
 - A a mesophyll cell
 - **B** a xylem vessel
 - C an epidermal cell.

Draw the label lines with the letters **A**, **B** and **C** on Fig. 1.3. [3]

(ii) There are stomata on the leaf in Fig. 1.3. Draw a circle round **one** of them.

Draw the circle on Fig. 1.3. [1]

(c) Fig. 1.4 shows a photograph of a section through the onion leaf. Its actual diameter was 5 mm.

For Examiner's Use




Fig. 1.4

Measure the diameter of the leaf shown in the photograph in Fig. 1.4.
diameter
Calculate the magnification of the onion leaf in the photograph in Fig. 1.4
Show your working.


Magnification X[3]

(d)	(i)	Explain exactly how you would safely test another 2 cm piece of onion leaf for the presence of reducing sugar.	For Examiner's Use
		[3]	
	(ii)	The reducing sugar test can tell you that:	
		 reducing sugar is absent reducing sugar is present at a low concentration reducing sugar is present at a high concentration 	
		Explain how you can tell the difference between these possible results.	
		[3]	

(e) Onion leaves are green. Students testing onion leaves for the presence of starch used the method shown in the four stages of Fig. 1.5.

For Examiner's Use

Explain the reasons for the details shown in each stage. Write your answers on the lines below Fig. 1.5







Fig. 1.5

reasons for stage 1	
reasons for stage 2	
reasons for stage 3	
reasons for stage 4	[4]

2 Fig. 2.1 shows three worms. One is a nematode.

For Examiner's Use

[1]



[2]

© UCLES 2012 0610/61/M/J/12

(iii) The other two worms belong to a different group.

Name this group

(b) Part of the worm labelled **B** is shown in a rectangle.

Make a large labelled drawing of this part of worm **B**.

For Examiner's Use

[4]

(c) Some students studied a population of 40 worms. They measured the lengths of 35 worms. These measurements are shown in Table 2.1.

For Examiner's Use

(i) Complete Table 2.1 by measuring the lengths of the five worms shown in Fig. 2.2. Use a ruler to measure them.




Fig. 2.2

Table 2.1

	1	ı	ı	1		ı	1	1	ı	1 1
length/cm	7.0	8.1	10.8	6.2	11.4	9.0	10.3	12.1	13.5	5.6
length/cm	11.3	7.9	12.9	7.4	13.1	13.7	15.5	8.8	14.1	15.2
length/cm	9.6	8.4	14.7	16.0	7.2	10.5	9.2	12.4	6.7	13.3
						_	_	_		
length/cm	14.0	11.6	12.6	12.2	8.3					

Record the length of each worm in Table 2.1 [2]

(ii) Complete the tally chart, Table 2.2, to show the number of worms in each range of lengths.


For Examiner's Use

Table 2.2

range of lengths / cm	tally	frequency
5.0 - 6.9		
7.0 - 8.9		
9.0 - 10.9		
11.0 - 12.9		
13.0 - 14.9		
15.0 - 16.9		

[3]

(iii) Use the data from Table 2.2 to plot a histogram showing the frequency of each range of lengths.



[4]

Question 2 continues on page 12

(iv)	Suggest a reason for the shape of the histogram.
	[1]
	[Total: 18

Copyright Acknowledgements:

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.