

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MMM. Aremed Rheis. Com

*	
7	
6	
∞	
ر.	
4	
0	
5	
2	
9	
4	
*	

CANDIDATE NAME										
CENTRE NUMBER						CANI NUM	DIDAT BER	E [

MATHEMATICS 0580/42

Paper 4 (Extended) May/June 2010

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Mathematical tables (optional) Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be clearly shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 130.

Alberto and Maria share \$240 in the ratio 3:5.	For Examiner's Use
(a) Show that Alberto receives \$90 and Maria receives \$150.	
Answer(a)	
 (b) (i) Alberto invests his \$90 for 2 years at r % per year simple interest. At the end of 2 years the amount of money he has is \$99. Calculate the value of r. 	
$Answer(b)(i) \ r = $ [2] (ii) The \$99 is 60% of the cost of a holiday. Calculate the cost of the holiday.	
Answer(b)(ii) \$ [2] (c) Maria invests her \$150 for 2 years at 4% per year compound interest. Calculate the exact amount Maria has at the end of 2 years.	
 Answer(c) \$	
Answer(d)(i) \$	


- 2 (a) $\mathbf{p} = \begin{pmatrix} 3 \\ 2 \end{pmatrix}$ and $\mathbf{q} = \begin{pmatrix} 6 \\ 3 \end{pmatrix}$.
 - (i) Find, as a single column vector, $\mathbf{p} + 2\mathbf{q}$.

 $Answer(a)(i) \qquad \qquad \boxed{2}$

(ii) Calculate the value of $|\mathbf{p} + 2\mathbf{q}|$.

 $Answer(a)(ii) \qquad [2]$

(b)



In the diagram, CM = MV and OL = 2LV. O is the origin. $\overrightarrow{OC} = \mathbf{c}$ and $\overrightarrow{OV} = \mathbf{v}$.

Find, in terms of c and v, in their simplest forms

(i) \overrightarrow{CM} ,

Answer(b)(i) [2]


(ii) the position vector of M,

Answer(b)(ii) [2]

(iii) \overrightarrow{ML} .

Answer(b)(iii) [2]

For Examiner's Use




The diagram shows a spinner with six numbered sections. Some of the sections are shaded. Each time the spinner is spun it stops on one of the six sections. It is equally likely that it stops on any one of the sections.

It is	equally likely that it stops on any one of	f the sections.	
(a)	The spinner is spun once.		
	Find the probability that it stops on		
	(i) a shaded section,		
	(ii) a section numbered 1,	Answer(a)(i)	 [1]
	(ii) a section numbered 1,		
	(iii) a shaded section numbered 1,	Answer(a)(ii)	 [1]
	(iii) a shaded section nameered 1,		
			 [1]
	(iv) a shaded section or a section numb	pered 1.	
		Answer(a)(iv)	 [1]

(b)) The spinner is now spun twice.								
	Fine	d the probability that the total of the two numbers is							
	(i)	20,							
	(ii)	Answer(b)(i)[2] 11.							
		<i>Answer(b)</i> (ii)[2]							
(c)	(i)	The spinner stops on a shaded section.							
(-)	(-)	Find the probability that this section is numbered 2.							
	(ii)	$Answer(c)(i) \qquad \qquad [1]$ The spinner stops on a section numbered 2. Find the probability that this section is shaded.							
(d)	The	Answer(c)(ii) [1] e spinner is now spun until it stops on a section numbered 2. e probability that this happens on the n th spin is $\frac{16}{243}$. d the value of n .							
		Answer(d) n = [2]							

For Examiner's Use



(a) On the grid, draw

(i)	the translation of triangle T by the vector	$\begin{pmatrix} -7 \\ 3 \end{pmatrix}$	7),	[2]
-----	---	---	-----	-----

(ii) the rotation of triangle T about (0, 0), through 90° clockwise. [2]

(b) Describe fully the **single** transformation that maps

(i) triangle T onto triangle U, Answer(b) [2]


(ii) triangle T onto triangle V.

Answer(b)(ii) [3]

For

(c)	Find the 2 by 2 matrix which represents the transformation that maps										
	(i)	triangle T onto triangle U ,					Use				
	(ii)	triangle T onto triangle V ,	Answer(c)(i)			[2]					
	(iii)	triangle V onto triangle T .	Answer(c)(ii)			[2]					
			Answer(c)(iii)			[1]					

For Examiner's Use



The diagram shows some straight line distances between Auckland (A), Hamilton (H), Tauranga (T) and Rotorua (R).

AT = 180 km, AH = 115 km and HT = 90 km.

(a) Calculate angle HAT. Show that this rounds to 25.0°, correct to 3 significant figures.

Answer(a)

[4]

(b) The bearing of H from A is 150°.

Find the bearing of

(i) T from A,

Answer(b)(i) [1]

(ii) *A* from *T*.

 $Answer(b)(ii) \qquad [1]$

(c)	Calculate how far T is east of A .	For Examiner's Use
(4)	Answer(c) km [3] Angle $THP = 30^{\circ}$ and angle $HPT = 70^{\circ}$	
(u)	Angle $THR = 30^{\circ}$ and angle $HRT = 70^{\circ}$. Calculate the distance TR .	
	Carculate the distance 11.	
	Answer(d) km [3]	
(e)	On a map the distance representing HT is 4.5cm.	
	The scale of the map is 1 : <i>n</i> . Calculate the value of <i>n</i> .	
	Calculate the value of n.	
	Answer(e) n = [2]	


- 6 A spherical ball has a radius of 2.4 cm.
 - (a) Show that the volume of the ball is 57.9 cm³, correct to 3 significant figures.

[The volume V of a sphere of radius r is $V = \frac{4}{3}\pi r^3$.]

Answer(a)

[2]

(b)



NOT TO SCALE

Six spherical balls of radius 2.4 cm fit exactly into a **closed** box. The box is a cuboid.

Find

(i)	the	length,	width	and	height	of the	box.

Answer(b)(i) _____ cm, ____ cm, ____ cm [3]

(ii) the volume of the box,

Answer(b)(ii) cm³ [1]


(iii) the volume of the box **not** occupied by the balls,

Answer(b)(iii) _____ cm³ [1]

(iv) the surface area of the box.

Answer(b)(iv) cm^2 [2]

(c)



NOT TO SCALE Examiner's Use

The six balls can also fit exactly into a **closed** cylindrical container, as shown in the diagram.

Find

(i)	the vo	lume	of 1	the	cyl	lind	lrical	cont	tainer.

 $Answer(c)(i) \qquad cm^3 \quad [3]$

(ii) the volume of the cylindrical container not occupied by the balls,

 $Answer(c)(ii) \qquad cm^3 \qquad [1]$

(iii) the surface area of the cylindrical container.

 $Answer(c)(iii) \qquad cm^2 \quad [3]$

7 200 students were asked how many hours they exercise each week.

For Examiner's Use

The table shows the results.

Time (t hours)	0< <i>t</i> ≤5	5< <i>t</i> ≤10	10< <i>t</i> ≤15	15< <i>t</i> ≤20	20< <i>t</i> ≤25	25< <i>t</i> ≤30	30< <i>t</i> ≤35	35< <i>t</i> ≤40
Number of students	12	15	23	30	40	35	25	20

(a) Calculate an estimate of the mean.


Answer(a)	h	Γ4 ⁻
Answer(a)	 11	17

(b) Use the information in the table above to complete the cumulative frequency table.

Time (t hours)	<i>t</i> ≤ 5	<i>t</i> ≤ 10	<i>t</i> ≤ 15	<i>t</i> ≤ 20	<i>t</i> ≤ 25	<i>t</i> ≤ 30	<i>t</i> ≤ 35	<i>t</i> ≤ 40
Cumulative frequency	12	27	50	80	120			200

[1]

For Examiner's Use



- (c) On the grid, draw a cumulative frequency diagram to show the information in the table in **part (b)**. [4]
- (d) On your cumulative frequency diagram show how to find the lower quartile. [1]
- (e) Use your cumulative frequency diagram to find
 - (i) the median,

Answer(e)(i) _____[1]

(ii) the inter-quartile range,

Answer(e)(ii) [1]

(iii) the 64th percentile,

Answer(e)(iii) [1]

(iv) the number of students who exercise for more than 17 hours.


Answer(e)(iv) [2]

8 (a)	y is 5 less than the square of the sum of p and q . Write down a formula for y in terms of p and q .	For Examiner's Use
(b)	The cost of a magazine is x and the cost of a newspaper is $(x - 3)$. The total cost of 6 magazines and 9 newspapers is 1 . Write down and solve an equation in x to find the cost of a magazine.	
		Answer(b) \$[4]	

(c)	Bus tickets cost \$3 for an adult and \$2 for a child.						
	There are a adults and c children on a bus.						
	The total number of people on the bus is 52.						
	The total cost of the 52 tickets is \$139.						
	Find the number of adults and the number of children on the bus.						
	Answer(c) Number of adults =						
	Number of children =	••••••	[5]				
	Number of children –		[2]				

For Examiner's Use 9 (a)

For Examiner's Use



The lines AB and CDE are parallel. AD and CB intersect at X. AB = 9 cm, CD = 6 cm and DX = 3 cm.

(i) Complete the following statement.

Triangle ABX is ______ to triangle DCX. [1]

(ii) Calculate the length of AX.

Answer(a)(ii) AX = cm [2]

(iii) The area of triangle DCX is 6 cm².

Calculate the area of triangle ABX.

Answer(a)(iii) cm^2 [2]

(iv) Angle $BAX = x^{\circ}$ and angle $ABX = y^{\circ}$.


Find angle AXB and angle XDE in terms of x and/or y.

Answer(a)(iv) Angle AXB =

Angle XDE = [2]

(b)

For Examiner's Use



P, Q, R and S lie on a circle, centre O. Angle $OPS = 42^{\circ}$ and angle $PRQ = 35^{\circ}$.

Calculate

(i) angle *POS*,

$$Answer(b)(i)$$
 Angle $POS =$ [1]

(ii) angle PRS,

$$Answer(b)$$
(ii) Angle $PRS =$ [1]

(iii) angle SPQ,

$$Answer(b)$$
(iii) Angle $SPQ =$ [1]

(iv) angle PSQ.


$$Answer(b)(iv) Angle PSQ =$$
 [1]


(c) The interior angle of a regular polygon is 8 times as large as the exterior angle.


Calculate the number of sides of the polygon.

Answer(c) [3]









The diagrams show some polygons and their diagonals.

(a) Complete the table.

Number of sides	Name of polygon	Total number of diagonals
3	triangle	0
4	quadrilateral	2
5		5
6	hexagon	9
7	heptagon	14
8		

(h) Write	e down	the total	number	of diagon	als	in

(i) a decagon (a 10-sided polygon),

Answer(Ъ)	(i)	[1	ľ	1

(ii) a 12-sided polygon.

For
Examiner's
T T

(c)	A polygon with <i>n</i> sides has a total of $\frac{1}{p}n(n-q)$ diagonals, where <i>p</i> and <i>q</i> are integers.							
	(i) Find the values of p and q .							
	$Answer(c)(i) p = \underline{\hspace{1cm}}$							
	q = [3	6]						
	(ii) Find the total number of diagonals in a polygon with 100 sides.							
	Answer(c)(ii)[1	.]						
	(iii) Find the number of sides of a polygon which has a total of 170 diagonals.							
	Answer(c)(iii)[2	<u>!]</u>						
(d)	A polygon with $n + 1$ sides has 30 more diagonals than a polygon with n sides.							
	Find n.							
		-						
	Answer(d) n = [1	.]						

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.